

Appendix 1 DATA SET

Patient data

- Unique patient identification code
 - Hash code
 - National social security number (INSZ/NISS)
- Phonetic routine in the first name
- Gender
- Zip code of home address

Tumour data

- Incidence date
- Basis for the diagnosis
- Topography
- Laterality
- Histology
- Differentiation grade
- Clinical stage
 - TNM
 - Extent of the disease for small cell lung cancer
 - Ann Arbour
 - Multiple myeloma
 - FIGO
- Pathological stage
- Treatment
- WHO score at the time of diagnosis (performance grade)

Follow-up data

- Date of death
- Date of last contact

Appendix N2 Mortality incidence ratios 2004								
ICD-10 Description of localisation		Males			Females			
		M*	I	M/I	M*	I	M/I	
Region		N	N	ratio	N	N	ratio	
C00-C14	Lip, oral cavity and pharynx	Brussels-Capital Region	36	113	0.32	22	50	0.44
		Flemish Region	226	667	0.34	57	217	0.26
		Walloon Region	109	486	0.22	54	176	0.31
C15	Oesophagus	Brussels-Capital Region	33	49	0.67	24	26	0.92
		Flemish Region	294	370	0.79	82	125	0.66
		Walloon Region	160	211	0.76	65	83	0.78
C16	Stomach	Brussels-Capital Region	44	76	0.58	26	34	0.76
		Flemish Region	328	537	0.61	217	328	0.66
		Walloon Region	134	266	0.50	94	141	0.67
C18-C20	Colon-Rectosigmoid junction-rectum	Brussels-Capital Region	111	301	0.37	133	322	0.41
		Flemish Region	926	2,622	0.35	789	2,068	0.38
		Walloon Region	416	1,167	0.36	466	1,100	0.42
C21	Anus and anal canal	Brussels-Capital Region	1	6	0.17	5	16	0.31
		Flemish Region	5	29	0.17	10	30	0.33
		Walloon Region	0	15	0.00	3	28	0.11
C22	Liver and intrahepatic bile ducts	Brussels-Capital Region	41	21	1.95	29	12	2.42
		Flemish Region	202	140	1.44	148	76	1.95
		Walloon Region	157	87	1.80	93	24	3.88
C25	Pancreas	Brussels-Capital Region	53	51	1.04	61	41	1.49
		Flemish Region	373	346	1.08	343	287	1.20
		Walloon Region	248	186	1.33	223	169	1.32
C30-C31	Nasal cavity, middle ear and accessory sinuses	Brussels-Capital Region	2	3	0.67	1	-	-
		Flemish Region	9	46	0.20	2	15	0.13
		Walloon Region	5	22	0.23	3	12	0.25
C32	Larynx	Brussels-Capital Region	20	63	0.32	6	9	0.67
		Flemish Region	130	349	0.37	19	45	0.42
		Walloon Region	64	216	0.30	12	43	0.28
C33-C34	Trachea-bronchus-lung	Brussels-Capital Region	354	413	0.86	178	185	0.96
		Flemish Region	2,834	3,266	0.87	616	834	0.74
		Walloon Region	1,647	1,787	0.92	480	523	0.92
C43	Malignant melanoma of skin	Brussels-Capital Region	9	56	0.16	17	85	0.20
		Flemish Region	72	364	0.20	95	490	0.19
		Walloon Region	49	200	0.25	33	298	0.11
C44	Malignant neoplasms of skin	Brussels-Capital Region	3	157	0.02	4	86	0.05
		Flemish Region	32	942	0.03	24	667	0.04
		Walloon Region	16	502	0.03	9	366	0.02
C50	Breast	Brussels-Capital Region	1	8	0.13	228	929	0.25
		Flemish Region	13	56	0.23	1,356	5,345	0.25
		Walloon Region	9	22	0.41	702	3,095	0.23
C51	Vulva	Brussels-Capital Region	-	-	-	5	16	0.31
		Flemish Region	-	-	-	35	85	0.41
		Walloon Region	-	-	-	12	48	0.25
C52	Vagina	Brussels-Capital Region	-	-	-	0	4	0.00
		Flemish Region	-	-	-	10	27	0.37
		Walloon Region	-	-	-	5	21	0.24

C53	Cervix uteri	Brussels-Capital Region	-	-	-	22	65	0.34
		Flemish Region	-	-	-	127	372	0.34
		Walloon Region	-	-	-	40	214	0.19
C54	Corpus uteri	Brussels-Capital Region	-	-	-	18	107	0.17
		Flemish Region	-	-	-	118	858	0.14
		Walloon Region	-	-	-	44	426	0.10
C56	Ovary	Brussels-Capital Region	-	-	-	64	71	0.90
		Flemish Region	-	-	-	385	569	0.68
		Walloon Region	-	-	-	230	255	0.90
C60	Penis	Brussels-Capital Region	0	7	0.00	-	-	-
		Flemish Region	10	38	0.26	-	-	-
		Walloon Region	4	22	0.18	-	-	-
C61	Prostate	Brussels-Capital Region	105	613	0.17	-	-	-
		Flemish Region	807	5,937	0.14	-	-	-
		Walloon Region	465	3,069	0.15	-	-	-
C62	Testis	Brussels-Capital Region	0	18	0.00	-	-	-
		Flemish Region	5	126	0.04	-	-	-
		Walloon Region	5	99	0.05	-	-	-
C64	Kidney	Brussels-Capital Region	26	55	0.47	27	30	0.90
		Flemish Region	217	500	0.43	143	358	0.40
		Walloon Region	68	248	0.27	76	142	0.54
C67	Bladder	Brussels-Capital Region	54	141	0.38	18	34	0.53
		Flemish Region	344	956	0.36	123	245	0.50
		Walloon Region	202	557	0.36	58	110	0.53
C69	Eye and adnexa	Brussels-Capital Region	0	2	0.00	0	6	0.00
		Flemish Region	0	24	0.00	3	24	0.13
		Walloon Region	5	5	1.00	5	11	0.45
C70-C72	Brain and other parts of central nervous system	Brussels-Capital Region	25	33	0.76	19	28	0.68
		Flemish Region	203	274	0.74	157	232	0.68
		Walloon Region	96	152	0.63	91	105	0.87
C73	Thyroid gland	Brussels-Capital Region	3	23	0.13	4	79	0.05
		Flemish Region	16	63	0.25	27	170	0.16
		Walloon Region	9	65	0.14	18	204	0.09
C81	Hodgkin's disease	Brussels-Capital Region	2	22	0.09	0	16	0.00
		Flemish Region	27	82	0.33	18	77	0.23
		Walloon Region	11	57	0.19	10	38	0.26
C82-85	Non-Hodgkin-lymphoma	Brussels-Capital Region	33	84	0.39	32	85	0.38
		Flemish Region	192	595	0.32	166	501	0.33
		Walloon Region	94	321	0.29	90	295	0.31
C91-C96	Leukaemia	Brussels-Capital Region	27	69	0.39	36	68	0.53
		Flemish Region	261	470	0.56	202	383	0.53
		Walloon Region	192	159	1.21	151	136	1.11
C76-C80	Unknown and other ill-defined sites	Brussels-Capital Region	91	90	1.01	81	73	1.11
		Flemish Region	291	374	0.78	250	309	0.81
		Walloon Region	338	245	1.38	248	217	1.14
Total		Brussels-Capital Region	1,170	2,595	0.45	1,166	2,592	0.45
		Flemish Region	8,602	20,101	0.43	6,136	15,469	0.40
		Walloon Region	4,938	10,562	0.47	3,769	8,657	0.44

* Sources:

Brussels Capital Region: Bulletins statistiques de décès. Observatoire de la Santé et du Social de Bruxelles.

Flemish Region: Vlaams Agentschap Zorg en Gezondheid. Vlaamse gezondheidsindicatoren. Statistiek van de doodsoorzaken.

Walloon Region: Bulletins statistiques de décès. Cellule des statistiques des naissances et des décès. Direction générale de la santé. Ministère de la Communauté française.

Appendix N3 Percentage of microscopically verified tumours, 2004-2005

		Belgium				Brussels-Capital Region				Flemish Region				Walloon Region			
		Total	Basis for diagnosis			Total	Basis for diagnosis			Total	Basis for diagnosis			Total	Basis for diagnosis		
			MV	Not MV	Missing		MV	Not MV	Missing		MV	Not MV	Missing		MV	Not MV	Missing
Localisation		N	%	%	%	N	%	%	%	N	%	%	%	N	%	%	%
C00	Lip	167	97.6	0.0	2.3	1	100.0	0.0	0.0	119	96.6	0.0	3.3	47	100.0	0.0	0.0
C01	Base of tongue	142	98.5	0.7	0.7	15	100.0	0.0	0.0	74	97.2	1.3	1.3	53	100.0	0.0	0.0
C02	Tongue	491	99.7	0.0	0.2	46	100.0	0.0	0.0	267	99.6	0.0	0.3	178	100.0	0.0	0.0
C03	Gum	108	100.0	0.0	0.0	12	100.0	0.0	0.0	38	100.0	0.0	0.0	58	100.0	0.0	0.0
C04	Floor of mouth	396	98.7	0.0	1.2	27	100.0	0.0	0.0	231	98.7	0.0	1.2	138	98.5	0.0	1.4
C05	Palate	182	99.4	0.5	0.0	19	100.0	0.0	0.0	84	100.0	0.0	0.0	79	98.7	1.2	0.0
C06	Mouth, NOS	255	99.6	0.0	0.3	22	100.0	0.0	0.0	143	99.3	0.0	0.6	90	100.0	0.0	0.0
C07	Parotid gland	179	98.3	1.1	0.5	14	100.0	0.0	0.0	108	98.1	0.9	0.9	57	98.2	1.7	0.0
C08	Salivary glands, NOS	91	100.0	0.0	0.0	11	100.0	0.0	0.0	51	100.0	0.0	0.0	29	100.0	0.0	0.0
C09	Tonsil	433	99.7	0.0	0.2	52	100.0	0.0	0.0	205	100.0	0.0	0.0	176	99.4	0.0	0.5
C10	Oropharynx	234	98.7	0.4	0.8	26	100.0	0.0	0.0	92	98.9	0.0	1.0	116	98.2	0.8	0.8
C11	Nasopharynx	96	98.9	0.0	1.0	21	95.2	0.0	4.7	44	100.0	0.0	0.0	31	100.0	0.0	0.0
C12	Pyriiform sinus	291	99.3	0.3	0.3	34	100.0	0.0	0.0	144	99.3	0.0	0.6	113	99.1	0.8	0.0
C13	Hypopharynx	131	99.2	0.7	0.0	13	100.0	0.0	0.0	77	98.7	1.2	0.0	41	100.0	0.0	0.0
C14	Lip, oral cavity and pharynx, NOS	116	100.0	0.0	0.0	12	100.0	0.0	0.0	33	100.0	0.0	0.0	71	100.0	0.0	0.0
C15	Oesophagus	1,752	99.1	0.5	0.2	145	100.0	0.0	0.0	1,015	99.0	0.7	0.1	592	99.1	0.3	0.5
C16	Stomach	2,744	98.8	0.7	0.4	219	99.0	0.0	0.9	1,718	98.7	0.9	0.2	807	98.8	0.4	0.6
C17	Small intestine	360	99.1	0.8	0.0	28	100.0	0.0	0.0	209	98.5	1.4	0.0	123	100.0	0.0	0.0
C18	Colon	9,976	98.9	0.6	0.4	943	99.6	0.0	0.3	6,067	98.7	0.8	0.4	2,966	99.0	0.5	0.4
C19	Rectosigmoid junction	953	98.8	0.7	0.4	72	100.0	0.0	0.0	595	98.3	1.0	0.6	286	99.6	0.3	0.0
C20	Rectum	4,170	99.6	0.2	0.0	269	99.6	0.3	0.0	2,662	99.7	0.1	0.0	1,239	99.3	0.4	0.1
C21	Anus and anal canal	249	99.1	0.4	0.4	38	100.0	0.0	0.0	130	98.4	0.7	0.7	81	100.0	0.0	0.0
C22	Liver and intrahepatic bileducts	808	84.9	13.3	1.7	84	90.4	9.5	0.0	471	86.6	12.3	1.0	253	79.8	16.6	3.5
C23	Gallbladder	196	94.8	5.1	0.0	13	100.0	0.0	0.0	129	92.2	7.7	0.0	54	100.0	0.0	0.0
C24	Biliary tract, NOS	423	91.9	6.6	1.4	30	93.3	3.3	3.3	266	90.2	7.8	1.8	127	95.2	4.7	0.0
C25	Pancreas	2,114	84.1	10.7	5.0	161	95.6	4.3	0.0	1,259	81.2	12.7	6.0	694	86.7	8.7	4.4
C26	Other ill-defined digestive organs	46	95.6	0.0	4.3	5	100.0	0.0	0.0	12	100.0	0.0	0.0	29	93.1	0.0	6.8
C30	Nasal cavity and middle ear	74	100.0	0.0	0.0	2	100.0	0.0	0.0	45	100.0	0.0	0.0	27	100.0	0.0	0.0
C31	Accessory sinuses	152	99.3	0.6	0.0	6	100.0	0.0	0.0	102	99.0	0.9	0.0	44	100.0	0.0	0.0
C32	Larynx	1,353	98.7	0.3	0.8	134	98.5	0.0	1.4	736	98.7	0.6	0.5	483	98.7	0.0	1.2
C33	Trachea	29	93.1	6.8	0.0	2	100.0	0.0	0.0	16	87.5	12.5	0.0	11	100.0	0.0	0.0
C34	Bronchus and lung	13,802	94.9	4.3	0.6	1,156	97.4	2.1	0.4	8,115	93.6	5.6	0.7	4,531	96.7	2.6	0.6
C37	Thymus	60	98.3	1.6	0.0	7	100.0	0.0	0.0	40	97.5	2.5	0.0	13	100.0	0.0	0.0
C38	Heart, mediastinum and pleura	29	89.6	10.3	0.0	3	100.0	0.0	0.0	19	84.2	15.7	0.0	7	100.0	0.0	0.0
C39	Respiratory system and intrathoracic organs, NOS	1	100.0	0.0	0.0	-	-	-	-	1	100.0	0.0	0.0	-	-	-	-
C40	Bone and articular cartilage of limbs	147	100.0	0.0	0.0	17	100.0	0.0	0.0	99	100.0	0.0	0.0	31	100.0	0.0	0.0
C41	Bone and articular cartilage, NOS	137	96.3	0.0	3.6	20	95.0	0.0	5.0	78	96.1	0.0	3.8	39	97.4	0.0	2.5
C43	Malignant melanoma of skin	3,053	99.5	0.0	0.4	291	100.0	0.0	0.0	1,771	99.4	0.0	0.5	991	99.5	0.0	0.4
C44	Malignant neoplasms of skin	5,677	99.5	0.0	0.3	528	99.6	0.1	0.1	3,392	99.4	0.0	0.4	1,757	99.7	0.1	0.1

C45	Mesothelioma	484	99.1	0.0	0.8	20	100.0	0.0	0.0	331	99.0	0.0	0.9	133	99.2	0.0	0.7
C46	Kaposi's sarcoma	65	98.4	0.0	1.5	25	100.0	0.0	0.0	24	95.8	0.0	4.1	16	100.0	0.0	0.0
C47,C49	Soft tissues	785	99.2	0.2	0.5	91	98.9	0.0	1.0	494	99.3	0.4	0.2	200	99.0	0.0	1.0
C48	Retroperitoneum and peritoneum	124	96.7	2.4	0.8	7	100.0	0.0	0.0	85	98.8	1.1	0.0	32	90.6	6.2	3.1
C50	Breast	18,941	99.7	0.1	0.1	1,832	99.6	0.2	0.0	10,975	99.6	0.2	0.1	6,134	99.8	0.0	0.0
C51	Vulva	311	99.3	0.3	0.3	28	100.0	0.0	0.0	185	99.4	0.5	0.0	98	98.9	0.0	1.0
C52	Vagina	97	98.9	1.0	0.0	10	100.0	0.0	0.0	53	100.0	0.0	0.0	34	97.0	2.9	0.0
C53	Cervix uteri	1,302	99.4	0.2	0.3	127	100.0	0.0	0.0	779	99.4	0.2	0.2	396	99.2	0.2	0.5
C54	Corpus uteri	2,735	99.4	0.3	0.1	211	99.5	0.0	0.4	1,686	99.3	0.4	0.1	838	99.7	0.1	0.1
C55	Uterus	138	90.5	7.2	2.1	6	83.3	16.6	0.0	54	94.4	3.7	1.8	78	88.4	8.9	2.5
C56	Ovary	1,803	97.5	1.9	0.4	156	98.0	0.6	1.2	1,132	97.2	2.2	0.4	515	98.0	1.5	0.3
C57	Female genital organs, NOS	63	95.2	3.1	1.5	5	100.0	0.0	0.0	34	100.0	0.0	0.0	24	87.5	8.3	4.1
C58	Placenta	6	100.0	0.0	0.0	-	-	-	-	3	100.0	0.0	0.0	3	100.0	0.0	0.0
C60	Penis	134	100.0	0.0	0.0	19	100.0	0.0	0.0	74	100.0	0.0	0.0	41	100.0	0.0	0.0
C61	Prostate	19,129	99.3	0.4	0.2	1,282	99.5	0.2	0.2	12,046	99.2	0.5	0.2	5,801	99.5	0.2	0.2
C62	Testis	526	98.6	0.1	1.1	45	100.0	0.0	0.0	284	98.2	0.0	1.7	197	98.9	0.5	0.5
C63	Male genital organs, NOS	21	100.0	0.0	0.0	3	100.0	0.0	0.0	12	100.0	0.0	0.0	6	100.0	0.0	0.0
C64	Kidney	2,662	94.8	4.6	0.4	185	96.7	2.7	0.5	1,709	94.0	5.6	0.2	768	96.2	2.9	0.7
C65	Renal pelvis	346	98.8	0.2	0.8	26	100.0	0.0	0.0	217	99.0	0.4	0.4	103	98.0	0.0	1.9
C66	Ureter	207	97.5	2.4	0.0	16	93.7	6.2	0.0	117	96.5	3.4	0.0	74	100.0	0.0	0.0
C67	Bladder	4,095	99.2	0.2	0.4	366	98.9	0.2	0.8	2,448	99.1	0.3	0.5	1,281	99.5	0.1	0.3
C68	Urinary organs, NOS	60	100.0	0.0	0.0	7	100.0	0.0	0.0	33	100.0	0.0	0.0	20	100.0	0.0	0.0
C69	Eye and adnexa	140	90.0	7.8	2.1	21	100.0	0.0	0.0	88	89.7	9.0	1.1	31	83.8	9.6	6.4
C70	Meninges	53	81.1	13.2	5.6	2	100.0	0.0	0.0	31	67.7	22.5	9.6	20	100.0	0.0	0.0
C71	Brain	1,463	93.4	6.4	0.1	112	99.1	0.8	0.0	899	92.5	7.3	0.1	452	93.8	5.9	0.2
C72	Spinal cord, cranial nerves and CNS, NOS	74	85.1	14.8	0.0	11	100.0	0.0	0.0	36	69.4	30.5	0.0	27	100.0	0.0	0.0
C73	Thyroid gland	1,253	99.4	0.0	0.4	175	100.0	0.0	0.0	534	99.2	0.1	0.5	544	99.4	0.0	0.5
C74	Adrenal gland	69	94.2	5.7	0.0	9	100.0	0.0	0.0	38	94.7	5.2	0.0	22	90.9	9.0	0.0
C75	Endocrine glands, NOS	20	90.0	5.0	5.0	1	100.0	0.0	0.0	18	88.8	5.5	5.5	1	100.0	0.0	0.0
C81	Hodgkin's disease	587	99.6	0.0	0.3	66	100.0	0.0	0.0	343	99.7	0.0	0.2	178	99.4	0.0	0.5
C82-85	Non-Hodgkin-lymphoma	3,711	99.5	0.0	0.4	368	98.9	0.5	0.5	2,181	99.6	0.0	0.3	1,162	99.4	0.0	0.4
C88	Malignant immunoproliferative diseases	123	97.5	0.8	1.6	8	100.0	0.0	0.0	89	98.8	0.0	1.1	26	92.3	3.8	3.8
C90	Multiple myeloma	1,307	99.0	0.1	0.7	147	100.0	0.0	0.0	853	99.1	0.2	0.5	307	98.3	0.0	1.6
C91	Lymphoid leukaemia	1,304	98.8	0.0	1.1	135	100.0	0.0	0.0	908	99.0	0.0	0.9	261	97.7	0.0	2.2
C92	Myeloid leukaemia	1,045	98.8	0.0	1.1	117	98.2	0.0	1.7	665	99.5	0.0	0.4	263	97.3	0.0	2.6
C93	Monocytic leukaemia	35	100.0	0.0	0.0	5	100.0	0.0	0.0	25	100.0	0.0	0.0	5	100.0	0.0	0.0
C94-C95	Leukaemia other	80	96.2	0.0	3.7	5	100.0	0.0	0.0	50	94.0	0.0	6.0	25	100.0	0.0	0.0
C96	Lymphoid, haematopoietic and related tissue, NOS	20	95.0	0.0	5.0	2	100.0	0.0	0.0	10	90.0	0.0	10.0	8	100.0	0.0	0.0
C76	Other and ill-defined sites	82	89.0	8.5	2.4	7	85.7	14.2	0.0	50	88.0	8.0	4.0	25	92.0	8.0	0.0
C80	Unknown primary site	2,437	88.3	9.5	2.1	278	93.8	4.6	1.4	1,286	85.6	12.0	2.3	873	90.4	7.3	2.1
Total		119,454	97.9	1.5	0.5	10,434	98.9	0.7	0.3	71,536	97.6	1.8	0.5	37,484	98.3	1.1	0.5
Total, excl.non-melanoma		113,777	97.8	1.5	0.5	9,906	98.8	0.7	0.3	68,144	97.5	1.9	0.5	35,727	98.2	1.1	0.5

2004

1 Cancer incidence in Belgium 200499

Males, number of invasive tumours by primary site and age group100

Males, age-specific and age-standardised incidence rates of cancer, by primary site 102

Females, number of invasive tumours by primary site and age group 104

Females, age-specific and age-standardised incidence rates of cancer, by primary site106

2 Cancer incidence in the Flemish Region 2004 108

Males, number of invasive tumours by primary site and age group108

Males, age-specific and age-standardised incidence rates of cancer, by primary site 110

Females, number of invasive tumours by primary site and age group112

Females, age-specific and age-standardised incidence rates of cancer, by primary site114

3 Cancer incidence in the Brussels Capital Region 2004 116

Males, number of invasive tumours by primary site and age group 116

Males, age-specific and age-standardised incidence rates of cancer, by primary site 118

Females, number of invasive tumours by primary site and age group 120

Females, age-specific and age-standardised incidence rates of cancer, by primary site 122

4 Cancer incidence in the Walloon Region 2004124

Males, number of invasive tumours by primary site and age group124

Males, age-specific and age-standardised incidence rates of cancer, by primary site126

Females, number of invasive tumours by primary site and age group128

Females, age-specific and age-standardised incidence rates of cancer, by primary site130

2005

5 Cancer incidence in Belgium 2005 132

Males, number of invasive tumours by primary site and age group132

Males, age-specific and age-standardised incidence rates of cancer, by primary site134

Females, number of invasive tumours by primary site and age group136

Females, age-specific and age-standardised incidence rates of cancer, by primary site138

6 Cancer incidence in the Flemish Region 2005 140

Males, number of invasive tumours by primary site and age group 140

Males, age-specific and age-standardised incidence rates of cancer, by primary site142

Females, number of invasive tumours by primary site and age group144

Females, age-specific and age-standardised incidence rates of cancer, by primary site 146

7 Cancer incidence in the Brussels Capital Region 2005 148

Males, number of invasive tumours by primary site and age group 148

Males, age-specific and age-standardised incidence rates of cancer, by primary site 150

Females, number of invasive tumours by primary site and age group 152

Females, age-specific and age-standardised incidence rates of cancer, by primary site154

8 Cancer incidence in the Walloon Region 2005 156

Males, number of invasive tumours by primary site and age group156

Males, age-specific and age-standardised incidence rates of cancer, by primary site158

Females, number of invasive tumours by primary site and age group 160

Females, age-specific and age-standardised incidence rates of cancer, by primary site162

2004-2005

9 Cancer incidence in Belgium 2004-2005	164
Males, age-specific and age-standardised incidence rates of cancer, by primary site	164
Females, age-specific and age-standardised incidence rates of cancer, by primary site	166
10 Cancer incidence in the Flemish Region 2004-2005	168
Males, age-specific and age-standardised incidence rates of cancer, by primary site	168
Females, age-specific and age-standardised incidence rates of cancer, by primary site	170
11 Cancer incidence in the Brussels Capital Region 2004-2005	172
Males, age-specific and age-standardised incidence rates of cancer, by primary site	172
Females, age-specific and age-standardised incidence rates of cancer, by primary site	174
12 Cancer incidence in the Walloon Region 2004-2005	176
Males, age-specific and age-standardised incidence rates of cancer, by primary site	176
Females, age-specific and age-standardised incidence rates of cancer, by primary site	178

Note: Incidence data 2004-2005, leukaemia (ICD-10 c91-c95): underregistration in the Walloon Region.

Belgium: Males, number of invasive tumours by primary site and age group in 2004

Belgium: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	61	-	-	-	-	-	-	-	-	2	-	4	5	3	9	13	10	10	5
C01	Base of tongue	61	-	-	-	-	-	-	-	-	1	13	13	7	9	6	6	4	1	1
C02	Tongue	186	-	-	-	-	-	1	-	4	9	23	34	40	24	16	14	11	7	3
C03	Gum	28	-	-	-	-	-	-	-	-	2	4	3	5	6	1	5	1	1	-
C04	Floor of mouth	166	-	-	-	-	-	-	-	1	7	19	28	42	26	15	12	11	5	-
C05	Palate	53	-	-	-	-	-	-	-	1	3	7	8	9	9	6	4	3	3	-
C06	Mouth, NOS	90	-	-	-	-	-	-	1	1	2	8	21	16	12	9	5	8	3	4
C07	Parotid gland	51	-	-	2	-	1	-	1	1	-	3	4	6	3	7	7	4	6	6
C08	Salivary glands, NOS	21	-	-	-	-	-	2	-	-	-	1	1	1	4	3	4	3	2	-
C09	Tonsil	169	-	-	-	-	-	-	-	1	10	27	33	34	19	17	7	11	10	-
C10	Oropharynx	95	-	-	-	-	-	1	-	-	6	9	21	22	17	9	3	5	-	2
C11	Nasopharynx	39	-	-	-	-	-	4	1	2	3	6	7	2	2	5	2	2	1	2
C12	Pyrimiform sinus	143	-	-	-	-	-	-	-	-	11	10	27	37	23	16	7	8	3	1
C13	Hypopharynx	58	-	-	-	-	-	-	-	-	2	4	15	10	6	10	7	3	1	-
C14	Lip, oral cavity and pharynx, NOS	45	-	1	-	-	-	-	-	1	2	2	12	7	9	3	5	3	-	-
C15	Oesophagus	630	-	-	-	-	-	-	3	6	13	40	74	99	84	78	102	79	32	20
C16	Stomach	879	-	-	-	-	2	-	3	11	9	33	58	65	87	116	154	144	133	64
C17	Small intestine	93	-	-	-	-	-	-	1	2	4	6	6	9	8	17	13	15	7	5
C18	Colon	2,531	-	1	1	4	3	1	7	14	35	74	81	182	229	415	474	483	366	161
C19	Rectosigmoid junction	318	-	-	-	-	-	-	-	2	1	6	18	33	29	52	68	62	36	11
C20	Rectum	1,241	-	-	1	-	1	1	3	7	26	49	72	126	154	195	226	193	123	64
C21	Anus and anal canal	50	-	-	-	-	-	-	-	-	2	8	5	6	6	5	4	6	6	2
C22	Liver and intrahepatic bile ducts	248	1	-	-	-	-	1	2	2	4	7	27	26	28	46	47	37	19	1
C23	Gallbladder	34	-	-	-	-	-	-	-	-	-	1	-	3	2	3	6	11	7	1
C24	Biliary tract, NOS	119	-	-	-	-	-	1	1	1	-	8	5	16	14	16	14	24	13	6
C25	Pancreas	583	-	-	-	-	-	-	1	5	18	17	43	54	68	88	133	91	45	20
C26	Other ill-defined digestive organs	11	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	4	1	-
C30	Nasal cavity and middle ear	23	-	-	-	-	-	-	-	1	1	1	2	3	2	3	7	1	2	-
C31	Accessory sinuses	48	-	-	-	-	-	1	1	-	4	4	6	3	6	7	7	4	3	2
C32	Larynx	628	-	-	-	-	-	-	1	4	15	47	71	101	106	100	81	52	33	17
C33	Trachea	11	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	2	1
C34	Bronchus and lung	5,455	-	-	-	1	-	1	7	13	53	159	372	568	680	906	1,098	959	497	141
C37	Thymus	23	-	-	-	-	-	-	-	3	2	2	-	3	2	5	2	1	2	1
C38	Heart, mediastinum and pleura	8	-	-	-	-	1	-	-	-	2	-	-	1	4	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	44	-	1	5	8	4	3	2	5	1	3	1	2	4	1	1	3	-	-
C41	Bone and articular cartilage, NOS	39	-	2	1	4	-	2	5	2	1	3	1	2	3	2	3	1	4	3
C43	Malignant melanoma of skin	620	1	1	1	4	13	14	29	35	52	62	53	63	51	77	65	55	28	16
C44	Malignant neoplasms of skin	1,601	-	-	1	1	2	-	5	2	15	19	47	62	101	174	280	336	332	224
C45	Mesothelioma	204	-	-	-	-	1	-	-	2	2	3	12	15	35	25	48	28	26	7

Belgium: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	23	-	-	-	-	-	1	2	-	3	4	1	3	1	2	2	4	-	-
C47,C49	Soft tissues	207	4	1	2	3	7	5	3	10	9	17	18	20	18	17	29	19	17	8
C48	Retroperitoneum and peritoneum	25	-	-	-	-	-	-	2	1	-	1	4	3	3	3	3	4	-	1
C50	Breast	86	-	-	-	-	-	-	-	2	3	4	4	6	10	16	12	16	9	4
C60	Penis	67	-	-	-	-	-	-	-	-	2	3	4	3	9	11	8	9	13	5
C61	Prostate	9,619	-	-	-	-	-	-	-	1	9	89	381	972	1,278	1,871	2,075	1,601	964	378
C62	Testis	243	-	-	2	12	33	48	34	41	28	16	7	5	6	2	7	1	-	1
C63	Male genital organs, NOS	9	-	-	-	-	1	-	-	2	-	-	-	-	1	1	1	3	-	-
C64	Kidney	803	9	3	-	-	-	-	5	11	26	49	74	106	90	118	147	99	48	18
C65	Renal pelvis	94	-	-	-	-	-	-	-	1	-	1	2	6	8	12	27	21	15	1
C66	Ureter	83	-	-	-	-	-	-	-	-	-	1	4	7	7	15	22	18	7	2
C67	Bladder	1,654	1	-	-	-	-	-	1	2	18	28	72	117	144	229	301	353	241	147
C68	Urinary organs, NOS	21	-	-	-	-	-	-	-	-	-	-	4	-	3	2	3	4	-	5
C69	Eye and adnexa	31	1	-	-	-	-	-	2	-	3	2	-	6	1	3	3	6	3	1
C70	Meninges	12	-	-	-	1	-	-	-	-	1	3	2	1	-	1	1	-	2	-
C71	Brain	418	4	9	7	6	13	13	9	24	28	29	31	46	38	49	53	39	16	4
C72	Spinal cord, cranial nerves and CNS, NOS	29	3	-	-	1	2	2	-	1	3	1	2	1	4	4	2	2	1	-
C73	Thyroid gland	151	-	-	-	-	4	5	13	8	16	14	12	22	8	14	20	8	5	2
C74	Adrenal gland	18	7	1	1	-	-	-	-	1	1	1	1	-	3	-	1	-	1	-
C75	Endocrine glands, NOS	8	-	1	2	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-
C81	Hodgkin's disease	161	1	3	4	11	15	12	18	11	13	11	14	13	11	8	6	6	3	1
C82-C85	Non-Hodgkin-lymphoma	1,000	2	8	4	10	10	10	16	35	39	56	82	112	89	124	155	124	86	38
C88	Malignant immunoproliferative diseases	44	-	-	-	-	-	-	-	1	-	3	5	4	4	8	3	7	6	3
C90	Multiple myeloma	338	-	-	-	-	1	1	1	2	8	8	22	40	27	55	60	66	36	11
C91	Lymphoid leukaemia	387	20	14	7	8	2	3	3	4	10	20	25	33	30	49	55	61	32	11
C92	Myeloid leukaemia	268	2	1	1	2	3	6	5	8	13	13	10	24	24	43	35	39	26	13
C93	Monocytic leukaemia	10	-	-	-	-	-	1	-	1	1	1	-	3	-	1	-	1	1	-
C94-C95	Leukaemia other	24	1	-	-	-	-	-	-	1	1	-	2	1	2	2	4	6	3	1
C96	Lymphoid, haematopoietic and related tissue, NOS	9	3	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-	-
C76	Other and ill-defined sites	19	-	-	-	-	-	-	-	-	-	1	3	4	2	1	2	2	3	1
C80	Unknown primary site	690	1	-	-	1	1	2	3	4	7	35	43	69	76	98	105	122	86	37
MPD	Myeloproliferative Disorders	150	-	-	1	1	2	2	1	2	6	8	12	10	21	16	21	25	14	8
MDS	Myelodysplastic syndromes	231	1	-	-	-	1	-	1	1	3	2	5	12	19	28	37	59	43	19
Total		33,639	62	47	43	78	123	144	194	305	573	1,110	2,031	3,337	3,817	5,271	6,139	5,403	3,451	1,511
Total excl. non-melanoma		32,038	62	47	42	77	121	144	189	303	558	1,091	1,984	3,275	3,716	5,097	5,859	5,067	3,119	1,287
Total excl. non-melanoma and MDS-MPD		31,657	61	47	41	76	118	142	187	300	549	1,081	1,967	3,253	3,676	5,053	5,801	4,983	3,062	1,260

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Belgium: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	61	-	-	-	-	-	-	-	-	0.5	-	1.1	1.6	1.3	3.9	6.2	6.4	10.5	12.0	1.2	1.0	0.6	0.07
C01	Base of tongue	61	-	-	-	-	-	-	-	-	0.2	3.4	3.7	2.2	3.8	2.6	2.9	2.6	1.0	2.4	1.2	1.1	0.8	0.09
C02	Tongue	186	-	-	-	-	-	0.3	-	1.0	2.2	6.0	9.7	12.6	10.1	6.9	6.7	7.0	7.3	7.2	3.7	3.4	2.5	0.28
C03	Gum	28	-	-	-	-	-	-	-	-	0.5	1.0	0.9	1.6	2.5	0.4	2.4	0.6	1.0	-	0.6	0.5	0.4	0.05
C04	Floor of mouth	166	-	-	-	-	-	-	-	0.2	1.7	5.0	8.0	13.2	10.9	6.4	5.7	7.0	5.2	-	3.3	3.0	2.2	0.26
C05	Palate	53	-	-	-	-	-	-	-	0.2	0.7	1.8	2.3	2.8	3.8	2.6	1.9	1.9	3.1	-	1.0	0.9	0.7	0.08
C06	Mouth, NOS	90	-	-	-	-	-	-	0.3	0.2	0.5	2.1	6.0	5.0	5.0	3.9	2.4	5.1	3.1	9.6	1.8	1.6	1.2	0.13
C07	Parotid gland	51	-	-	0.6	-	0.3	-	0.3	0.2	-	0.8	1.1	1.9	1.3	3.0	3.3	2.6	6.3	14.4	1.0	0.9	0.6	0.06
C08	Salivary glands, NOS	21	-	-	-	-	-	0.6	-	-	-	0.3	0.3	0.3	1.7	1.3	1.9	1.9	2.1	-	0.4	0.4	0.3	0.03
C09	Tonsil	169	-	-	-	-	-	-	-	0.2	2.4	7.1	9.4	10.7	8.0	7.3	3.3	7.0	10.5	-	3.3	3.0	2.2	0.24
C10	Oropharynx	95	-	-	-	-	-	0.3	-	-	1.5	2.4	6.0	6.9	7.2	3.9	1.4	3.2	-	4.8	1.9	1.8	1.3	0.15
C11	Nasopharynx	39	-	-	-	-	-	1.2	0.3	0.5	0.7	1.6	2.0	0.6	0.8	2.1	1.0	1.3	1.0	4.8	0.8	0.7	0.6	0.05
C12	Pyramidal sinus	143	-	-	-	-	-	-	-	-	2.7	2.6	7.7	11.6	9.7	6.9	3.3	5.1	3.1	2.4	2.8	2.6	1.9	0.22
C13	Hypopharynx	58	-	-	-	-	-	-	-	-	0.5	1.0	4.3	3.1	2.5	4.3	3.3	1.9	1.0	-	1.1	1.0	0.8	0.10
C14	Lip, oral cavity and pharynx, NOS	45	-	0.3	-	-	-	-	-	0.2	0.5	0.5	3.4	2.2	3.8	1.3	2.4	1.9	-	-	0.9	0.8	0.6	0.07
C15	Oesophagus	630	-	-	-	-	-	-	0.8	1.5	3.2	10.5	21.2	31.1	35.3	33.5	48.5	50.6	33.6	47.9	12.4	10.9	7.6	0.92
C16	Stomach	879	-	-	-	-	0.6	-	0.8	2.7	2.2	8.6	16.6	20.4	36.6	49.9	73.2	92.2	139.5	153.4	17.3	14.2	9.4	1.05
C17	Small intestine	93	-	-	-	-	-	-	0.3	0.5	1.0	1.6	1.7	2.8	3.4	7.3	6.2	9.6	7.3	12.0	1.8	1.6	1.1	0.12
C18	Colon	2,531	-	0.3	0.3	1.3	0.9	0.3	1.9	3.5	8.6	19.4	23.2	57.2	96.4	178.4	225.5	309.4	383.9	386.0	49.8	40.2	26.4	3.04
C19	Rectosigmoid junction	318	-	-	-	-	-	-	-	0.5	0.2	1.6	5.1	10.4	12.2	22.4	32.3	39.7	37.8	26.4	6.3	5.1	3.3	0.42
C20	Rectum	1,241	-	-	0.3	-	0.3	0.3	0.8	1.7	6.4	12.8	20.6	39.6	64.8	83.8	107.5	123.6	129.0	153.4	24.4	20.5	13.9	1.68
C21	Anus and anal canal	50	-	-	-	-	-	-	-	-	0.5	2.1	1.4	1.9	2.5	2.1	1.9	3.8	6.3	4.8	1.0	0.9	0.6	0.06
C22	Liver and intrahepatic bile ducts	248	0.3	-	-	-	-	0.3	0.5	0.5	1.0	1.8	7.7	8.2	11.8	19.8	22.4	23.7	19.9	2.4	4.9	4.1	2.9	0.37
C23	Gallbladder	34	-	-	-	-	-	-	-	-	-	0.3	-	0.9	0.8	1.3	2.9	7.0	7.3	2.4	0.7	0.5	0.3	0.03
C24	Biliary tract, NOS	119	-	-	-	-	-	0.3	0.3	0.2	-	2.1	1.4	5.0	5.9	6.9	6.7	15.4	13.6	14.4	2.3	2.0	1.3	0.14
C25	Pancreas	583	-	-	-	-	-	-	0.3	1.2	4.4	4.5	12.3	17.0	28.6	37.8	63.3	58.3	47.2	47.9	11.5	9.6	6.5	0.84
C26	Other ill-defined digestive organs	11	-	-	-	-	-	-	-	-	0.2	-	-	0.3	0.4	-	1.4	2.6	1.0	-	0.2	0.2	0.1	0.01
C30	Nasal cavity and middle ear	23	-	-	-	-	-	-	-	0.2	0.2	0.3	0.6	0.9	0.8	1.3	3.3	0.6	2.1	-	0.5	0.4	0.3	0.04
C31	Accessory sinuses	48	-	-	-	-	-	0.3	0.3	-	1.0	1.0	1.7	0.9	2.5	3.0	3.3	2.6	3.1	4.8	0.9	0.8	0.6	0.07
C32	Larynx	628	-	-	-	-	-	-	0.3	1.0	3.7	12.3	20.3	31.7	44.6	43.0	38.5	33.3	34.6	40.8	12.3	11.1	7.9	0.97
C33	Trachea	11	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	1.3	0.5	1.3	2.1	2.4	0.2	0.2	0.1	0.01
C34	Bronchus and lung	5,455	-	-	-	0.3	-	0.3	1.9	3.2	13.0	41.6	106.4	178.5	286.2	389.5	522.2	614.3	521.4	338.0	107.2	88.8	60.1	7.43
C37	Thymus	23	-	-	-	-	-	-	-	0.7	0.5	0.5	-	0.9	0.8	2.1	1.0	0.6	2.1	2.4	0.5	0.4	0.3	0.03
C38	Heart, mediastinum and pleura	8	-	-	-	-	0.3	-	-	-	0.5	-	-	0.3	1.7	-	-	-	-	-	0.2	0.2	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	44	-	0.3	1.5	2.6	1.2	0.9	0.5	1.2	0.2	0.8	0.3	0.6	1.7	0.4	0.5	1.9	-	-	0.9	0.9	0.9	0.06
C41	Bone and articular cartilage, NOS	39	-	0.7	0.3	1.3	-	0.6	1.3	0.5	0.2	0.8	0.3	0.6	1.3	0.9	1.4	0.6	4.2	7.2	0.8	0.7	0.6	0.05
C43	Malignant melanoma of skin	620	0.3	0.3	0.3	1.3	4.0	4.3	7.8	8.7	12.7	16.2	15.2	19.8	21.5	33.1	30.9	35.2	29.4	38.4	12.2	10.9	8.3	0.88
C44	Malignant neoplasms of skin	1,601	-	-	0.3	0.3	0.6	-	1.3	0.5	3.7	5.0	13.4	19.5	42.5	74.8	133.2	215.2	348.3	537.0	31.5	25.2	15.4	1.46
C45	Mesothelioma	204	-	-	-	-	0.3	-	-	0.5	0.5	0.8	3.4	4.7	14.7	10.7	22.8	17.9	27.3	16.8	4.0	3.3	2.3	0.29

Belgium: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	23	-	-	-	-	-	0.3	0.5	-	0.7	1.0	0.3	0.9	0.4	0.9	1.0	2.6	-	-	0.5	0.4	0.3	0.03
C47,C49	Soft tissues	207	1.4	0.3	0.6	1.0	2.1	1.5	0.8	2.5	2.2	4.5	5.1	6.3	7.6	7.3	13.8	12.2	17.8	19.2	4.1	3.6	2.8	0.28
C48	Retroperitoneum and peritoneum	25	-	-	-	-	-	-	0.5	0.2	-	0.3	1.1	0.9	1.3	1.3	1.4	2.6	-	2.4	0.5	0.4	0.3	0.04
C50	Breast	86	-	-	-	-	-	-	0.5	0.7	1.0	1.1	1.9	4.2	6.9	5.7	10.2	9.4	9.6	1.7	1.4	1.0	0.11	
C60	Penis	67	-	-	-	-	-	-	-	0.5	0.8	1.1	0.9	3.8	4.7	3.8	5.8	13.6	12.0	1.3	1.1	0.7	0.08	
C61	Prostate	9,619	-	-	-	-	-	-	0.2	2.2	23.3	108.9	305.5	537.8	804.4	986.9	1,025.6	1,011.2	906.2	189.1	156.1	104.4	12.93	
C62	Testis	243	-	-	0.6	3.8	10.1	14.6	9.2	10.2	6.9	4.2	2.0	1.6	2.5	0.9	3.3	0.6	-	2.4	4.8	4.7	4.6	0.35
C63	Male genital organs, NOS	9	-	-	-	-	0.3	-	-	0.5	-	-	-	-	0.4	0.4	0.5	1.9	-	-	0.2	0.1	0.1	0.01
C64	Kidney	803	3.1	1.0	-	-	-	-	1.3	2.7	6.4	12.8	21.2	33.3	37.9	50.7	69.9	63.4	50.4	43.2	15.8	13.7	9.8	1.19
C65	Renal pelvis	94	-	-	-	-	-	-	-	0.2	-	0.3	0.6	1.9	3.4	5.2	12.8	13.5	15.7	2.4	1.8	1.4	0.9	0.12
C66	Ureter	83	-	-	-	-	-	-	-	-	-	0.3	1.1	2.2	2.9	6.4	10.5	11.5	7.3	4.8	1.6	1.3	0.9	0.12
C67	Bladder	1,654	0.3	-	-	-	-	-	0.3	0.5	4.4	7.3	20.6	36.8	60.6	98.4	143.2	226.1	252.8	352.4	32.5	26.4	16.8	1.84
C68	Urinary organs, NOS	21	-	-	-	-	-	-	-	-	-	-	1.1	-	1.3	0.9	1.4	2.6	-	12.0	0.4	0.4	0.2	0.02
C69	Eye and adnexa	31	0.3	-	-	-	-	-	0.5	-	0.7	0.5	-	1.9	0.4	1.3	1.4	3.8	3.1	2.4	0.6	0.5	0.4	0.04
C70	Meninges	12	-	-	-	0.3	-	-	-	-	0.2	0.8	0.6	0.3	-	0.4	0.5	-	2.1	-	0.2	0.2	0.2	0.02
C71	Brain	418	1.4	3.0	2.2	1.9	4.0	4.0	2.4	6.0	6.9	7.6	8.9	14.5	16.0	21.1	25.2	25.0	16.8	9.6	8.2	7.4	6.0	0.62
C72	Spinal cord, cranial nerves and CNS, NOS	29	1.0	-	-	0.3	0.6	0.6	-	0.2	0.7	0.3	0.6	0.3	1.7	1.7	1.0	1.3	1.0	-	0.6	0.6	0.5	0.05
C73	Thyroid gland	151	-	-	-	-	1.2	1.5	3.5	2.0	3.9	3.7	3.4	6.9	3.4	6.0	9.5	5.1	5.2	4.8	3.0	2.7	2.1	0.23
C74	Adrenal gland	18	2.4	0.3	0.3	-	-	-	-	0.2	0.2	0.3	0.3	-	1.3	-	0.5	-	1.0	-	0.4	0.4	0.5	0.03
C75	Endocrine glands, NOS	8	-	0.3	0.6	-	-	-	0.3	-	0.2	-	-	-	0.8	0.4	-	-	-	-	0.2	0.2	0.2	0.01
C81	Hodgkin's disease	161	0.3	1.0	1.2	3.5	4.6	3.7	4.9	2.7	3.2	2.9	4.0	4.1	4.6	3.4	2.9	3.8	3.1	2.4	3.2	3.1	2.8	0.23
C82-C85	Non-Hodgkin-lymphoma	1,000	0.7	2.7	1.2	3.2	3.1	3.0	4.3	8.7	9.6	14.7	23.4	35.2	37.5	53.3	73.7	79.4	90.2	91.1	19.7	17.0	12.3	1.36
C88	Malignant immunoproliferative diseases	44	-	-	-	-	-	-	-	0.2	-	0.8	1.4	1.3	1.7	3.4	1.4	4.5	6.3	7.2	0.9	0.7	0.5	0.05
C90	Multiple myeloma	338	-	-	-	-	0.3	0.3	0.3	0.5	2.0	2.1	6.3	12.6	11.4	23.6	28.5	42.3	37.8	26.4	6.6	5.4	3.6	0.44
C91	Lymphoid leukaemia	387	6.9	4.6	2.2	2.6	0.6	0.9	0.8	1.0	2.4	5.2	7.1	10.4	12.6	21.1	26.2	39.1	33.6	26.4	7.6	6.7	5.5	0.52
C92	Myeloid leukaemia	268	0.7	0.3	0.3	0.6	0.9	1.8	1.3	2.0	3.2	3.4	2.9	7.5	10.1	18.5	16.6	25.0	27.3	31.2	5.3	4.5	3.3	0.35
C93	Monocytic leukaemia	10	-	-	-	-	-	0.3	-	0.2	0.2	0.3	-	0.9	-	0.4	-	0.6	1.0	-	0.2	0.2	0.1	0.01
C94-C95	Leukaemia other	24	0.3	-	-	-	-	-	-	0.2	0.2	-	0.6	0.3	0.8	0.9	1.9	3.8	3.1	2.4	0.5	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	9	1.0	-	-	-	-	-	-	0.2	-	0.3	-	0.3	0.4	0.4	0.5	-	-	-	0.2	0.2	0.2	0.02
C76	Other and ill-defined sites	19	-	-	-	-	-	-	-	-	-	0.3	0.9	1.3	0.8	0.4	1.0	1.3	3.1	2.4	0.4	0.3	0.2	0.02
C80	Unknown primary site	690	0.3	-	-	0.3	0.3	0.6	0.8	1.0	1.7	9.2	12.3	21.7	32.0	42.1	49.9	78.2	90.2	88.7	13.6	11.3	7.6	0.86
MPD	Myeloproliferative Disorders	150	-	-	0.3	0.3	0.6	0.6	0.3	0.5	1.5	2.1	3.4	3.1	8.8	6.9	10.0	16.0	14.7	19.2	2.9	2.5	1.8	0.19
MDS	Myelodysplastic syndromes	231	0.3	-	-	-	0.3	-	0.3	0.2	0.7	0.5	1.4	3.8	8.0	12.0	17.6	37.8	45.1	45.5	4.5	3.6	2.3	0.23
Total		33,639	21.2	15.6	13.2	25.0	37.8	43.8	52.4	76.2	140.4	290.6	580.7	1,049.0	1,606.2	2,266.0	2,919.9	3,461.0	3,620.1	3,622.4	661.3	554.1	380.1	36.68
Total excl. non-melanoma		32,038	21.2	15.6	12.9	24.7	37.1	43.8	51.0	75.7	136.7	285.6	567.2	1,029.5	1,563.7	2,191.2	2,786.7	3,245.8	3,271.8	3,085.4	629.8	528.9	364.7	35.73
Total excl. non-melanoma and MDS-MPD		31,657	20.9	15.6	12.6	24.4	36.2	43.2	50.5	75.0	134.5	283.0	562.4	1,022.5	1,546.9	2,172.3	2,759.1	3,192.0	3,212.0	3,020.6	622.3	522.8	360.7	35.46

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Females, number of invasive tumours by primary site and age group in 2004

Belgium: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	19	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	1	7	3
C01	Base of tongue	16	-	-	-	-	-	-	-	-	-	1	4	3	4	2	2	-	-	-
C02	Tongue	70	-	-	-	-	-	3	-	1	5	10	8	8	9	6	6	7	1	6
C03	Gum	30	-	-	-	-	-	-	-	-	2	1	2	9	3	1	3	3	2	4
C04	Floor of mouth	45	-	-	-	-	-	-	1	-	2	4	6	6	7	9	2	5	-	3
C05	Palate	32	-	-	-	2	-	-	2	-	1	3	5	4	4	5	2	3	1	-
C06	Mouth, NOS	45	-	-	-	-	-	-	-	2	2	4	7	3	3	8	3	5	4	4
C07	Parotid gland	35	-	-	-	-	1	-	2	3	1	4	1	2	1	4	6	5	3	2
C08	Salivary glands, NOS	17	-	-	-	1	-	-	1	2	1	1	1	-	1	3	1	2	2	1
C09	Tonsil	60	-	-	-	-	1	-	-	-	1	10	10	5	10	4	8	6	3	2
C10	Oropharynx	25	-	-	-	-	-	-	-	-	1	3	3	5	1	3	4	2	1	2
C11	Nasopharynx	11	-	-	1	-	-	-	1	2	-	1	2	2	1	-	-	-	-	1
C12	Pyrimiform sinus	16	-	-	-	-	-	-	-	-	-	2	2	6	2	1	1	2	-	-
C13	Hypopharynx	13	-	-	-	-	-	-	-	1	1	3	2	1	1	1	2	1	-	-
C14	Lip, oral cavity and pharynx, NOS	9	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	1	1
C15	Oesophagus	234	-	-	-	-	-	-	-	1	3	7	10	28	17	34	41	38	25	30
C16	Stomach	503	-	-	-	-	1	1	2	10	16	20	16	19	35	40	78	80	97	88
C17	Small intestine	84	-	-	-	-	-	1	1	3	3	4	2	8	12	6	16	11	6	11
C18	Colon	2,392	-	-	-	7	5	5	7	16	22	44	91	156	171	248	413	437	451	319
C19	Rectosigmoid junction	241	-	-	-	-	-	-	-	-	6	8	13	20	26	21	41	52	37	17
C20	Rectum	857	-	-	-	-	-	2	2	4	19	24	47	68	82	115	123	140	145	86
C21	Anus and anal canal	74	-	-	-	-	-	-	-	-	2	8	6	11	8	6	5	12	7	9
C22	Liver and intrahepatic bile ducts	112	2	-	-	-	1	1	1	1	2	6	4	11	7	15	21	20	13	7
C23	Gallbladder	70	-	-	-	-	-	-	-	-	-	6	2	3	2	9	6	12	19	11
C24	Biliary tract, NOS	107	-	-	-	-	-	-	-	1	1	5	3	5	8	13	25	19	13	14
C25	Pancreas	497	-	-	-	-	-	1	-	5	13	15	17	33	46	74	88	82	73	50
C26	Other ill-defined digestive organs	9	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	1	2
C30	Nasal cavity and middle ear	13	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	2	3
C31	Accessory sinuses	14	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	-	2	2
C32	Larynx	97	-	-	-	-	-	-	1	2	5	7	14	15	10	10	13	8	7	5
C33	Trachea	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
C34	Bronchus and lung	1,539	-	-	-	-	2	3	8	14	39	101	186	182	195	213	211	214	123	48
C37	Thymus	15	-	-	-	-	-	-	1	-	-	-	1	6	1	1	3	1	-	1
C38	Heart, mediastinum and pleura	4	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	30	-	-	-	5	1	3	2	1	-	2	1	4	3	2	2	2	2	-
C41	Bone and articular cartilage, NOS	28	-	1	-	3	4	1	-	-	2	1	1	4	2	4	3	2	-	-
C43	Malignant melanoma of skin	873	-	-	2	3	29	53	61	78	85	64	71	80	51	77	71	53	58	37
C44	Malignant neoplasms of skin	1,119	-	-	-	1	-	1	4	2	13	20	46	44	38	94	153	198	240	265
C45	Mesothelioma	27	-	-	-	-	-	-	-	-	-	2	-	6	1	3	7	5	2	1

Belgium: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	9	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	1	1
C47,C49	Soft tissues	200	4	1	-	3	6	6	9	11	10	17	16	15	19	17	16	23	14	13
C48	Retroperitoneum and peritoneum	37	1	-	-	-	-	-	2	2	-	1	4	4	2	6	8	2	5	-
C50	Breast	9,369	-	-	1	2	6	42	102	309	625	1,056	1,182	1,199	1,069	1,108	907	792	619	350
C51	Vulva	149	-	-	-	-	-	-	1	3	3	3	15	7	11	20	16	31	18	21
C52	Vagina	52	-	-	-	-	-	-	-	3	2	5	2	4	1	3	13	6	7	6
C53	Cervix uteri	651	-	-	-	-	3	24	50	78	91	60	73	39	48	40	47	34	40	24
C54	Corpus uteri	1,391	-	-	-	-	1	1	2	7	18	36	88	162	195	250	226	186	150	69
C55	Uterus	71	-	-	-	-	-	-	1	2	2	7	3	12	5	7	10	8	8	6
C56	Ovary	895	-	1	-	1	2	12	10	13	27	55	85	103	110	123	112	125	79	37
C57	Female genital organs, NOS	28	-	-	-	-	-	-	-	1	3	3	1	4	4	1	2	4	4	1
C58	Placenta	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
C64	Kidney	530	6	1	1	-	3	1	5	8	16	33	37	45	57	66	95	79	46	31
C65	Renal pelvis	70	-	-	-	-	-	-	-	-	-	1	2	3	9	10	13	19	10	3
C66	Ureter	32	-	-	-	-	-	-	-	-	-	1	-	2	3	2	5	11	4	4
C67	Bladder	389	-	-	-	-	-	-	3	1	2	3	11	18	30	41	63	69	90	58
C68	Urinary organs, NOS	6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	3	1
C69	Eye and adnexa	41	1	-	-	1	-	-	1	1	3	4	1	6	3	8	4	1	4	3
C70	Meninges	20	1	-	-	-	-	-	1	1	1	2	-	1	4	3	1	3	2	-
C71	Brain	324	4	6	7	4	4	9	9	13	22	23	21	31	26	42	45	32	15	11
C72	Spinal cord, cranial nerves and CNS, NOS	21	4	3	-	-	1	-	2	1	1	2	1	-	1	-	3	1	-	1
C73	Thyroid gland	453	-	-	2	4	17	25	41	38	47	49	48	53	27	34	30	27	10	1
C74	Adrenal gland	16	4	1	-	1	-	-	-	2	-	2	1	2	-	-	2	-	-	1
C75	Endocrine glands, NOS	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
C81	Hodgkin's disease	131	-	2	3	15	10	13	14	11	9	6	3	9	5	8	7	4	10	2
C82-C85	Non-Hodgkin-lymphoma	881	2	3	2	6	6	6	15	23	38	43	55	72	69	110	127	133	107	64
C88	Malignant immunoproliferative diseases	23	-	-	-	-	1	-	-	-	-	1	-	2	4	4	2	4	1	4
C90	Multiple myeloma	352	-	-	-	-	-	-	1	3	8	13	23	35	27	46	55	66	48	27
C91	Lymphoid leukaemia	306	19	9	5	4	2	1	5	4	11	12	9	22	33	30	41	43	35	21
C92	Myeloid leukaemia	252	2	2	2	1	3	8	8	8	9	16	11	20	25	22	39	24	26	26
C93	Monocytic leukaemia	6	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-
C94-C95	Leukaemia other	19	-	-	-	-	-	-	-	1	-	-	1	1	1	2	4	3	3	3
C96	Lymphoid, haematopoietic and related tissue, NOS	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-
C76	Other and ill-defined sites	27	1	-	-	-	-	1	1	-	-	1	1	4	2	4	2	5	1	4
C80	Unknown primary site	572	2	-	-	1	1	2	-	6	10	23	34	40	37	56	78	106	107	69
MPD	Myeloproliferative Disorders	141	-	-	-	-	1	-	2	6	3	4	9	5	11	9	25	34	23	9
MDS	Myelodysplastic syndromes	188	-	-	-	1	-	2	-	1	-	6	10	7	10	15	32	34	41	29
Total		27,047	55	30	26	67	113	230	386	707	1,212	1,885	2,336	2,689	2,620	3,133	3,401	3,341	2,881	1,935
Total excl. non-melanoma		25,928	55	30	26	66	113	229	382	705	1,199	1,865	2,290	2,645	2,582	3,039	3,248	3,143	2,641	1,670
Total excl. non-melanoma and MDS-MPD		25,599	55	30	26	65	112	227	380	698	1,196	1,855	2,271	2,633	2,561	3,015	3,191	3,075	2,577	1,632

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Belgium: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	19	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.9	0.8	0.4	4.1	2.5	0.4	0.2	0.1	0.01
C01	Base of tongue	16	-	-	-	-	-	-	-	-	-	0.3	1.2	0.9	1.6	0.8	0.8	-	-	-	0.3	0.3	0.2	0.03
C02	Tongue	70	-	-	-	-	-	0.9	-	0.3	1.2	2.6	2.3	2.5	3.6	2.3	2.3	3.1	0.6	5.0	1.3	1.1	0.9	0.09
C03	Gum	30	-	-	-	-	-	-	-	-	0.5	0.3	0.6	2.8	1.2	0.4	1.1	1.3	1.2	3.3	0.6	0.4	0.3	0.03
C04	Floor of mouth	45	-	-	-	-	-	-	0.3	-	0.5	1.1	1.7	1.9	2.8	3.4	0.8	2.2	-	2.5	0.8	0.7	0.5	0.06
C05	Palate	32	-	-	-	0.7	-	-	0.6	-	0.2	0.8	1.4	1.2	1.6	1.9	0.8	1.3	0.6	-	0.6	0.5	0.4	0.05
C06	Mouth, NOS	45	-	-	-	-	-	-	-	0.5	0.5	1.1	2.0	0.9	1.2	3.1	1.1	2.2	2.3	3.3	0.8	0.7	0.5	0.05
C07	Parotid gland	35	-	-	-	-	0.3	-	0.6	0.8	0.2	1.1	0.3	0.6	0.4	1.5	2.3	2.2	1.7	1.7	0.7	0.5	0.4	0.04
C08	Salivary glands, NOS	17	-	-	-	0.3	-	-	0.3	0.5	0.2	0.3	0.3	-	0.4	1.1	0.4	0.9	1.2	0.8	0.3	0.2	0.2	0.02
C09	Tonsil	60	-	-	-	-	0.3	-	-	-	0.2	2.6	2.9	1.6	4.0	1.5	3.0	2.6	1.7	1.7	1.1	1.0	0.7	0.08
C10	Oropharynx	25	-	-	-	-	-	-	-	-	0.2	0.8	0.9	1.6	0.4	1.1	1.5	0.9	0.6	1.7	0.5	0.4	0.3	0.03
C11	Nasopharynx	11	-	-	0.3	-	-	-	0.3	0.5	-	0.3	0.6	0.6	0.4	-	-	-	-	0.8	0.2	0.2	0.2	0.01
C12	Pyrimiform sinus	16	-	-	-	-	-	-	-	-	-	0.5	0.6	1.9	0.8	0.4	0.4	0.9	-	-	0.3	0.3	0.2	0.02
C13	Hypopharynx	13	-	-	-	-	-	-	-	0.3	0.2	0.8	0.6	0.3	0.4	0.4	0.8	0.4	-	-	0.2	0.2	0.2	0.02
C14	Lip, oral cavity and pharynx, NOS	9	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.4	0.8	0.8	-	0.6	0.8	0.2	0.1	0.1	0.01
C15	Oesophagus	234	-	-	-	-	-	-	-	0.3	0.7	1.9	2.9	8.7	6.8	13.0	15.6	16.6	14.5	25.1	4.4	3.0	2.0	0.25
C16	Stomach	503	-	-	-	-	0.3	0.3	0.6	2.6	4.0	5.3	4.6	5.9	14.0	15.3	29.7	35.1	56.4	73.5	9.5	5.8	3.9	0.41
C17	Small intestine	84	-	-	-	-	-	0.3	0.3	0.8	0.7	1.1	0.6	2.5	4.8	2.3	6.1	4.8	3.5	9.2	1.6	1.1	0.8	0.10
C18	Colon	2,392	-	-	-	2.3	1.6	1.5	1.9	4.1	5.5	11.7	26.3	48.7	68.3	94.9	157.1	191.5	262.4	266.4	45.1	27.8	18.4	2.10
C19	Rectosigmoid junction	241	-	-	-	-	-	-	-	-	1.5	2.1	3.8	6.2	10.4	8.0	15.6	22.8	21.5	14.2	4.5	3.0	2.0	0.24
C20	Rectum	857	-	-	-	-	-	0.6	0.6	1.0	4.7	6.4	13.6	21.2	32.7	44.0	46.8	61.3	84.4	71.8	16.1	10.7	7.3	0.85
C21	Anus and anal canal	74	-	-	-	-	-	-	-	-	0.5	2.1	1.7	3.4	3.2	2.3	1.9	5.3	4.1	7.5	1.4	1.0	0.7	0.08
C22	Liver and intrahepatic bile ducts	112	0.7	-	-	-	0.3	0.3	0.3	0.3	0.5	1.6	1.2	3.4	2.8	5.7	8.0	8.8	7.6	5.8	2.1	1.5	1.1	0.13
C23	Gallbladder	70	-	-	-	-	-	-	-	-	-	1.6	0.6	0.9	0.8	3.4	2.3	5.3	11.1	9.2	1.3	0.8	0.5	0.05
C24	Biliary tract, NOS	107	-	-	-	-	-	-	-	0.3	0.2	1.3	0.9	1.6	3.2	5.0	9.5	8.3	7.6	11.7	2.0	1.3	0.9	0.11
C25	Pancreas	497	-	-	-	-	-	0.3	-	1.3	3.2	4.0	4.9	10.3	18.4	28.3	33.5	35.9	42.5	41.8	9.4	6.2	4.2	0.52
C26	Other ill-defined digestive organs	9	-	-	-	-	-	-	-	-	-	-	-	0.6	0.4	-	0.8	0.4	0.6	1.7	0.2	0.1	0.1	0.01
C30	Nasal cavity and middle ear	13	-	-	-	-	-	-	-	-	0.2	-	0.3	-	0.4	0.8	0.8	0.4	1.2	2.5	0.2	0.2	0.1	0.01
C31	Accessory sinuses	14	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.2	1.1	0.4	-	1.2	1.7	0.3	0.2	0.1	0.02
C32	Larynx	97	-	-	-	-	-	-	0.3	0.5	1.2	1.9	4.1	4.7	4.0	3.8	4.9	3.5	4.1	4.2	1.8	1.5	1.1	0.13
C33	Trachea	3	-	-	-	-	-	-	-	-	0.2	-	-	-	-	0.4	-	-	0.6	-	0.1	0.0	0.0	0.00
C34	Bronchus and lung	1,539	-	-	-	-	0.6	0.9	2.2	3.6	9.7	26.8	53.9	56.8	77.8	81.5	80.3	93.8	71.6	40.1	29.0	22.8	16.3	1.95
C37	Thymus	15	-	-	-	-	-	-	0.3	-	-	-	0.3	1.9	0.4	0.4	1.1	0.4	-	0.8	0.3	0.2	0.2	0.02
C38	Heart, mediastinum and pleura	4	0.4	-	-	0.3	-	-	-	-	-	-	0.3	-	-	-	-	-	0.6	-	0.1	0.1	0.1	0.00
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	30	-	-	-	1.7	0.3	0.9	0.6	0.3	-	0.5	0.3	1.2	1.2	0.8	0.8	0.9	1.2	-	0.6	0.5	0.5	0.04
C41	Bone and articular cartilage, NOS	28	-	0.3	-	1.0	1.3	0.3	-	-	0.5	0.3	0.3	1.2	0.8	1.5	1.1	0.9	-	-	0.5	0.5	0.5	0.04
C43	Malignant melanoma of skin	873	-	-	0.6	1.0	9.1	16.4	16.9	20.1	21.2	17.0	20.6	25.0	20.4	29.5	27.0	23.2	33.8	30.9	16.4	14.2	11.5	1.12
C44	Malignant neoplasms of skin	1,119	-	-	-	0.3	-	0.3	1.1	0.5	3.2	5.3	13.3	13.7	15.2	36.0	58.2	86.7	139.7	221.3	21.1	11.8	7.4	0.73
C45	Mesothelioma	27	-	-	-	-	-	-	-	-	-	0.5	-	1.9	0.4	1.1	2.7	2.2	1.2	0.8	0.5	0.4	0.2	0.03

Belgium: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	9	-	-	-	-	-	0.3	0.3	-	0.2	0.5	0.3	-	0.4	-	-	-	0.6	0.8	0.2	0.1	0.1	0.01
C47,C49	Soft tissues	200	1.4	0.3	-	1.0	1.9	1.9	2.5	2.8	2.5	4.5	4.6	4.7	7.6	6.5	6.1	10.1	8.1	10.9	3.8	3.2	2.6	0.24
C48	Retroperitoneum and peritoneum	37	0.4	-	-	-	-	-	0.6	0.5	-	0.3	1.2	1.2	0.8	2.3	3.0	0.9	2.9	-	0.7	0.5	0.4	0.05
C50	Breast	9,369	-	-	0.3	0.7	1.9	13.0	28.2	79.5	156.1	279.7	342.2	374.3	426.7	423.9	345.0	347.0	360.2	292.3	176.5	147.7	109.4	11.62
C51	Vulva	149	-	-	-	-	-	-	0.3	0.8	0.7	0.8	4.3	2.2	4.4	7.7	6.1	13.6	10.5	17.5	2.8	1.9	1.3	0.14
C52	Vagina	52	-	-	-	-	-	-	-	0.8	0.5	1.3	0.6	1.2	0.4	1.1	4.9	2.6	4.1	5.0	1.0	0.7	0.5	0.05
C53	Cervix uteri	651	-	-	-	-	0.9	7.4	13.8	20.1	22.7	15.9	21.1	12.2	19.2	15.3	17.9	14.9	23.3	20.0	12.3	10.7	8.5	0.83
C54	Corpus uteri	1,391	-	-	-	-	0.3	0.3	0.6	1.8	4.5	9.5	25.5	50.6	77.8	95.7	86.0	81.5	87.3	57.6	26.2	19.4	13.6	1.75
C55	Uterus	71	-	-	-	-	-	-	0.3	0.5	0.5	1.9	0.9	3.7	2.0	2.7	3.8	3.5	4.7	5.0	1.3	1.0	0.7	0.08
C56	Ovary	895	-	0.3	-	0.3	0.6	3.7	2.8	3.3	6.7	14.6	24.6	32.2	43.9	47.1	42.6	54.8	46.0	30.9	16.9	13.1	9.5	1.11
C57	Female genital organs, NOS	28	-	-	-	-	-	-	-	0.3	0.7	0.8	0.3	1.2	1.6	0.4	0.8	1.8	2.3	0.8	0.5	0.4	0.3	0.03
C58	Placenta	3	-	-	-	-	-	-	0.6	0.3	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.0	0.00
C64	Kidney	530	2.1	0.3	0.3	-	0.9	0.3	1.4	2.1	4.0	8.7	10.7	14.0	22.8	25.3	36.1	34.6	26.8	25.9	10.0	7.5	5.5	0.64
C65	Renal pelvis	70	-	-	-	-	-	-	-	-	-	0.3	0.6	0.9	3.6	3.8	4.9	8.3	5.8	2.5	1.3	0.8	0.6	0.07
C66	Ureter	32	-	-	-	-	-	-	-	-	-	0.3	-	0.6	1.2	0.8	1.9	4.8	2.3	3.3	0.6	0.4	0.2	0.02
C67	Bladder	389	-	-	-	-	-	-	0.8	0.3	0.5	0.8	3.2	5.6	12.0	15.7	24.0	30.2	52.4	48.4	7.3	4.3	2.8	0.31
C68	Urinary organs, NOS	6	-	-	-	-	0.3	-	-	-	-	-	-	-	0.4	-	-	-	1.7	0.8	0.1	0.1	0.1	0.00
C69	Eye and adnexa	41	0.4	-	-	0.3	-	-	0.3	0.3	0.7	1.1	0.3	1.9	1.2	3.1	1.5	0.4	2.3	2.5	0.8	0.6	0.5	0.05
C70	Meninges	20	0.4	-	-	-	-	-	0.3	0.3	0.2	0.5	-	0.3	1.6	1.1	0.4	1.3	1.2	-	0.4	0.3	0.3	0.03
C71	Brain	324	1.4	2.1	2.3	1.3	1.3	2.8	2.5	3.3	5.5	6.1	6.1	9.7	10.4	16.1	17.1	14.0	8.7	9.2	6.1	5.2	4.2	0.44
C72	Spinal cord, cranial nerves and CNS, NOS	21	1.4	1.0	-	-	0.3	-	0.6	0.3	0.2	0.5	0.3	-	0.4	-	1.1	0.4	-	0.8	0.4	0.4	0.5	0.03
C73	Thyroid gland	453	-	-	0.6	1.3	5.3	7.7	11.3	9.8	11.7	13.0	13.9	16.5	10.8	13.0	11.4	11.8	5.8	0.8	8.5	7.9	6.5	0.63
C74	Adrenal gland	16	1.4	0.3	-	0.3	-	-	-	0.5	-	0.5	0.3	0.6	-	-	0.8	-	-	0.8	0.3	0.3	0.4	0.02
C75	Endocrine glands, NOS	3	-	-	-	-	-	0.3	-	-	-	-	-	-	0.4	-	0.4	-	-	-	0.1	0.1	0.0	0.01
C81	Hodgkin's disease	131	-	0.7	1.0	5.0	3.1	4.0	3.9	2.8	2.2	1.6	0.9	2.8	2.0	3.1	2.7	1.8	5.8	1.7	2.5	2.3	2.2	0.18
C82-C85	Non-Hodgkin-lymphoma	881	0.7	1.0	0.6	2.0	1.9	1.9	4.1	5.9	9.5	11.4	15.9	22.5	27.5	42.1	48.3	58.3	62.3	53.4	16.6	12.0	8.8	0.97
C88	Malignant immunoproliferative diseases	23	-	-	-	-	0.3	-	-	-	-	0.3	-	0.6	1.6	1.5	0.8	1.8	0.6	3.3	0.4	0.3	0.2	0.03
C90	Multiple myeloma	352	-	-	-	-	-	-	0.3	0.8	2.0	3.4	6.7	10.9	10.8	17.6	20.9	28.9	27.9	22.5	6.6	4.5	3.1	0.37
C91	Lymphoid leukaemia	306	6.8	3.1	1.6	1.3	0.6	0.3	1.4	1.0	2.7	3.2	2.6	6.9	13.2	11.5	15.6	18.8	20.4	17.5	5.8	4.6	3.9	0.36
C92	Myeloid leukaemia	252	0.7	0.7	0.6	0.3	0.9	2.5	2.2	2.1	2.2	4.2	3.2	6.2	10.0	8.4	14.8	10.5	15.1	21.7	4.7	3.6	2.8	0.30
C93	Monocytic leukaemia	6	0.4	-	-	-	-	-	-	-	-	0.5	-	-	0.4	0.4	-	0.4	-	-	0.1	0.1	0.1	0.01
C94-C95	Leukaemia other	19	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.4	0.8	1.5	1.3	1.7	2.5	0.4	0.2	0.1	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	4	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-	-	0.4	0.4	-	-	0.1	0.1	0.0	0.00
C76	Other and ill-defined sites	27	0.4	-	-	-	-	0.3	0.3	-	-	0.3	0.3	1.2	0.8	1.5	0.8	2.2	0.6	3.3	0.5	0.4	0.3	0.03
C80	Unknown primary site	572	0.7	-	-	0.3	0.3	0.6	-	1.5	2.5	6.1	9.8	12.5	14.8	21.4	29.7	46.4	62.3	57.6	10.8	6.9	4.7	0.50
MPD	Myeloproliferative Disorders	141	-	-	-	-	0.3	-	0.6	1.5	0.7	1.1	2.6	1.6	4.4	3.4	9.5	14.9	13.4	7.5	2.7	1.7	1.2	0.13
MDS	Myelodysplastic syndromes	188	-	-	-	0.3	-	0.6	-	0.3	-	1.6	2.9	2.2	4.0	5.7	12.2	14.9	23.9	24.2	3.5	2.1	1.4	0.15
Total		27,047	19.7	10.4	8.4	22.4	35.4	71.1	106.7	182.0	302.8	499.4	676.3	839.5	1,045.8	1,198.7	1,293.6	1,463.8	1,676.5	1,615.9	509.4	387.2	282.3	27.07
Total excl. non-melanoma		25,928	19.7	10.4	8.4	22.1	35.4	70.8	105.6	181.4	299.5	494.1	663.0	825.8	1,030.6	1,162.8	1,235.4	1,377.0	1,536.8	1,394.6	488.4	375.4	274.9	26.53
Total excl. non-melanoma and MDS-MPD		25,599	19.7	10.4	8.4	21.7	35.1	70.2	105.0	179.6	298.8	491.4	657.5	822.1	1,022.2	1,153.6	1,213.7	1,347.2	1,499.6	1,362.9	482.2	371.6	272.3	26.32

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Flemish Region: Males, number of invasive tumours by primary site and age group in 2004

Flemish Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	43	-	-	-	-	-	-	-	-	2	-	1	1	1	7	9	10	8	4
C01	Base of tongue	37	-	-	-	-	-	-	-	-	1	8	9	4	6	3	2	3	1	-
C02	Tongue	96	-	-	-	-	-	-	-	1	4	16	16	19	14	9	7	5	3	2
C03	Gum	11	-	-	-	-	-	-	-	-	-	2	2	2	2	-	3	-	-	-
C04	Floor of mouth	92	-	-	-	-	-	-	-	1	2	13	14	21	17	8	4	7	5	-
C05	Palate	26	-	-	-	-	-	-	-	-	3	3	4	4	3	3	2	2	2	-
C06	Mouth, NOS	46	-	-	-	-	-	-	1	-	2	5	10	7	6	8	1	2	3	1
C07	Parotid gland	37	-	-	2	-	1	-	-	1	-	3	2	5	2	6	4	4	3	4
C08	Salivary glands, NOS	10	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	2	2	-
C09	Tonsil	87	-	-	-	-	-	-	-	1	7	7	17	12	12	11	6	7	7	-
C10	Oropharynx	41	-	-	-	-	-	-	-	-	2	3	7	8	11	4	3	1	-	2
C11	Nasopharynx	18	-	-	-	-	-	-	-	1	1	2	5	1	1	4	1	-	-	2
C12	Pyrimiform sinus	74	-	-	-	-	-	-	-	-	2	5	17	18	12	7	3	7	3	-
C13	Hypopharynx	38	-	-	-	-	-	-	-	-	1	3	8	8	4	7	4	2	1	-
C14	Lip, oral cavity and pharynx, NOS	11	-	1	-	-	-	-	-	-	-	-	4	1	3	1	-	1	-	-
C15	Oesophagus	370	-	-	-	-	-	-	3	3	8	24	37	60	44	53	57	50	18	13
C16	Stomach	537	-	-	-	-	1	-	2	5	5	17	32	36	52	69	103	83	94	38
C17	Small intestine	61	-	-	-	-	-	-	-	1	3	4	5	6	6	9	10	8	4	5
C18	Colon	1,581	-	1	-	1	3	1	3	5	23	43	45	94	145	260	313	308	232	104
C19	Rectosigmoid junction	215	-	-	-	-	-	-	-	2	-	3	11	21	18	44	44	39	27	6
C20	Rectum	826	-	-	1	-	1	1	3	5	19	32	45	77	105	132	148	134	81	42
C21	Anus and anal canal	29	-	-	-	-	-	-	-	-	1	2	5	3	5	3	2	3	3	2
C22	Liver and intrahepatic bile ducts	140	1	-	-	-	-	-	1	2	1	6	14	16	16	26	26	22	8	1
C23	Gallbladder	20	-	-	-	-	-	-	-	-	-	1	-	2	2	3	3	5	4	-
C24	Biliary tract, NOS	74	-	-	-	-	-	1	-	1	-	4	4	7	6	13	9	17	9	3
C25	Pancreas	346	-	-	-	-	-	-	-	4	13	9	25	29	46	54	80	47	24	15
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
C30	Nasal cavity and middle ear	10	-	-	-	-	-	-	-	1	-	-	1	2	-	2	3	-	1	-
C31	Accessory sinuses	36	-	-	-	-	-	-	1	-	2	2	3	2	5	7	6	4	2	2
C32	Larynx	349	-	-	-	-	-	-	-	2	5	26	37	50	57	56	46	37	21	12
C33	Trachea	8	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	1
C34	Bronchus and lung	3,258	-	-	-	1	-	1	2	8	23	67	189	296	419	548	678	597	325	104
C37	Thymus	18	-	-	-	-	-	-	-	3	2	1	-	3	-	5	-	1	2	1
C38	Heart, mediastinum and pleura	5	-	-	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	28	-	1	2	3	4	3	2	3	1	3	-	1	1	1	-	3	-	-
C41	Bone and articular cartilage, NOS	21	-	-	-	4	-	1	4	2	-	2	-	1	3	1	-	1	1	1
C43	Malignant melanoma of skin	364	-	1	-	2	5	11	16	21	32	40	23	38	31	49	38	31	16	10
C44	Malignant neoplasms of skin	942	-	-	1	-	1	-	1	2	8	14	26	34	70	114	165	197	176	133
C45	Mesothelioma	137	-	-	-	-	1	-	-	2	1	2	6	12	24	17	35	20	15	2

Flemish Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	8	-	-	-	-	-	1	1	-	1	1	-	1	-	2	-	1	-	-
C47,C49	Soft tissues	136	3	-	1	1	6	3	2	6	7	10	11	11	14	12	22	7	13	7
C48	Retroperitoneum and peritoneum	16	-	-	-	-	-	-	1	1	-	1	1	3	2	3	1	2	-	1
C50	Breast	56	-	-	-	-	-	-	-	-	2	3	3	4	4	9	10	14	6	1
C60	Penis	38	-	-	-	-	-	-	-	-	1	2	1	1	6	8	4	7	4	4
C61	Prostate	5,937	-	-	-	-	-	-	-	1	8	55	224	589	779	1,181	1,302	951	594	253
C62	Testis	126	-	-	1	8	13	24	19	26	12	7	5	3	4	2	2	-	-	-
C63	Male genital organs, NOS	6	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	1	-	-
C64	Kidney	500	6	2	-	-	-	-	2	2	10	28	42	69	59	74	96	67	30	13
C65	Renal pelvis	57	-	-	-	-	-	-	-	-	-	-	2	4	5	7	13	15	10	1
C66	Ureter	49	-	-	-	-	-	-	-	-	-	-	2	3	2	10	12	11	7	2
C67	Bladder	956	1	-	-	-	-	-	1	2	10	11	41	58	83	139	178	200	141	91
C68	Urinary organs, NOS	14	-	-	-	-	-	-	-	-	-	-	3	-	3	-	2	2	-	4
C69	Eye and adnexa	24	1	-	-	-	-	-	1	-	2	1	-	5	1	3	3	4	2	1
C70	Meninges	7	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	-	1	-
C71	Brain	257	2	3	6	5	6	7	5	16	15	14	16	30	26	27	42	26	9	2
C72	Spinal cord, cranial nerves and CNS, NOS	10	3	-	-	1	1	1	-	-	2	1	-	-	1	-	-	-	-	-
C73	Thyroid gland	63	-	-	-	-	2	1	2	5	7	5	6	7	4	8	10	1	3	2
C74	Adrenal gland	10	2	1	1	-	-	-	-	-	-	-	1	-	3	-	1	-	1	-
C75	Endocrine glands, NOS	7	-	-	2	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-
C81	Hodgkin's disease	82	-	2	2	7	8	4	8	3	7	4	9	7	5	7	4	3	2	-
C82-C85	Non-Hodgkin-lymphoma	595	2	3	3	6	7	3	10	25	24	32	49	59	54	69	92	73	56	28
C88	Malignant immunoproliferative diseases	35	-	-	-	-	-	-	-	-	-	3	3	3	4	5	3	5	6	3
C90	Multiple myeloma	223	-	-	-	-	-	1	-	-	8	6	13	28	20	38	35	43	25	6
C91	Lymphoid leukaemia	272	7	6	6	6	2	2	2	4	6	16	14	22	20	40	37	49	25	8
C92	Myeloid leukaemia	170	-	-	1	-	1	2	4	3	8	8	5	19	14	28	23	28	17	9
C93	Monocytic leukaemia	6	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	1	-
C94-C95	Leukaemia other	18	1	-	-	-	-	-	-	1	-	-	2	1	1	1	3	5	3	-
C96	Lymphoid, haematopoietic and related tissue, NOS	4	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
C76	Other and ill-defined sites	15	-	-	-	-	-	-	-	-	-	1	2	4	1	1	1	2	2	1
C80	Unknown primary site	359	-	-	-	1	1	2	3	2	3	17	16	37	42	43	52	66	49	25
MPD	Myeloproliferative Disorders	116	-	-	1	1	2	2	1	2	5	4	10	6	13	11	18	22	10	8
MDS	Myelodysplastic syndromes	154	-	-	-	-	1	-	-	1	2	2	2	8	12	19	28	43	24	12
Total		20,371	30	21	30	47	69	74	102	179	318	608	1,109	1,888	2,341	3,297	3,813	3,310	2,143	992
Total excl. non-melanoma		19,429	30	21	29	47	68	74	101	177	310	594	1,083	1,854	2,271	3,183	3,648	3,113	1,967	859
Total excl. non-melanoma and MDS-MPD		19,159	30	21	28	46	65	72	100	174	303	588	1,071	1,840	2,246	3,153	3,602	3,048	1,933	839

Flemish Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Flemish Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	43	-	-	-	-	-	-	-	-	0.8	-	0.5	0.5	0.7	4.8	6.9	10.7	14.1	15.8	1.4	1.1	0.7	0.07
C01	Base of tongue	37	-	-	-	-	-	-	-	-	0.4	3.5	4.4	2.1	4.1	2.0	1.5	3.2	1.8	-	1.2	1.1	0.8	0.09
C02	Tongue	96	-	-	-	-	-	-	-	0.4	1.6	7.0	7.8	10.0	9.5	6.1	5.4	5.4	5.3	7.9	3.2	2.9	2.1	0.24
C03	Gum	11	-	-	-	-	-	-	-	-	-	0.9	1.0	1.1	1.4	-	2.3	-	-	-	0.4	0.3	0.2	0.03
C04	Floor of mouth	92	-	-	-	-	-	-	-	0.4	0.8	5.7	6.8	11.1	11.5	5.5	3.1	7.5	8.8	-	3.1	2.8	2.0	0.22
C05	Palate	26	-	-	-	-	-	-	-	-	1.2	1.3	1.9	2.1	2.0	2.0	1.5	2.1	3.5	-	0.9	0.7	0.5	0.06
C06	Mouth, NOS	46	-	-	-	-	-	-	0.5	-	0.8	2.2	4.9	3.7	4.1	5.5	0.8	2.1	5.3	3.9	1.6	1.4	1.0	0.11
C07	Parotid gland	37	-	-	1.1	-	0.5	-	-	0.4	-	1.3	1.0	2.6	1.4	4.1	3.1	4.3	5.3	15.8	1.2	1.1	0.8	0.08
C08	Salivary glands, NOS	10	-	-	-	-	-	0.5	-	-	-	-	-	-	2.0	0.7	0.8	2.1	3.5	-	0.3	0.3	0.2	0.02
C09	Tonsil	87	-	-	-	-	-	-	-	0.4	2.9	3.1	8.3	6.3	8.1	7.5	4.6	7.5	12.4	-	2.9	2.5	1.8	0.21
C10	Oropharynx	41	-	-	-	-	-	-	-	-	0.8	1.3	3.4	4.2	7.4	2.7	2.3	1.1	-	7.9	1.4	1.3	0.9	0.11
C11	Nasopharynx	18	-	-	-	-	-	-	-	0.4	0.4	0.9	2.4	0.5	0.7	2.7	0.8	-	-	7.9	0.6	0.6	0.4	0.04
C12	Pyrimiform sinus	74	-	-	-	-	-	-	-	-	0.8	2.2	8.3	9.5	8.1	4.8	2.3	7.5	5.3	-	2.5	2.2	1.6	0.18
C13	Hypopharynx	38	-	-	-	-	-	-	-	-	0.4	1.3	3.9	4.2	2.7	4.8	3.1	2.1	1.8	-	1.3	1.1	0.8	0.10
C14	Lip, oral cavity and pharynx, NOS	11	-	0.6	-	-	-	-	-	-	-	-	1.9	0.5	2.0	0.7	-	1.1	-	-	0.4	0.4	0.3	0.03
C15	Oesophagus	370	-	-	-	-	-	-	1.4	1.3	3.3	10.5	18.0	31.6	29.8	36.2	44.0	53.5	31.8	51.3	12.5	10.5	7.3	0.88
C16	Stomach	537	-	-	-	-	0.5	-	1.0	2.1	2.0	7.5	15.6	19.0	35.2	47.1	79.5	88.9	166.2	150.0	18.1	14.1	9.2	1.04
C17	Small intestine	61	-	-	-	-	-	-	-	0.4	1.2	1.8	2.4	3.2	4.1	6.1	7.7	8.6	7.1	19.7	2.1	1.7	1.2	0.13
C18	Colon	1,581	-	0.6	-	0.6	1.6	0.5	1.4	2.1	9.4	18.9	21.9	49.5	98.2	177.5	241.5	329.7	410.1	410.6	53.3	41.0	26.8	3.07
C19	Rectosigmoid junction	215	-	-	-	-	-	-	-	0.9	-	1.3	5.4	11.1	12.2	30.0	33.9	41.7	47.7	23.7	7.2	5.6	3.7	0.47
C20	Rectum	826	-	-	0.5	-	0.5	0.5	1.4	2.1	7.8	14.1	21.9	40.6	71.1	90.1	114.2	143.4	143.2	165.8	27.8	22.4	15.2	1.81
C21	Anus and anal canal	29	-	-	-	-	-	-	-	-	0.4	0.9	2.4	1.6	3.4	2.0	1.5	3.2	5.3	7.9	1.0	0.8	0.6	0.06
C22	Liver and intrahepatic bile ducts	140	0.6	-	-	-	-	-	0.5	0.9	0.4	2.6	6.8	8.4	10.8	17.7	20.1	23.6	14.1	3.9	4.7	3.8	2.7	0.34
C23	Gallbladder	20	-	-	-	-	-	-	-	-	-	0.4	-	1.1	1.4	2.0	2.3	5.4	7.1	-	0.7	0.5	0.3	0.04
C24	Biliary tract, NOS	74	-	-	-	-	-	0.5	-	0.4	-	1.8	1.9	3.7	4.1	8.9	6.9	18.2	15.9	11.8	2.5	2.0	1.3	0.14
C25	Pancreas	346	-	-	-	-	-	-	-	1.7	5.3	4.0	12.2	15.3	31.2	36.9	61.7	50.3	42.4	59.2	11.7	9.4	6.5	0.84
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.8	1.1	-	-	0.1	0.1	0.1	0.01
C30	Nasal cavity and middle ear	10	-	-	-	-	-	-	-	0.4	-	-	0.5	1.1	-	1.4	2.3	-	1.8	-	0.3	0.3	0.2	0.03
C31	Accessory sinuses	36	-	-	-	-	-	-	0.5	-	0.8	0.9	1.5	1.1	3.4	4.8	4.6	4.3	3.5	7.9	1.2	1.0	0.7	0.09
C32	Larynx	349	-	-	-	-	-	-	-	0.9	2.0	11.4	18.0	26.3	38.6	38.2	35.5	39.6	37.1	47.4	11.8	10.0	7.0	0.85
C33	Trachea	8	-	-	-	-	-	-	-	-	-	-	-	0.5	0.7	2.0	-	1.1	1.8	3.9	0.3	0.2	0.1	0.02
C34	Bronchus and lung	3,258	-	-	-	0.6	-	0.5	1.0	3.4	9.4	29.4	92.1	156.0	283.8	374.0	523.1	639.1	574.5	410.6	109.8	86.4	57.9	7.10
C37	Thymus	18	-	-	-	-	-	-	-	1.3	0.8	0.4	-	1.6	-	3.4	-	1.1	3.5	3.9	0.6	0.5	0.4	0.04
C38	Heart, mediastinum and pleura	5	-	-	-	-	0.5	-	-	-	0.8	-	-	0.5	0.7	-	-	-	-	-	0.2	0.2	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	28	-	0.6	1.1	1.7	2.1	1.6	1.0	1.3	0.4	1.3	-	0.5	0.7	0.7	-	3.2	-	-	0.9	0.9	1.0	0.06
C41	Bone and articular cartilage, NOS	21	-	-	-	2.3	-	0.5	1.9	0.9	-	0.9	-	0.5	2.0	0.7	-	1.1	1.8	3.9	0.7	0.7	0.6	0.05
C43	Malignant melanoma of skin	364	-	0.6	-	1.1	2.7	6.0	7.7	8.9	13.1	17.6	11.2	20.0	21.0	33.4	29.3	33.2	28.3	39.5	12.3	10.6	8.2	0.86
C44	Malignant neoplasms of skin	942	-	-	0.5	-	0.5	-	0.5	0.9	3.3	6.1	12.7	17.9	47.4	77.8	127.3	210.9	311.1	525.1	31.8	24.7	15.2	1.46
C45	Mesothelioma	137	-	-	-	-	0.5	-	-	0.9	0.4	0.9	2.9	6.3	16.3	11.6	27.0	21.4	26.5	7.9	4.6	3.6	2.5	0.33

Flemish Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	8	-	-	-	-	-	0.5	0.5	-	0.4	0.4	-	0.5	-	1.4	-	1.1	-	-	0.3	0.2	0.2	0.02
C47,C49	Soft tissues	136	1.9	-	0.5	0.6	3.2	1.6	1.0	2.6	2.9	4.4	5.4	5.8	9.5	8.2	17.0	7.5	23.0	27.6	4.6	4.0	3.2	0.32
C48	Retroperitoneum and peritoneum	16	-	-	-	-	-	-	0.5	0.4	-	0.4	0.5	1.6	1.4	2.0	0.8	2.1	-	3.9	0.5	0.5	0.3	0.04
C50	Breast	56	-	-	-	-	-	-	-	0.8	1.3	1.5	2.1	2.7	6.1	7.7	15.0	10.6	3.9	1.9	1.4	1.0	0.11	
C60	Penis	38	-	-	-	-	-	-	-	0.4	0.9	0.5	0.5	4.1	5.5	3.1	7.5	7.1	15.8	1.3	1.0	0.7	0.07	
C61	Prostate	5,937	-	-	-	-	-	-	-	0.4	3.3	24.2	109.2	310.3	527.6	806.1	1,004.6	1,018.0	1,050.0	998.9	200.1	157.8	105.3	13.00
C62	Testis	126	-	-	0.5	4.6	6.9	13.1	9.1	11.1	4.9	3.1	2.4	1.6	2.7	1.4	1.5	-	-	-	4.2	4.2	4.1	0.31
C63	Male genital organs, NOS	6	-	-	-	-	0.5	-	-	0.4	-	-	-	-	0.7	0.7	0.8	1.1	-	-	0.2	0.2	0.1	0.02
C64	Kidney	500	3.8	1.2	-	-	-	-	1.0	0.9	4.1	12.3	20.5	36.4	40.0	50.5	74.1	71.7	53.0	51.3	16.9	14.0	10.0	1.22
C65	Renal pelvis	57	-	-	-	-	-	-	-	-	-	-	1.0	2.1	3.4	4.8	10.0	16.1	17.7	3.9	1.9	1.4	0.9	0.11
C66	Ureter	49	-	-	-	-	-	-	-	-	-	-	1.0	1.6	1.4	6.8	9.3	11.8	12.4	7.9	1.7	1.2	0.8	0.10
C67	Bladder	956	0.6	-	-	-	-	-	0.5	0.9	4.1	4.8	20.0	30.6	56.2	94.9	137.3	214.1	249.3	359.3	32.2	25.1	15.9	1.73
C68	Urinary organs, NOS	14	-	-	-	-	-	-	-	-	-	-	1.5	-	2.0	-	1.5	2.1	-	15.8	0.5	0.5	0.3	0.03
C69	Eye and adnexa	24	0.6	-	-	-	-	-	0.5	-	0.8	0.4	-	2.6	0.7	2.0	2.3	4.3	3.5	3.9	0.8	0.7	0.5	0.05
C70	Meninges	7	-	-	-	-	-	-	-	-	-	0.9	1.0	0.5	-	-	0.8	-	1.8	-	0.2	0.2	0.1	0.02
C71	Brain	257	1.3	1.8	3.3	2.8	3.2	3.8	2.4	6.8	6.1	6.1	7.8	15.8	17.6	18.4	32.4	27.8	15.9	7.9	8.7	7.5	6.1	0.65
C72	Spinal cord, cranial nerves and CNS, NOS	10	1.9	-	-	0.6	0.5	0.5	-	-	0.8	0.4	-	-	0.7	-	-	-	-	-	0.3	0.4	0.5	0.03
C73	Thyroid gland	63	-	-	-	-	1.1	0.5	1.0	2.1	2.9	2.2	2.9	3.7	2.7	5.5	7.7	1.1	5.3	7.9	2.1	1.8	1.4	0.16
C74	Adrenal gland	10	1.3	0.6	0.5	-	-	-	-	-	-	-	0.5	-	2.0	-	0.8	-	1.8	-	0.3	0.4	0.4	0.03
C75	Endocrine glands, NOS	7	-	-	1.1	-	-	-	0.5	-	0.4	-	-	-	1.4	0.7	-	-	-	-	0.2	0.2	0.2	0.02
C81	Hodgkin's disease	82	-	1.2	1.1	4.0	4.2	2.2	3.8	1.3	2.9	1.8	4.4	3.7	3.4	4.8	3.1	3.2	3.5	-	2.8	2.7	2.4	0.21
C82-C85	Non-Hodgkin-lymphoma	595	1.3	1.8	1.6	3.4	3.7	1.6	4.8	10.6	9.8	14.1	23.9	31.1	36.6	47.1	71.0	78.1	99.0	110.5	20.1	16.7	12.1	1.30
C88	Malignant immunoproliferative diseases	35	-	-	-	-	-	-	-	-	-	1.3	1.5	1.6	2.7	3.4	2.3	5.4	10.6	11.8	1.2	1.0	0.6	0.06
C90	Multiple myeloma	223	-	-	-	-	-	0.5	-	-	3.3	2.6	6.3	14.8	13.5	25.9	27.0	46.0	44.2	23.7	7.5	5.9	4.0	0.47
C91	Lymphoid leukaemia	272	4.4	3.5	3.3	3.4	1.1	1.1	1.0	1.7	2.5	7.0	6.8	11.6	13.5	27.3	28.5	52.5	44.2	31.6	9.2	7.7	6.0	0.58
C92	Myeloid leukaemia	170	-	-	0.5	-	0.5	1.1	1.9	1.3	3.3	3.5	2.4	10.0	9.5	19.1	17.7	30.0	30.1	35.5	5.7	4.6	3.2	0.35
C93	Monocytic leukaemia	6	-	-	-	-	-	0.5	-	-	0.4	0.4	-	1.1	-	-	-	-	1.8	-	0.2	0.2	0.1	0.01
C94-C95	Leukaemia other	18	0.6	-	-	-	-	-	-	0.4	-	-	1.0	0.5	0.7	0.7	2.3	5.4	5.3	-	0.6	0.5	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	4	0.6	-	-	-	-	-	-	0.4	-	0.4	-	-	0.7	-	-	-	-	-	0.1	0.1	0.2	0.01
C76	Other and ill-defined sites	15	-	-	-	-	-	-	-	-	-	0.4	1.0	2.1	0.7	0.7	0.8	2.1	3.5	3.9	0.5	0.4	0.3	0.03
C80	Unknown primary site	359	-	-	-	0.6	0.5	1.1	1.4	0.9	1.2	7.5	7.8	19.5	28.4	29.4	40.1	70.7	86.6	98.7	12.1	9.7	6.5	0.69
MPD	Myeloproliferative Disorders	116	-	-	0.5	0.6	1.1	1.1	0.5	0.9	2.0	1.8	4.9	3.2	8.8	7.5	13.9	23.6	17.7	31.6	3.9	3.2	2.3	0.23
MDS	Myelodysplastic syndromes	154	-	-	-	-	0.5	-	-	0.4	0.8	0.9	1.0	4.2	8.1	13.0	21.6	46.0	42.4	47.4	5.2	3.9	2.4	0.25
Total		20,371	19.1	12.4	16.3	26.7	36.6	40.3	49.1	76.1	130.3	267.0	540.4	994.8	1,585.5	2,250.4	2,941.9	3,543.4	3,788.3	3,916.5	686.7	550.4	375.5	36.20
Total excl. non-melanoma		19,429	19.1	12.4	15.8	26.7	36.1	40.3	48.6	75.3	127.1	260.9	527.7	976.9	1,538.1	2,172.6	2,814.6	3,332.5	3,477.2	3,391.4	654.9	525.7	360.3	35.25
Total excl. non-melanoma and MDS-MPD		19,159	19.1	12.4	15.2	26.2	34.5	39.2	48.1	74.0	124.2	258.3	521.9	969.5	1,521.1	2,152.1	2,779.1	3,262.9	3,417.1	3,312.4	645.8	518.5	355.6	34.93

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Flemish Region: Females, number of invasive tumours by primary site and age group in 2004

Flemish Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	15	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	6	2
C01	Base of tongue	10	-	-	-	-	-	-	-	-	-	1	2	3	1	2	1	-	-	-
C02	Tongue	32	-	-	-	-	-	1	-	1	3	4	5	3	4	5	2	2	-	2
C03	Gum	12	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	2	1	1
C04	Floor of mouth	29	-	-	-	-	-	-	-	1	2	5	3	4	8	1	3	-	2	
C05	Palate	17	-	-	-	1	-	-	1	-	1	1	1	1	2	4	1	3	1	-
C06	Mouth, NOS	22	-	-	-	-	-	-	-	2	-	3	3	1	1	3	3	3	1	2
C07	Parotid gland	17	-	-	-	-	1	-	2	2	1	1	-	1	-	1	3	2	2	1
C08	Salivary glands, NOS	6	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	-	1	-
C09	Tonsil	24	-	-	-	-	1	-	-	-	1	2	2	3	4	3	3	2	2	1
C10	Oropharynx	13	-	-	-	-	-	-	-	-	-	2	3	2	-	3	1	1	-	1
C11	Nasopharynx	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
C12	Pyramidal sinus	8	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	2	-	-
C13	Hypopharynx	6	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
C15	Oesophagus	125	-	-	-	-	-	-	-	1	3	4	3	10	7	19	19	20	15	24
C16	Stomach	328	-	-	-	-	-	1	1	6	10	13	5	11	19	26	59	50	69	58
C17	Small intestine	44	-	-	-	-	-	-	-	-	1	3	1	5	7	4	10	7	2	4
C18	Colon	1,401	-	-	-	4	4	3	5	5	15	25	59	90	100	159	241	263	252	176
C19	Rectosigmoid junction	147	-	-	-	-	-	-	-	-	3	5	8	11	14	12	25	33	25	11
C20	Rectum	520	-	-	-	-	-	2	-	2	11	16	30	48	49	66	76	85	83	52
C21	Anus and anal canal	30	-	-	-	-	-	-	-	-	-	4	3	5	2	2	1	6	4	3
C22	Liver and intrahepatic bile ducts	76	1	-	-	-	1	1	1	1	2	3	4	10	6	10	13	9	7	7
C23	Gallbladder	46	-	-	-	-	-	-	-	-	-	4	2	1	2	3	6	9	10	9
C24	Biliary tract, NOS	70	-	-	-	-	-	-	-	1	1	2	3	3	7	8	14	12	10	9
C25	Pancreas	287	-	-	-	-	-	-	-	2	6	8	10	18	24	48	48	51	42	30
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
C30	Nasal cavity and middle ear	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	1
C31	Accessory sinuses	8	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-	1	-
C32	Larynx	45	-	-	-	-	-	-	1	1	1	4	6	5	6	7	7	4	2	1
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C34	Bronchus and lung	833	-	-	-	-	2	1	4	7	18	55	94	90	111	111	129	118	68	25
C37	Thymus	7	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-
C38	Heart, mediastinum and pleura	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	19	-	-	-	3	1	2	1	-	-	1	1	4	2	1	1	1	1	-
C41	Bone and articular cartilage, NOS	14	-	1	-	2	2	-	-	-	1	-	1	2	1	-	3	1	-	-
C43	Malignant melanoma of skin	490	-	-	1	1	18	27	36	49	49	39	39	42	22	43	39	32	31	22
C44	Malignant neoplasms of skin	667	-	-	-	1	-	-	3	-	4	13	32	35	28	56	91	114	145	145
C45	Mesothelioma	19	-	-	-	-	-	-	-	-	-	1	-	3	-	3	6	5	1	-

Flemish Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1
C47,C49	Soft tissues	125	2	-	-	1	3	4	6	6	8	10	12	10	12	11	9	18	7	6
C48	Retroperitoneum and peritoneum	26	-	-	-	-	-	-	1	2	-	1	2	4	2	5	5	2	2	-
C50	Breast	5,345	-	-	-	2	4	23	58	178	345	610	675	657	629	620	527	448	353	216
C51	Vulva	85	-	-	-	-	-	-	1	1	2	2	7	7	7	13	9	16	10	10
C52	Vagina	27	-	-	-	-	-	-	-	1	1	3	2	2	1	3	7	2	4	1
C53	Cervix uteri	372	-	-	-	-	2	11	31	47	62	34	37	19	28	20	31	19	17	14
C54	Corpus uteri	858	-	-	-	-	-	1	1	5	8	25	61	94	129	159	136	109	88	42
C55	Uterus	23	-	-	-	-	-	-	-	1	1	1	3	5	1	2	1	3	3	2
C56	Ovary	569	-	-	-	1	2	5	8	7	14	33	53	65	68	87	77	82	44	23
C57	Female genital organs, NOS	15	-	-	-	-	-	-	-	-	1	1	-	3	3	1	1	2	2	1
C58	Placenta	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	358	2	-	1	-	2	1	3	5	9	19	23	25	40	45	69	61	27	26
C65	Renal pelvis	45	-	-	-	-	-	-	-	-	-	1	2	2	3	8	11	11	5	2
C66	Ureter	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	3	3
C67	Bladder	245	-	-	-	-	-	-	2	-	1	2	5	13	20	30	30	47	60	35
C68	Urinary organs, NOS	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1
C69	Eye and adnexa	24	1	-	-	-	-	-	1	1	-	2	1	5	3	3	3	-	2	2
C70	Meninges	13	1	-	-	-	-	-	1	1	1	1	-	1	3	-	1	2	1	-
C71	Brain	208	3	1	5	1	3	6	5	7	13	15	16	20	14	29	30	20	11	9
C72	Spinal cord, cranial nerves and CNS, NOS	11	4	3	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-
C73	Thyroid gland	170	-	-	2	-	8	15	13	13	14	18	17	18	10	14	12	12	3	1
C74	Adrenal gland	12	4	1	-	1	-	-	-	2	-	-	1	1	-	-	2	-	-	-
C75	Endocrine glands, NOS	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
C81	Hodgkin's disease	77	-	2	3	7	5	11	10	8	5	3	2	5	3	4	3	1	5	-
C82-C85	Non-Hodgkin-lymphoma	501	2	2	1	3	2	3	7	11	18	27	27	36	43	71	73	80	63	32
C88	Malignant immunoproliferative diseases	14	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	1	-	4
C90	Multiple myeloma	217	-	-	-	-	-	-	1	1	7	8	7	23	16	29	37	43	26	19
C91	Lymphoid leukaemia	212	8	5	4	3	1	-	4	2	9	7	6	18	24	24	29	28	26	14
C92	Myeloid leukaemia	158	1	-	-	-	2	2	7	3	6	13	9	15	13	10	25	19	17	16
C93	Monocytic leukaemia	5	1	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-
C94-C95	Leukaemia other	8	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	3	1	-
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	17	1	-	-	-	-	-	1	-	-	1	-	3	1	3	1	5	-	1
C80	Unknown primary site	292	1	-	-	1	-	-	-	3	6	9	16	22	21	32	38	56	56	31
MPD	Myeloproliferative Disorders	104	-	-	-	-	1	-	2	3	3	1	6	4	10	8	17	26	15	8
MDS	Myelodysplastic syndromes	123	-	-	-	-	-	2	-	1	-	3	4	4	7	11	25	23	28	15
Total		15,696	32	15	17	33	66	124	221	392	666	1,075	1,326	1,507	1,551	1,864	2,028	1,988	1,667	1,124
Total excl. non-melanoma		15,029	32	15	17	32	66	124	218	392	662	1,062	1,294	1,472	1,523	1,808	1,937	1,874	1,522	979
Total excl. non-melanoma and MDS-MPD		14,802	32	15	17	32	65	122	216	388	659	1,058	1,284	1,464	1,506	1,789	1,895	1,825	1,479	956

Flemish Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Flemish Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	15	-	-	-	-	-	-	-	-	-	-	-	0.5	-	2.5	0.6	0.8	6.3	3.0	0.5	0.3	0.2	0.02
C01	Base of tongue	10	-	-	-	-	-	-	-	-	-	0.5	1.0	1.6	0.7	1.3	0.6	-	-	-	0.3	0.3	0.2	0.03
C02	Tongue	32	-	-	-	-	-	0.6	-	0.4	1.3	1.8	2.5	1.6	2.6	3.1	1.3	1.5	-	3.0	1.0	0.9	0.7	0.08
C03	Gum	12	-	-	-	-	-	-	-	-	-	-	1.0	1.1	1.3	-	1.3	1.5	1.1	1.5	0.4	0.3	0.2	0.02
C04	Floor of mouth	29	-	-	-	-	-	-	-	0.4	0.9	2.5	1.6	2.6	5.0	0.6	2.3	-	3.0	1.0	0.8	0.6	0.07	
C05	Palate	17	-	-	-	0.6	-	-	0.5	-	0.4	0.5	0.5	0.5	1.3	2.5	0.6	2.3	1.1	-	0.6	0.4	0.4	0.04
C06	Mouth, NOS	22	-	-	-	-	-	-	-	0.9	-	1.4	1.5	0.5	0.7	1.9	1.9	2.3	1.1	3.0	0.7	0.5	0.4	0.04
C07	Parotid gland	17	-	-	-	-	0.5	-	1.0	0.9	0.4	0.5	-	0.5	-	0.6	1.9	1.5	2.1	1.5	0.6	0.4	0.3	0.03
C08	Salivary glands, NOS	6	-	-	-	-	-	-	0.5	0.4	-	0.5	-	-	-	0.6	0.6	-	1.1	-	0.2	0.2	0.1	0.01
C09	Tonsil	24	-	-	-	-	0.5	-	-	-	0.4	0.9	1.0	1.6	2.6	1.9	1.9	1.5	2.1	1.5	0.8	0.6	0.5	0.05
C10	Oropharynx	13	-	-	-	-	-	-	-	-	-	0.9	1.5	1.1	-	1.9	0.6	0.8	-	1.5	0.4	0.4	0.3	0.03
C11	Nasopharynx	4	-	-	-	-	-	-	-	-	-	-	0.5	1.1	0.7	-	-	-	-	-	0.1	0.1	0.1	0.01
C12	Pyramidal sinus	8	-	-	-	-	-	-	-	-	-	-	0.5	1.1	1.3	-	0.6	1.5	-	-	0.3	0.2	0.1	0.02
C13	Hypopharynx	6	-	-	-	-	-	-	-	0.4	-	0.9	0.5	0.5	-	0.6	-	-	-	-	0.2	0.2	0.1	0.02
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	1.1	-	0.1	0.0	0.0	0.00
C15	Oesophagus	125	-	-	-	-	-	-	-	0.4	1.3	1.8	1.5	5.4	4.6	11.9	12.2	15.5	15.9	35.9	4.1	2.6	1.7	0.20
C16	Stomach	328	-	-	-	-	-	0.6	0.5	2.6	4.2	5.9	2.5	5.9	12.5	16.3	38.0	38.7	72.9	86.8	10.8	6.3	4.1	0.44
C17	Small intestine	44	-	-	-	-	-	-	-	-	0.4	1.4	0.5	2.7	4.6	2.5	6.4	5.4	2.1	6.0	1.4	1.0	0.7	0.09
C18	Colon	1,401	-	-	-	2.4	2.2	1.7	2.5	2.2	6.3	11.3	29.7	48.2	65.9	99.7	155.0	203.4	266.4	263.5	45.9	28.3	18.7	2.11
C19	Rectosigmoid junction	147	-	-	-	-	-	-	-	-	1.3	2.3	4.0	5.9	9.2	7.5	16.1	25.5	26.4	16.5	4.8	3.1	2.0	0.23
C20	Rectum	520	-	-	-	-	-	1.1	-	0.9	4.6	7.2	15.1	25.7	32.3	41.4	48.9	65.7	87.7	77.9	17.1	11.3	7.6	0.88
C21	Anus and anal canal	30	-	-	-	-	-	-	-	-	-	1.8	1.5	2.7	1.3	1.3	0.6	4.6	4.2	4.5	1.0	0.7	0.5	0.05
C22	Liver and intrahepatic bile ducts	76	0.7	-	-	-	0.5	0.6	0.5	0.4	0.8	1.4	2.0	5.4	4.0	6.3	8.4	7.0	7.4	10.5	2.5	1.8	1.3	0.15
C23	Gallbladder	46	-	-	-	-	-	-	-	-	-	1.8	1.0	0.5	1.3	1.9	3.9	7.0	10.6	13.5	1.5	0.9	0.6	0.05
C24	Biliary tract, NOS	70	-	-	-	-	-	-	-	0.4	0.4	0.9	1.5	1.6	4.6	5.0	9.0	9.3	10.6	13.5	2.3	1.5	1.0	0.12
C25	Pancreas	287	-	-	-	-	-	-	-	0.9	2.5	3.6	5.0	9.6	15.8	30.1	30.9	39.4	44.4	44.9	9.4	6.0	4.1	0.49
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.6	-	1.1	-	0.1	0.1	0.0	0.01
C30	Nasal cavity and middle ear	7	-	-	-	-	-	-	-	-	-	-	0.5	-	-	1.3	0.6	0.8	1.1	1.5	0.2	0.1	0.1	0.01
C31	Accessory sinuses	8	-	-	-	-	-	-	-	-	-	0.5	0.5	0.5	2.0	0.6	-	-	1.1	-	0.3	0.2	0.2	0.02
C32	Larynx	45	-	-	-	-	-	-	0.5	0.4	0.4	1.8	3.0	2.7	4.0	4.4	4.5	3.1	2.1	1.5	1.5	1.2	0.9	0.11
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	0.0	0.0	0.0	-
C34	Bronchus and lung	833	-	-	-	-	1.1	0.6	2.0	3.1	7.6	24.9	47.3	48.2	73.1	69.6	83.0	91.3	71.9	37.4	27.3	20.8	14.8	1.79
C37	Thymus	7	-	-	-	-	-	-	-	-	-	-	-	1.6	0.7	0.6	0.6	0.8	-	-	0.2	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	3	-	-	-	0.6	-	-	-	-	-	-	0.5	-	-	-	-	-	1.1	-	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	19	-	-	-	1.8	0.5	1.1	0.5	-	-	0.5	0.5	2.1	1.3	0.6	0.6	0.8	1.1	-	0.6	0.6	0.6	0.05
C41	Bone and articular cartilage, NOS	14	-	0.6	-	1.2	1.1	-	-	-	0.4	-	0.5	1.1	0.7	-	1.9	0.8	-	-	0.5	0.4	0.4	0.04
C43	Malignant melanoma of skin	490	-	-	0.6	0.6	9.9	15.0	17.7	21.5	20.7	17.7	19.6	22.5	14.5	27.0	25.1	24.8	32.8	32.9	16.1	13.7	11.1	1.06
C44	Malignant neoplasms of skin	667	-	-	-	0.6	-	-	1.5	-	1.7	5.9	16.1	18.7	18.4	35.1	58.5	88.2	153.3	217.1	21.9	12.5	7.8	0.78
C45	Mesothelioma	19	-	-	-	-	-	-	-	-	-	0.5	-	1.6	-	1.9	3.9	3.9	1.1	-	0.6	0.4	0.3	0.04

Flemish Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	4	-	-	-	-	-	0.6	-	-	-	0.5	0.5	-	-	-	-	-	-	1.5	0.1	0.1	0.1	0.01
C47,C49	Soft tissues	125	1.3	-	-	0.6	1.6	2.2	2.9	2.6	3.4	4.5	6.0	5.4	7.9	6.9	5.8	13.9	7.4	9.0	4.1	3.4	2.7	0.26
C48	Retroperitoneum and peritoneum	26	-	-	-	-	-	-	0.5	0.9	-	0.5	1.0	2.1	1.3	3.1	3.2	1.5	2.1	-	0.9	0.7	0.5	0.06
C50	Breast	5,345	-	-	-	1.2	2.2	12.8	28.5	78.2	145.6	276.2	339.8	351.7	414.2	389.0	339.0	346.5	373.2	323.4	175.3	143.4	106.0	11.21
C51	Vulva	85	-	-	-	-	-	-	0.5	0.4	0.8	0.9	3.5	3.7	4.6	8.2	5.8	12.4	10.6	15.0	2.8	1.9	1.3	0.14
C52	Vagina	27	-	-	-	-	-	-	-	0.4	0.4	1.4	1.0	1.1	0.7	1.9	4.5	1.5	4.2	1.5	0.9	0.6	0.4	0.06
C53	Cervix uteri	372	-	-	-	-	1.1	6.1	15.2	20.6	26.2	15.4	18.6	10.2	18.4	12.5	19.9	14.7	18.0	21.0	12.2	10.5	8.4	0.82
C54	Corpus uteri	858	-	-	-	-	-	0.6	0.5	2.2	3.4	11.3	30.7	50.3	85.0	99.7	87.5	84.3	93.0	62.9	28.1	20.5	14.4	1.84
C55	Uterus	23	-	-	-	-	-	-	-	0.4	0.4	0.5	1.5	2.7	0.7	1.3	0.6	2.3	3.2	3.0	0.8	0.6	0.4	0.04
C56	Ovary	569	-	-	-	0.6	1.1	2.8	3.9	3.1	5.9	14.9	26.7	34.8	44.8	54.6	49.5	63.4	46.5	34.4	18.7	14.2	10.2	1.21
C57	Female genital organs, NOS	15	-	-	-	-	-	-	-	-	0.4	0.5	-	1.6	2.0	0.6	0.6	1.5	2.1	1.5	0.5	0.4	0.3	0.03
C58	Placenta	2	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.00
C64	Kidney	358	1.3	-	0.6	-	1.1	0.6	1.5	2.2	3.8	8.6	11.6	13.4	26.3	28.2	44.4	47.2	28.5	38.9	11.7	8.4	6.0	0.72
C65	Renal pelvis	45	-	-	-	-	-	-	-	-	-	0.5	1.0	1.1	2.0	5.0	7.1	8.5	5.3	3.0	1.5	0.9	0.6	0.08
C66	Ureter	17	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	3.2	3.9	3.2	4.5	0.6	0.3	0.2	0.02
C67	Bladder	245	-	-	-	-	-	-	1.0	-	0.4	0.9	2.5	7.0	13.2	18.8	19.3	36.4	63.4	52.4	8.0	4.6	3.0	0.31
C68	Urinary organs, NOS	4	-	-	-	-	0.5	-	-	-	-	-	-	-	0.7	-	-	-	1.1	1.5	0.1	0.1	0.1	0.01
C69	Eye and adnexa	24	0.7	-	-	-	-	-	0.5	0.4	-	0.9	0.5	2.7	2.0	1.9	1.9	-	2.1	3.0	0.8	0.7	0.5	0.06
C70	Meninges	13	0.7	-	-	-	-	-	0.5	0.4	0.4	0.5	-	0.5	2.0	-	0.6	1.5	1.1	-	0.4	0.4	0.3	0.03
C71	Brain	208	2.0	0.6	2.8	0.6	1.6	3.3	2.5	3.1	5.5	6.8	8.1	10.7	9.2	18.2	19.3	15.5	11.6	13.5	6.8	5.6	4.5	0.47
C72	Spinal cord, cranial nerves and CNS, NOS	11	2.7	1.9	-	-	-	-	-	-	-	0.9	-	-	0.7	-	-	0.8	-	-	0.4	0.5	0.6	0.03
C73	Thyroid gland	170	-	-	1.1	-	4.4	8.4	6.4	5.7	5.9	8.1	8.6	9.6	6.6	8.8	7.7	9.3	3.2	1.5	5.6	5.1	4.3	0.41
C74	Adrenal gland	12	2.7	0.6	-	0.6	-	-	-	0.9	-	-	0.5	0.5	-	-	1.3	-	-	-	0.4	0.5	0.6	0.04
C75	Endocrine glands, NOS	3	-	-	-	-	-	0.6	-	-	-	-	-	-	0.7	-	0.6	-	-	-	0.1	0.1	0.1	0.01
C81	Hodgkin's disease	77	-	1.2	1.7	4.2	2.7	6.1	4.9	3.5	2.1	1.4	1.0	2.7	2.0	2.5	1.9	0.8	5.3	-	2.5	2.5	2.5	0.19
C82-C85	Non-Hodgkin-lymphoma	501	1.3	1.2	0.6	1.8	1.1	1.7	3.4	4.8	7.6	12.2	13.6	19.3	28.3	44.5	47.0	61.9	66.6	47.9	16.4	11.6	8.5	0.94
C88	Malignant immunoproliferative diseases	14	-	-	-	-	-	-	-	-	-	-	-	1.1	1.3	1.9	1.3	0.8	-	6.0	0.5	0.3	0.2	0.03
C90	Multiple myeloma	217	-	-	-	-	-	-	0.5	0.4	3.0	3.6	3.5	12.3	10.5	18.2	23.8	33.3	27.5	28.4	7.1	4.7	3.2	0.38
C91	Lymphoid leukaemia	212	5.3	3.1	2.3	1.8	0.5	-	2.0	0.9	3.8	3.2	3.0	9.6	15.8	15.1	18.7	21.7	27.5	21.0	7.0	5.3	4.4	0.42
C92	Myeloid leukaemia	158	0.7	-	-	-	1.1	1.1	3.4	1.3	2.5	5.9	4.5	8.0	8.6	6.3	16.1	14.7	18.0	24.0	5.2	3.8	2.8	0.30
C93	Monocytic leukaemia	5	0.7	-	-	-	-	-	-	-	-	0.9	-	-	0.7	0.6	-	-	-	-	0.2	0.2	0.2	0.01
C94-C95	Leukaemia other	8	-	-	-	-	-	-	-	0.4	-	-	0.5	0.5	0.7	-	-	2.3	1.1	-	0.3	0.2	0.1	0.01
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	17	0.7	-	-	-	-	-	0.5	-	-	0.5	-	1.6	0.7	1.9	0.6	3.9	-	1.5	0.6	0.4	0.3	0.03
C80	Unknown primary site	292	0.7	-	-	0.6	-	-	-	1.3	2.5	4.1	8.1	11.8	13.8	20.1	24.4	43.3	59.2	46.4	9.6	6.1	4.1	0.44
MPD	Myeloproliferative Disorders	104	-	-	-	-	0.5	-	1.0	1.3	1.3	0.5	3.0	2.1	6.6	5.0	10.9	20.1	15.9	12.0	3.4	2.2	1.5	0.16
MDS	Myelodysplastic syndromes	123	-	-	-	-	-	1.1	-	0.4	-	1.4	2.0	2.1	4.6	6.9	16.1	17.8	29.6	22.5	4.0	2.3	1.5	0.17
Total		15,696	21.3	9.3	9.7	19.7	36.3	69.1	108.6	172.2	281.0	486.7	667.6	806.8	1,021.4	1,169.4	1,304.5	1,537.6	1,762.2	1,682.8	514.7	382.5	277.7	26.59
Total excl. non-melanoma		15,029	21.3	9.3	9.7	19.1	36.3	69.1	107.1	172.2	279.3	480.8	651.4	788.1	1,003.0	1,134.3	1,245.9	1,449.5	1,608.9	1,465.7	492.9	370.0	269.9	26.02
Total excl. non-melanoma and MDS-MPD		14,802	21.3	9.3	9.7	19.1	35.7	68.0	106.1	170.5	278.1	479.0	646.4	783.8	991.8	1,122.3	1,218.9	1,411.6	1,563.4	1,431.3	485.4	365.5	266.9	25.77

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Males, number of invasive tumours by primary site and age group in 2004

Brussels Capital Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-
C02	Tongue	14	-	-	-	-	-	-	-	-	2	2	1	4	3	1	-	-	1	-
C03	Gum	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
C04	Floor of mouth	16	-	-	-	-	-	-	-	-	1	1	4	3	3	2	1	1	-	-
C05	Palate	5	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-
C06	Mouth, NOS	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	-
C07	Parotid gland	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
C09	Tonsil	15	-	-	-	-	-	-	-	-	1	3	4	3	1	1	-	1	1	-
C10	Oropharynx	11	-	-	-	-	-	1	-	-	1	-	2	2	2	2	-	1	-	-
C11	Nasopharynx	9	-	-	-	-	-	3	-	-	1	2	1	-	-	1	-	-	1	-
C12	Pyrimiform sinus	13	-	-	-	-	-	-	-	-	-	1	1	3	5	3	-	-	-	-
C13	Hypopharynx	6	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	-
C14	Lip, oral cavity and pharynx, NOS	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-
C15	Oesophagus	49	-	-	-	-	-	-	-	-	-	2	1	5	14	4	8	6	3	6
C16	Stomach	76	-	-	-	-	1	-	1	3	1	5	7	6	7	9	10	10	11	5
C17	Small intestine	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-
C18	Colon	210	-	-	-	-	-	-	-	1	1	6	6	19	26	31	39	35	29	17
C19	Rectosigmoid junction	24	-	-	-	-	-	-	-	-	1	-	1	2	4	2	4	8	1	1
C20	Rectum	67	-	-	-	-	-	-	-	1	3	2	8	10	9	6	5	8	8	7
C21	Anus and anal canal	6	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	1	-
C22	Liver and intrahepatic bile ducts	21	-	-	-	-	-	-	1	-	1	-	3	2	5	3	1	2	3	-
C23	Gallbladder	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C24	Biliary tract, NOS	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-
C25	Pancreas	51	-	-	-	-	-	-	-	-	1	2	3	5	4	11	9	11	5	-
C26	Other ill-defined digestive organs	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30	Nasal cavity and middle ear	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C31	Accessory sinuses	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
C32	Larynx	63	-	-	-	-	-	-	-	1	1	7	5	11	14	10	9	2	3	-
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	413	-	-	-	-	-	-	1	-	7	21	37	47	56	58	78	59	38	11
C37	Thymus	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C38	Heart, mediastinum and pleura	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	-	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
C41	Bone and articular cartilage, NOS	8	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	3	2
C43	Malignant melanoma of skin	56	-	-	-	-	2	-	4	4	4	3	5	7	5	7	3	7	3	2
C44	Malignant neoplasms of skin	157	-	-	-	1	1	-	-	-	1	2	2	3	5	8	23	33	44	34
C45	Mesothelioma	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	-

Brussels Capital Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	11	-	-	-	-	-	-	1	-	1	2	1	1	1	-	2	2	-	-
C47,C49	Soft tissues	21	1	1	-	1	-	1	-	1	2	1	1	4	1	1	1	4	1	-
C48	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C50	Breast	8	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	1	1	-
C60	Penis	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	4	-
C61	Prostate	613	-	-	-	-	-	-	-	-	-	2	19	52	87	97	130	111	86	29
C62	Testis	18	-	-	-	-	4	4	2	2	2	1	1	1	-	-	1	-	-	-
C63	Male genital organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C64	Kidney	55	1	-	-	-	-	-	1	2	2	2	7	5	4	7	10	6	6	2
C65	Renal pelvis	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	-
C66	Ureter	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-
C67	Bladder	141	-	-	-	-	-	-	-	-	-	4	7	11	10	10	30	30	23	16
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
C69	Eye and adnexa	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
C70	Meninges	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C71	Brain	27	-	2	-	-	1	-	1	2	1	3	2	3	1	2	4	1	2	2
C72	Spinal cord, cranial nerves and CNS, NOS	6	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
C73	Thyroid gland	23	-	-	-	-	-	1	2	-	3	-	3	5	2	1	3	2	1	-
C74	Adrenal gland	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C75	Endocrine glands, NOS	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	22	1	1	-	-	1	3	3	3	1	2	1	2	1	-	1	1	-	1
C82-C85	Non-Hodgkin-lymphoma	84	-	2	-	1	1	5	2	1	-	3	9	6	9	12	8	13	6	6
C88	Malignant immunoproliferative diseases	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
C90	Multiple myeloma	36	-	-	-	-	1	-	1	-	-	-	2	3	2	2	5	12	4	4
C91	Lymphoid leukaemia	33	3	3	1	1	-	-	-	-	2	2	3	3	2	4	4	2	2	1
C92	Myeloid leukaemia	32	1	-	-	-	-	2	-	1	2	3	2	-	6	3	1	5	5	1
C93	Monocytic leukaemia	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C80	Unknown primary site	89	1	-	-	-	-	-	-	-	-	4	3	9	9	14	19	15	12	3
MPD	Myeloproliferative Disorders	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	2	-
MDS	Myelodysplastic syndromes	21	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	6	3
Total		2,624	11	10	3	4	12	20	20	28	44	99	163	249	318	326	434	408	321	154
Total excl. non-melanoma		2,467	11	10	3	3	11	20	20	28	43	97	161	246	313	318	411	375	277	120
Total excl. non-melanoma and MDS-MPD		2,438	11	10	3	3	11	20	20	28	43	97	160	244	309	316	406	371	269	117

Brussels Capital Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Brussels Capital Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	5	-	-	-	-	-	-	-	-	-	-	7.0	3.9	-	-	6.4	7.8	-	-	1.0	1.1	0.7	0.09
C02	Tongue	14	-	-	-	-	-	-	-	-	5.6	6.4	3.5	15.8	15.5	5.8	-	-	11.1	-	2.9	3.1	2.4	0.26
C03	Gum	2	-	-	-	-	-	-	-	-	-	3.2	-	-	5.2	-	-	-	-	-	0.4	0.5	0.4	0.04
C04	Floor of mouth	16	-	-	-	-	-	-	-	-	2.8	3.2	14.1	11.8	15.5	11.5	6.4	7.8	-	-	3.3	3.7	2.7	0.33
C05	Palate	5	-	-	-	-	-	-	-	-	-	3.2	3.5	-	15.5	-	-	-	-	-	1.0	1.2	1.0	0.11
C06	Mouth, NOS	7	-	-	-	-	-	-	-	-	-	3.2	-	3.9	5.2	5.8	6.4	15.6	-	-	1.5	1.5	1.0	0.12
C07	Parotid gland	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.8	-	-	-	0.4	0.4	0.3	0.06
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	5.2	5.8	6.4	-	-	-	0.6	0.7	0.5	0.09
C09	Tonsil	15	-	-	-	-	-	-	-	-	2.8	9.6	14.1	11.8	5.2	5.8	-	7.8	11.1	-	3.1	3.3	2.4	0.25
C10	Oropharynx	11	-	-	-	-	-	2.4	-	-	2.8	-	7.0	7.9	10.4	11.5	-	7.8	-	-	2.3	2.5	1.9	0.21
C11	Nasopharynx	9	-	-	-	-	-	7.2	-	-	2.8	6.4	3.5	-	-	5.8	-	-	11.1	-	1.9	1.7	1.5	0.13
C12	Pyriform sinus	13	-	-	-	-	-	-	-	-	-	3.2	3.5	11.8	25.9	17.3	-	-	-	-	2.7	3.2	2.4	0.31
C13	Hypopharynx	6	-	-	-	-	-	-	-	-	-	3.2	10.6	3.9	-	-	6.4	-	-	-	1.2	1.4	1.0	0.12
C14	Lip, oral cavity and pharynx, NOS	5	-	-	-	-	-	-	-	-	-	-	3.5	3.9	-	-	12.8	7.8	-	-	1.0	1.0	0.7	0.10
C15	Oesophagus	49	-	-	-	-	-	-	-	-	-	6.4	3.5	19.7	72.5	23.0	51.2	46.7	33.3	135.1	10.2	10.6	7.3	0.88
C16	Stomach	76	-	-	-	-	3.1	-	2.2	7.3	2.8	16.0	24.6	23.7	36.3	51.8	64.0	77.8	122.2	112.6	15.8	15.0	10.4	1.15
C17	Small intestine	5	-	-	-	-	-	-	-	-	-	-	-	-	-	17.3	6.4	7.8	-	-	1.0	1.0	0.7	0.12
C18	Colon	210	-	-	-	-	-	-	-	2.4	2.8	19.2	21.1	75.0	134.7	178.3	249.4	272.2	322.1	382.9	43.7	41.5	27.5	3.36
C19	Rectosigmoid junction	24	-	-	-	-	-	-	-	-	2.8	-	3.5	7.9	20.7	11.5	25.6	62.2	11.1	22.5	5.0	4.8	3.1	0.36
C20	Rectum	67	-	-	-	-	-	-	-	2.4	8.4	6.4	28.2	39.5	46.6	34.5	32.0	62.2	88.9	157.7	13.9	13.9	9.4	0.98
C21	Anus and anal canal	6	-	-	-	-	-	-	-	-	-	9.6	-	3.9	-	-	-	7.8	11.1	-	1.2	1.2	0.9	0.07
C22	Liver and intrahepatic bile ducts	21	-	-	-	-	-	-	2.2	-	2.8	-	10.6	7.9	25.9	17.3	6.4	15.6	33.3	-	4.4	4.4	3.1	0.36
C23	Gallbladder	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.8	-	22.5	0.4	0.4	0.2	-
C24	Biliary tract, NOS	4	-	-	-	-	-	-	-	-	-	-	-	3.9	-	5.8	6.4	-	11.1	-	0.8	0.8	0.5	0.08
C25	Pancreas	51	-	-	-	-	-	-	-	-	2.8	6.4	10.6	19.7	20.7	63.3	57.6	85.6	55.5	-	10.6	10.1	6.9	0.90
C26	Other ill-defined digestive organs	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30	Nasal cavity and middle ear	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.8	-	-	0.2	0.2	0.1	-
C31	Accessory sinuses	2	-	-	-	-	-	-	-	-	-	3.2	-	-	5.2	-	-	-	-	-	0.4	0.5	0.4	0.04
C32	Larynx	63	-	-	-	-	-	-	-	2.4	2.8	22.4	17.6	43.4	72.5	57.5	57.6	15.6	33.3	-	13.1	14.1	10.4	1.37
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	413	-	-	-	-	-	-	2.2	-	19.5	67.1	130.3	185.4	290.1	333.6	498.8	458.9	422.1	247.7	86.0	85.2	58.8	7.35
C37	Thymus	1	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	-	-	-	0.2	0.3	0.2	0.03
C38	Heart, mediastinum and pleura	1	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	-	-	-	0.2	0.3	0.2	0.03
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	5	-	-	3.5	-	-	-	-	4.8	-	-	3.5	-	5.2	-	-	-	-	-	1.0	1.1	1.0	0.09
C41	Bone and articular cartilage, NOS	8	-	-	3.5	-	-	-	-	-	-	3.2	3.5	-	-	-	-	-	33.3	45.0	1.7	1.5	1.1	0.05
C43	Malignant melanoma of skin	56	-	-	-	-	6.2	-	8.9	9.7	11.1	9.6	17.6	27.6	25.9	40.3	19.2	54.4	33.3	45.0	11.7	11.4	8.4	0.88
C44	Malignant neoplasms of skin	157	-	-	-	3.6	3.1	-	-	-	2.8	6.4	7.0	11.8	25.9	46.0	147.1	256.7	488.7	765.8	32.7	27.5	16.1	1.26
C45	Mesothelioma	6	-	-	-	-	-	-	-	-	-	-	-	3.9	-	5.8	12.8	-	22.2	-	1.2	1.1	0.7	0.11

Brussels Capital Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	11	-	-	-	-	-	-	2.2	-	2.8	6.4	3.5	3.9	5.2	-	12.8	15.6	-	-	2.3	2.2	1.6	0.18
C47,C49	Soft tissues	21	2.9	3.3	-	3.6	-	2.4	-	2.4	5.6	3.2	3.5	15.8	5.2	5.8	6.4	31.1	11.1	-	4.4	4.3	3.6	0.30
C48	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.4	-	-	-	0.2	0.2	0.1	0.03
C50	Breast	8	-	-	-	-	-	-	-	4.8	2.8	3.2	-	-	10.4	-	-	7.8	11.1	-	1.7	1.5	1.2	0.11
C60	Penis	7	-	-	-	-	-	-	-	-	-	3.2	-	3.9	-	-	-	7.8	44.4	-	1.5	1.1	0.6	0.04
C61	Prostate	613	-	-	-	-	-	-	-	-	-	6.4	66.9	205.2	450.7	557.9	831.4	863.3	955.2	653.2	127.6	120.6	80.0	10.05
C62	Testis	18	-	-	-	-	12.4	9.6	4.5	4.8	5.6	3.2	3.5	3.9	-	-	6.4	-	-	-	3.7	3.5	3.3	0.27
C63	Male genital organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.8	-	-	0.2	0.2	0.1	-
C64	Kidney	55	2.9	-	-	-	-	-	2.2	4.8	5.6	6.4	24.6	19.7	20.7	40.3	64.0	46.7	66.6	45.0	11.5	11.1	7.9	0.95
C65	Renal pelvis	7	-	-	-	-	-	-	-	-	-	-	-	-	10.4	-	19.2	15.6	-	-	1.5	1.4	1.0	0.15
C66	Ureter	5	-	-	-	-	-	-	-	-	-	-	-	3.9	5.2	-	19.2	-	-	-	1.0	1.1	0.7	0.14
C67	Bladder	141	-	-	-	-	-	-	-	-	-	12.8	24.6	43.4	51.8	57.5	191.9	233.3	255.5	360.4	29.4	26.7	16.8	1.89
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	-	-	0.2	0.2	0.2	0.02
C69	Eye and adnexa	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.8	11.1	-	0.4	0.3	0.1	-
C70	Meninges	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C71	Brain	27	-	6.7	-	-	3.1	-	2.2	4.8	2.8	9.6	7.0	11.8	5.2	11.5	25.6	7.8	22.2	45.0	5.6	5.6	4.4	0.45
C72	Spinal cord, cranial nerves and CNS, NOS	6	-	-	-	-	-	-	-	-	-	-	-	-	5.2	17.3	6.4	7.8	-	-	1.2	1.3	0.9	0.14
C73	Thyroid gland	23	-	-	-	-	-	2.4	4.5	-	8.4	-	10.6	19.7	10.4	5.8	19.2	15.6	11.1	-	4.8	4.7	3.5	0.40
C74	Adrenal gland	3	8.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.7	1.0	0.04
C75	Endocrine glands, NOS	1	-	3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.3	0.02
C81	Hodgkin's disease	22	2.9	3.3	-	-	3.1	7.2	6.7	7.3	2.8	6.4	3.5	7.9	5.2	-	6.4	7.8	-	22.5	4.6	4.4	3.9	0.31
C82-C85	Non-Hodgkin-lymphoma	84	-	6.7	-	3.6	3.1	12.0	4.5	2.4	-	9.6	31.7	23.7	46.6	69.0	51.2	101.1	66.6	135.1	17.5	17.2	12.7	1.31
C88	Malignant immunoproliferative diseases	2	-	-	-	-	-	-	-	2.4	-	-	-	-	-	-	-	7.8	-	-	0.4	0.3	0.2	0.01
C90	Multiple myeloma	36	-	-	-	-	3.1	-	2.2	-	-	-	7.0	11.8	10.4	11.5	32.0	93.3	44.4	90.1	7.5	6.7	4.2	0.39
C91	Lymphoid leukaemia	33	8.7	10.0	3.5	3.6	-	-	-	-	5.6	6.4	10.6	11.8	10.4	23.0	25.6	15.6	22.2	22.5	6.9	7.1	6.4	0.59
C92	Myeloid leukaemia	32	2.9	-	-	-	-	4.8	-	2.4	5.6	9.6	7.0	-	31.1	17.3	6.4	38.9	55.5	22.5	6.7	6.3	4.8	0.43
C93	Monocytic leukaemia	3	-	-	-	-	-	-	-	2.4	-	-	-	3.9	-	5.8	-	-	-	-	0.6	0.6	0.5	0.06
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5.8	-	-	-	-	0.2	0.2	0.2	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11.1	-	0.2	0.1	0.1	-
C80	Unknown primary site	89	2.9	-	-	-	-	-	-	-	-	12.8	10.6	35.5	46.6	80.5	121.5	116.7	133.3	67.6	18.5	17.5	11.9	1.54
MPD	Myeloproliferative Disorders	8	-	-	-	-	-	-	-	-	-	-	3.5	3.9	10.4	-	12.8	-	22.2	-	1.7	1.6	1.1	0.15
MDS	Myelodysplastic syndromes	21	-	-	-	-	-	-	-	-	-	-	-	3.9	10.4	11.5	19.2	31.1	66.6	67.6	4.4	3.8	2.3	0.22
Total		2,624	32.0	33.3	10.4	14.5	37.2	48.1	44.5	67.8	122.5	316.3	573.9	982.5	1,647.3	1,875.1	2,775.5	3,173.4	3,565.5	3,468.5	546.3	524.8	361.9	34.89
Total excl. non-melanoma		2,467	32.0	33.3	10.4	10.9	34.1	48.1	44.5	67.8	119.7	309.9	566.9	970.6	1,621.4	1,829.1	2,628.4	2,916.7	3,076.8	2,702.7	513.6	497.2	345.7	34.06
Total excl. non-melanoma and MDS-MPD		2,438	32.0	33.3	10.4	10.9	34.1	48.1	44.5	67.8	119.7	309.9	563.4	962.8	1,600.7	1,817.6	2,596.4	2,885.6	2,987.9	2,635.1	507.6	491.8	342.3	33.81

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Females, number of invasive tumours by primary site and age group in 2004

Brussels Capital Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C02	Tongue	11	-	-	-	-	-	-	-	-	2	1	1	3	-	2	1	-	-	1
C03	Gum	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1
C04	Floor of mouth	5	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	1
C05	Palate	3	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
C06	Mouth, NOS	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
C07	Parotid gland	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
C08	Salivary glands, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C09	Tonsil	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-
C10	Oropharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C11	Nasopharynx	4	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
C12	Pyramidal sinus	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
C13	Hypopharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
C15	Oesophagus	26	-	-	-	-	-	-	-	-	-	-	1	4	4	7	4	6	-	-
C16	Stomach	34	-	-	-	-	-	-	-	1	2	1	1	-	1	2	7	6	5	8
C17	Small intestine	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	1
C18	Colon	232	-	-	-	-	-	-	-	3	1	5	6	12	13	20	39	45	50	38
C19	Rectosigmoid junction	20	-	-	-	-	-	-	-	1	-	1	3	4	2	3	3	2	1	1
C20	Rectum	70	-	-	-	-	-	-	-	1	3	3	1	1	8	6	8	10	17	12
C21	Anus and anal canal	16	-	-	-	-	-	-	-	1	1	-	1	2	2	3	3	-	3	3
C22	Liver and intrahepatic bile ducts	12	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	3	3	-
C23	Gallbladder	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
C24	Biliary tract, NOS	9	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	1	-	-
C25	Pancreas	41	-	-	-	-	-	1	-	-	-	1	1	1	6	7	7	8	6	3
C26	Other ill-defined digestive organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C30	Nasal cavity and middle ear	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C31	Accessory sinuses	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	9	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	2	1	1
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C34	Bronchus and lung	184	-	-	-	-	-	-	3	1	4	9	17	25	23	17	27	25	23	10
C37	Thymus	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
C38	Heart, mediastinum and pleura	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-
C41	Bone and articular cartilage, NOS	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
C43	Malignant melanoma of skin	85	-	-	-	-	1	4	6	5	9	3	8	9	4	9	11	7	5	4
C44	Malignant neoplasms of skin	86	-	-	-	-	-	1	1	-	1	3	2	1	3	7	11	15	14	27
C45	Mesothelioma	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Brussels Capital Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
C47,C49	Soft tissues	19	-	-	-	-	1	1	1	2	-	-	2	1	2	3	2	2	2	-
C48	Retroperitoneum and peritoneum	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-
C50	Breast	929	-	-	-	-	-	7	12	27	73	97	98	104	116	121	86	89	65	34
C51	Vulva	16	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	3	3
C52	Vagina	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
C53	Cervix uteri	65	-	-	-	-	-	3	2	3	7	6	13	3	4	8	2	3	9	2
C54	Corpus uteri	107	-	-	-	-	-	-	1	-	1	3	6	14	11	14	15	21	17	4
C55	Uterus	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1
C56	Ovary	71	-	1	-	-	-	2	1	2	2	3	9	8	13	8	7	5	9	1
C57	Female genital organs, NOS	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	30	2	-	-	-	-	-	2	1	1	3	-	2	4	3	5	3	2	2
C65	Renal pelvis	5	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-
C66	Ureter	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
C67	Bladder	34	-	-	-	-	-	-	-	-	-	-	2	2	3	1	11	2	7	6
C68	Urinary organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye and adnexa	6	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-
C70	Meninges	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C71	Brain	26	-	-	1	-	-	-	1	-	2	3	2	2	4	1	5	4	1	-
C72	Spinal cord, cranial nerves and CNS, NOS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid gland	79	-	-	-	2	2	3	8	5	9	10	10	6	6	8	6	1	3	-
C74	Adrenal gland	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	16	-	-	-	-	1	1	3	1	2	-	-	1	-	1	1	1	2	2
C82-C85	Non-Hodgkin-lymphoma	85	-	1	-	2	-	2	4	3	6	4	3	6	3	5	14	14	12	6
C88	Malignant immunoproliferative diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C90	Multiple myeloma	44	-	-	-	-	-	-	-	1	-	2	5	4	2	5	8	4	9	4
C91	Lymphoid leukaemia	32	6	-	1	1	1	1	-	-	-	-	-	1	2	-	6	7	4	2
C92	Myeloid leukaemia	33	-	2	-	-	1	3	-	1	1	2	1	1	4	4	3	2	4	4
C93	Monocytic leukaemia	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C96	Lymphoid, haematopoietic and related tissue, NOS	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
C76	Other and ill-defined sites	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
C80	Unknown primary site	70	1	-	-	-	-	-	-	1	1	4	2	2	4	6	9	16	13	11
MPD	Myeloproliferative Disorders	7	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	2	-
MDS	Myelodysplastic syndromes	15	-	-	-	1	-	-	-	-	-	1	2	1	-	1	-	3	4	2
Total		2,614	10	4	2	7	7	30	49	62	128	177	201	234	264	281	324	331	304	199
Total excl. non-melanoma		2,528	10	4	2	7	7	29	48	62	127	174	199	233	261	274	313	316	290	172
Total excl. non-melanoma and MDS-MPD		2,506	10	4	2	6	7	29	48	61	127	172	197	232	261	273	312	311	284	170

Brussels Capital Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Brussels Capital Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	1	-	-	-	-	-	-	-	-	-	-	-	-	4.6	-	-	-	-	-	0.2	0.2	0.2	0.02
C02	Tongue	11	-	-	-	-	-	-	-	-	-	6.2	3.3	3.6	13.8	-	9.1	4.7	-	6.9	2.1	2.0	1.5	0.18
C03	Gum	4	-	-	-	-	-	-	-	-	-	-	-	10.9	-	-	-	-	-	6.9	0.8	0.7	0.5	0.05
C04	Floor of mouth	5	-	-	-	-	-	-	-	-	-	3.1	-	7.2	4.6	-	-	-	-	6.9	1.0	0.9	0.7	0.07
C05	Palate	3	-	-	-	3.7	-	-	-	-	-	-	-	3.6	4.6	-	-	-	-	-	0.6	0.7	0.7	0.06
C06	Mouth, NOS	4	-	-	-	-	-	-	-	-	-	-	3.3	-	4.6	4.8	-	4.7	-	-	0.8	0.7	0.5	0.06
C07	Parotid gland	4	-	-	-	-	-	-	-	-	-	-	3.3	3.6	-	-	4.5	4.7	-	-	0.8	0.7	0.4	0.06
C08	Salivary glands, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	6.9	0.4	0.2	0.1	-
C09	Tonsil	6	-	-	-	-	-	-	-	-	-	-	-	-	9.2	-	9.1	9.4	-	-	1.2	0.9	0.6	0.09
C10	Oropharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.5	-	0.2	0.1	0.0	-
C11	Nasopharynx	4	-	-	-	-	-	-	2.4	5.3	-	-	3.3	-	-	-	-	-	-	-	0.8	0.8	0.6	0.05
C12	Pyrimiform sinus	2	-	-	-	-	-	-	-	-	-	-	3.3	3.6	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C13	Hypopharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	-	0.2	0.1	0.0	-
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	4.5	-	-	-	0.4	0.4	0.2	0.04
C15	Oesophagus	26	-	-	-	-	-	-	-	-	-	-	3.3	14.5	18.4	33.3	18.1	28.2	-	-	5.0	4.5	3.1	0.44
C16	Stomach	34	-	-	-	-	-	-	2.6	5.7	3.1	3.3	-	4.6	9.5	31.7	28.2	27.4	54.9	6.5	4.0	2.7	0.30	
C17	Small intestine	6	-	-	-	-	-	2.3	-	-	-	-	-	-	4.6	-	4.5	4.7	5.5	6.9	1.2	0.7	0.6	0.06
C18	Colon	232	-	-	-	-	-	-	7.9	2.9	15.4	19.9	43.4	59.7	95.2	176.8	211.8	274.4	261.0	44.7	27.5	17.9	2.08	
C19	Rectosigmoid junction	20	-	-	-	-	-	-	-	2.9	-	3.3	10.9	18.4	9.5	13.6	14.1	11.0	6.9	3.8	3.3	2.3	0.29	
C20	Rectum	70	-	-	-	-	-	-	2.6	8.6	9.2	3.3	3.6	36.7	28.6	36.3	47.1	93.3	82.4	13.5	8.6	5.9	0.64	
C21	Anus and anal canal	16	-	-	-	-	-	-	-	2.9	3.1	-	3.6	9.2	9.5	13.6	14.1	-	20.6	3.1	2.4	1.7	0.21	
C22	Liver and intrahepatic bile ducts	12	-	-	-	-	-	-	-	-	-	6.2	-	-	-	4.8	13.6	14.1	16.5	-	2.3	1.5	1.0	0.12
C23	Gallbladder	3	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	11.0	-	0.6	0.3	0.2	0.02
C24	Biliary tract, NOS	9	-	-	-	-	-	-	-	-	-	6.2	-	-	-	9.5	18.1	4.7	-	-	1.7	1.5	1.1	0.17
C25	Pancreas	41	-	-	-	-	-	2.3	-	-	-	3.1	3.3	3.6	27.5	33.3	31.7	37.7	32.9	20.6	7.9	5.8	4.1	0.52
C26	Other ill-defined digestive organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	-	0.2	0.1	0.0	-
C30	Nasal cavity and middle ear	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C31	Accessory sinuses	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	9	-	-	-	-	-	-	-	-	-	-	-	10.9	4.6	4.8	-	9.4	5.5	6.9	1.7	1.4	0.9	0.10
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4.8	-	-	-	-	0.2	0.2	0.1	0.02
C34	Bronchus and lung	184	-	-	-	-	-	-	7.1	2.6	11.4	27.7	56.5	90.4	105.6	80.9	122.4	117.7	126.2	68.7	35.4	29.3	20.6	2.49
C37	Thymus	3	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	4.5	-	-	6.9	0.6	0.4	0.3	0.04
C38	Heart, mediastinum and pleura	1	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.4	0.02
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	-	-	-	-	-	-	2.6	-	3.1	-	-	-	-	-	4.5	-	5.5	-	0.8	0.6	0.5	0.05
C41	Bone and articular cartilage, NOS	2	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	4.7	-	-	0.4	0.3	0.2	0.02
C43	Malignant melanoma of skin	85	-	-	-	-	2.8	9.2	14.1	13.2	25.7	9.2	26.6	32.6	18.4	42.8	49.9	33.0	27.4	27.5	16.4	14.3	10.9	1.21
C44	Malignant neoplasms of skin	86	-	-	-	-	-	2.3	2.4	-	2.9	9.2	6.6	3.6	13.8	33.3	49.9	70.6	76.8	185.4	16.6	9.4	6.1	0.62
C45	Mesothelioma	1	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	-	-	0.2	0.2	0.1	0.02

Brussels Capital Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	2	-	-	-	-	-	-	2.4	-	-	3.1	-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C47,C49	Soft tissues	19	-	-	-	-	2.8	2.3	2.4	5.3	-	-	6.6	3.6	9.2	14.3	9.1	9.4	11.0	-	3.7	3.2	2.5	0.28
C48	Retroperitoneum and peritoneum	4	-	-	-	-	-	-	-	-	-	-	3.3	-	-	4.8	4.5	-	5.5	-	0.8	0.6	0.4	0.06
C50	Breast	929	-	-	-	-	-	16.1	28.2	71.1	208.6	298.6	325.6	376.1	532.4	575.9	390.0	418.9	356.7	233.5	178.8	164.6	122.5	13.16
C51	Vulva	16	-	-	-	-	-	-	-	-	-	-	3.3	-	4.6	14.3	4.5	18.8	16.5	20.6	3.1	1.9	1.2	0.13
C52	Vagina	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.1	4.7	5.5	-	0.8	0.4	0.3	0.05
C53	Cervix uteri	65	-	-	-	-	-	6.9	4.7	7.9	20.0	18.5	43.2	10.9	18.4	38.1	9.1	14.1	49.4	13.7	12.5	11.4	8.7	0.88
C54	Corpus uteri	107	-	-	-	-	-	-	2.4	-	2.9	9.2	19.9	50.6	50.5	66.6	68.0	98.9	93.3	27.5	20.6	15.9	10.9	1.34
C55	Uterus	3	-	-	-	-	-	-	-	-	-	-	-	7.2	-	-	-	-	-	6.9	0.6	0.5	0.3	0.04
C56	Ovary	71	-	3.5	-	-	-	4.6	2.4	5.3	5.7	9.2	29.9	28.9	59.7	38.1	31.7	23.5	49.4	6.9	13.7	12.5	9.4	1.09
C57	Female genital organs, NOS	3	-	-	-	-	-	-	-	-	-	3.1	-	-	-	-	4.5	4.7	-	-	0.6	0.4	0.3	0.04
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	30	6.0	-	-	-	-	-	4.7	2.6	2.9	9.2	-	7.2	18.4	14.3	22.7	14.1	11.0	13.7	5.8	5.0	4.1	0.44
C65	Renal pelvis	5	-	-	-	-	-	-	-	-	-	-	-	-	18.4	-	-	4.7	-	-	1.0	1.0	0.8	0.09
C66	Ureter	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	5.5	6.9	0.6	0.2	0.1	-
C67	Bladder	34	-	-	-	-	-	-	-	-	-	-	6.6	7.2	13.8	4.8	49.9	9.4	38.4	41.2	6.5	4.3	2.8	0.41
C68	Urinary organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye and adnexa	6	-	-	-	-	-	-	-	2.9	3.1	-	-	-	9.5	4.5	-	5.5	-	-	1.2	1.0	0.8	0.10
C70	Meninges	1	-	-	-	-	-	-	-	-	-	-	-	-	4.8	-	-	-	-	-	0.2	0.2	0.1	0.02
C71	Brain	26	-	-	3.6	-	-	-	2.4	-	5.7	9.2	6.6	7.2	18.4	4.8	22.7	18.8	5.5	-	5.0	4.6	3.5	0.40
C72	Spinal cord, cranial nerves and CNS, NOS	1	-	-	-	-	-	-	2.4	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.1	0.01
C73	Thyroid gland	79	-	-	-	7.4	5.7	6.9	18.8	13.2	25.7	30.8	33.2	21.7	27.5	38.1	27.2	4.7	16.5	-	15.2	15.2	12.4	1.27
C74	Adrenal gland	1	-	-	-	-	-	-	-	-	-	3.1	-	-	-	-	-	-	-	-	0.2	0.2	0.2	0.02
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	16	-	-	-	-	2.8	2.3	7.1	2.6	5.7	-	-	3.6	-	4.8	4.5	4.7	11.0	13.7	3.1	2.3	1.9	0.17
C82-C85	Non-Hodgkin-lymphoma	85	-	3.5	-	7.4	-	4.6	9.4	7.9	17.1	12.3	10.0	21.7	13.8	23.8	63.5	65.9	65.9	41.2	16.4	12.3	9.3	0.97
C88	Malignant immunoproliferative diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	4.6	-	-	-	-	-	0.2	0.2	0.2	0.02
C90	Multiple myeloma	44	-	-	-	-	-	-	-	2.6	-	6.2	16.6	14.5	9.2	23.8	36.3	18.8	49.4	27.5	8.5	6.3	4.3	0.54
C91	Lymphoid leukaemia	32	18.1	-	3.6	3.7	2.8	2.3	-	-	-	-	-	3.6	9.2	-	27.2	33.0	22.0	13.7	6.2	4.8	4.8	0.35
C92	Myeloid leukaemia	33	-	7.0	-	-	2.8	6.9	-	2.6	2.9	6.2	3.3	3.6	18.4	19.0	13.6	9.4	22.0	27.5	6.4	5.2	4.4	0.43
C93	Monocytic leukaemia	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.5	-	0.2	0.1	0.0	-
C96	Lymphoid, haematopoietic and related tissue, NOS	2	-	-	-	-	-	-	2.4	-	-	-	-	-	-	-	4.5	-	-	-	0.4	0.3	0.2	0.03
C76	Other and ill-defined sites	3	-	-	-	-	-	-	-	-	-	-	3.3	-	4.6	-	-	-	-	6.9	0.6	0.5	0.4	0.04
C80	Unknown primary site	70	3.0	-	-	-	-	-	-	2.6	2.9	12.3	6.6	7.2	18.4	28.6	40.8	75.3	71.3	75.5	13.5	8.6	5.9	0.61
MPD	Myeloproliferative Disorders	7	-	-	-	-	-	-	-	2.6	-	3.1	-	-	-	-	4.5	9.4	11.0	-	1.3	0.8	0.6	0.05
MDS	Myelodysplastic syndromes	15	-	-	-	3.7	-	-	-	-	-	3.1	6.6	3.6	-	4.8	-	14.1	22.0	13.7	2.9	2.0	1.5	0.11
Total		2,614	30.1	14.0	7.3	25.9	19.8	69.0	115.2	163.3	365.8	545.0	667.9	846.3	1,211.6	1,337.5	1,469.1	1,558.1	1,668.3	1,366.6	503.1	412.4	302.4	29.13
Total excl. non-melanoma		2,528	30.1	14.0	7.3	25.9	19.8	66.7	112.9	163.3	363.0	535.7	661.3	842.7	1,197.8	1,304.1	1,419.2	1,487.5	1,591.5	1,181.2	486.6	403.0	296.3	28.69
Total excl. non-melanoma and MDS-MPD		2,506	30.1	14.0	7.3	22.2	19.8	66.7	112.9	160.7	363.0	529.6	654.6	839.1	1,197.8	1,299.4	1,414.7	1,463.9	1,558.6	1,167.4	482.3	400.2	294.3	28.58

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Walloon Region: Males, number of invasive tumours by primary site and age group in 2004

Walloon Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	18	-	-	-	-	-	-	-	-	-	-	3	4	2	2	4	-	2	1
C01	Base of tongue	19	-	-	-	-	-	-	-	-	-	5	2	2	3	3	3	-	-	1
C02	Tongue	76	-	-	-	-	-	1	-	3	3	5	17	17	7	6	7	6	3	1
C03	Gum	15	-	-	-	-	-	-	-	-	2	1	1	3	3	1	2	1	1	-
C04	Floor of mouth	58	-	-	-	-	-	-	-	-	4	5	10	18	6	5	7	3	-	-
C05	Palate	22	-	-	-	-	-	-	-	1	-	3	3	5	3	3	2	1	1	-
C06	Mouth, NOS	37	-	-	-	-	-	-	-	1	-	2	11	8	5	-	3	4	-	3
C07	Parotid gland	12	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	-	3	2
C08	Salivary glands, NOS	8	-	-	-	-	-	1	-	-	-	1	1	1	-	1	2	1	-	-
C09	Tonsil	67	-	-	-	-	-	-	-	-	2	17	12	19	6	5	1	3	2	-
C10	Oropharynx	43	-	-	-	-	-	-	-	-	3	6	12	12	4	3	-	3	-	-
C11	Nasopharynx	12	-	-	-	-	-	1	1	1	1	2	1	1	1	-	1	2	-	-
C12	Pyrimiform sinus	56	-	-	-	-	-	-	-	-	9	4	9	16	6	6	4	1	-	1
C13	Hypopharynx	14	-	-	-	-	-	-	-	-	1	-	4	1	2	3	2	1	-	-
C14	Lip, oral cavity and pharynx, NOS	29	-	-	-	-	-	-	-	1	2	2	7	5	6	2	3	1	-	-
C15	Oesophagus	211	-	-	-	-	-	-	-	3	5	14	36	34	26	21	37	23	11	1
C16	Stomach	266	-	-	-	-	-	-	-	3	3	11	19	23	28	38	41	51	28	21
C17	Small intestine	27	-	-	-	-	-	-	1	1	1	2	1	3	2	5	2	6	3	-
C18	Colon	740	-	-	1	3	-	-	4	8	11	25	30	69	58	124	122	140	105	40
C19	Rectosigmoid junction	79	-	-	-	-	-	-	-	-	-	3	6	10	7	6	20	15	8	4
C20	Rectum	348	-	-	-	-	-	-	-	1	4	15	19	39	40	57	73	51	34	15
C21	Anus and anal canal	15	-	-	-	-	-	-	-	-	1	3	-	2	1	2	2	2	2	-
C22	Liver and intrahepatic bile ducts	87	-	-	-	-	-	1	-	-	2	1	10	8	7	17	20	13	8	-
C23	Gallbladder	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	3	-
C24	Biliary tract, NOS	41	-	-	-	-	-	-	1	-	-	4	1	8	8	2	4	7	3	3
C25	Pancreas	186	-	-	-	-	-	-	1	1	4	6	15	20	18	23	44	33	16	5
C26	Other ill-defined digestive organs	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	1	-
C30	Nasal cavity and middle ear	12	-	-	-	-	-	-	-	-	1	1	1	1	2	1	4	-	1	-
C31	Accessory sinuses	10	-	-	-	-	-	1	-	-	2	1	3	1	-	-	1	-	1	-
C32	Larynx	216	-	-	-	-	-	-	1	1	9	14	29	40	35	34	26	13	9	5
C33	Trachea	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
C34	Bronchus and lung	1,784	-	-	-	-	-	-	4	5	23	71	146	225	205	300	342	303	134	26
C37	Thymus	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-
C38	Heart, mediastinum and pleura	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	11	-	-	2	5	-	-	-	-	-	-	-	1	2	-	1	-	-	-
C41	Bone and articular cartilage, NOS	10	-	2	-	-	-	1	1	-	1	-	-	1	-	1	3	-	-	-
C43	Malignant melanoma of skin	200	1	-	1	2	6	3	9	10	16	19	25	18	15	21	24	17	9	4
C44	Malignant neoplasms of skin	502	-	-	-	-	-	-	4	-	6	3	19	25	26	52	92	106	112	57
C45	Mesothelioma	61	-	-	-	-	-	-	-	-	1	1	6	2	11	7	11	8	9	5

Walloon Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-
C47,C49	Soft tissues	50	-	-	1	1	1	1	1	3	-	6	6	5	3	4	6	8	3	1
C48	Retroperitoneum and peritoneum	8	-	-	-	-	-	-	1	-	-	-	3	-	1	-	1	2	-	-
C50	Breast	22	-	-	-	-	-	-	-	-	-	-	1	2	4	7	2	1	2	3
C60	Penis	22	-	-	-	-	-	-	-	-	1	-	3	1	3	3	4	1	5	1
C61	Prostate	3,069	-	-	-	-	-	-	-	-	1	32	138	331	412	593	643	539	284	96
C62	Testis	99	-	-	1	4	16	20	13	13	14	8	1	1	2	-	4	1	-	1
C63	Male genital organs, NOS	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
C64	Kidney	248	2	1	-	-	-	-	2	7	14	19	25	32	27	37	41	26	12	3
C65	Renal pelvis	30	-	-	-	-	-	-	-	1	-	1	-	2	1	5	11	4	5	-
C66	Ureter	29	-	-	-	-	-	-	-	-	-	1	2	3	4	5	7	7	-	-
C67	Bladder	557	-	-	-	-	-	-	-	-	8	13	24	48	51	80	93	123	77	40
C68	Urinary organs, NOS	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1
C69	Eye and adnexa	5	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-
C70	Meninges	5	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-
C71	Brain	134	2	4	1	1	6	6	3	6	12	12	13	13	11	20	7	12	5	-
C72	Spinal cord, cranial nerves and CNS, NOS	13	-	-	-	-	1	1	-	1	1	-	2	1	2	1	1	1	1	-
C73	Thyroid gland	65	-	-	-	-	2	3	9	3	6	9	3	10	2	5	7	5	1	-
C74	Adrenal gland	5	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	57	-	-	2	4	6	5	7	5	5	5	4	4	5	1	1	2	1	-
C82-C85	Non-Hodgkin-lymphoma	321	-	3	1	3	2	2	4	9	15	21	24	47	26	43	55	38	24	4
C88	Malignant immunoproliferative diseases	7	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	1	-	-
C90	Multiple myeloma	79	-	-	-	-	-	-	-	2	-	2	7	9	5	15	20	11	7	1
C91	Lymphoid leukaemia	82	10	5	-	1	-	1	1	-	2	2	8	8	8	5	14	10	5	2
C92	Myeloid leukaemia	66	1	1	-	2	2	2	1	4	3	2	3	5	4	12	11	6	4	3
C93	Monocytic leukaemia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C94-C95	Leukaemia other	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1
C96	Lymphoid, haematopoietic and related tissue, NOS	5	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
C76	Other and ill-defined sites	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
C80	Unknown primary site	242	-	-	-	-	-	-	-	2	4	14	24	23	25	41	34	41	25	9
MPD	Myeloproliferative Disorders	26	-	-	-	-	-	-	-	-	1	4	1	3	6	5	1	3	2	-
MDS	Myelodysplastic syndromes	56	1	-	-	-	-	-	1	-	1	-	3	3	5	7	6	12	13	4
Total		10,644	21	16	10	27	42	50	72	98	211	403	759	1,200	1,158	1,648	1,892	1,685	987	365
Total excl. non-melanoma		10,142	21	16	10	27	42	50	68	98	205	400	740	1,175	1,132	1,596	1,800	1,579	875	308
Total excl. non-melanoma and MDS-MPD		10,060	20	16	10	27	42	50	67	98	203	396	736	1,169	1,121	1,584	1,793	1,564	860	304

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Walloon Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	18	-	-	-	-	-	-	-	-	-	-	2.6	3.9	2.8	2.9	6.2	-	6.7	8.4	1.1	1.0	0.7	0.09
C01	Base of tongue	19	-	-	-	-	-	-	-	-	-	4.1	1.7	1.9	4.2	4.4	4.6	-	-	8.4	1.2	1.1	0.8	0.10
C02	Tongue	76	-	-	-	-	-	1.0	-	2.4	2.3	4.1	14.6	16.5	9.9	8.7	10.8	12.0	10.1	8.4	4.6	4.3	3.1	0.35
C03	Gum	15	-	-	-	-	-	-	-	-	1.6	0.8	0.9	2.9	4.2	1.5	3.1	2.0	3.4	-	0.9	0.8	0.6	0.07
C04	Floor of mouth	58	-	-	-	-	-	-	-	-	3.1	4.1	8.6	17.5	8.5	7.3	10.8	6.0	-	-	3.5	3.3	2.4	0.30
C05	Palate	22	-	-	-	-	-	-	-	0.8	-	2.4	2.6	4.9	4.2	4.4	3.1	2.0	3.4	-	1.3	1.3	0.9	0.11
C06	Mouth, NOS	37	-	-	-	-	-	-	-	0.8	-	1.6	9.5	7.8	7.1	-	4.6	8.0	-	25.1	2.3	2.2	1.5	0.16
C07	Parotid gland	12	-	-	-	-	-	-	0.8	-	-	-	1.7	1.0	1.4	1.5	1.5	-	10.1	16.7	0.7	0.7	0.4	0.04
C08	Salivary glands, NOS	8	-	-	-	-	-	1.0	-	-	-	0.8	0.9	1.0	-	1.5	3.1	2.0	-	-	0.5	0.4	0.3	0.04
C09	Tonsil	67	-	-	-	-	-	-	-	-	1.6	13.8	10.3	18.4	8.5	7.3	1.5	6.0	6.7	-	4.1	3.9	2.9	0.31
C10	Oropharynx	43	-	-	-	-	-	-	-	-	2.3	4.9	10.3	11.7	5.7	4.4	-	6.0	-	-	2.6	2.5	1.8	0.20
C11	Nasopharynx	12	-	-	-	-	-	1.0	0.8	0.8	0.8	1.6	0.9	1.0	1.4	-	1.5	4.0	-	-	0.7	0.7	0.5	0.05
C12	Pyramidal sinus	56	-	-	-	-	-	-	-	-	7.0	3.3	7.7	15.5	8.5	8.7	6.2	2.0	-	8.4	3.4	3.3	2.4	0.28
C13	Hypopharynx	14	-	-	-	-	-	-	-	-	0.8	-	3.4	1.0	2.8	4.4	3.1	2.0	-	-	0.9	0.8	0.6	0.08
C14	Lip, oral cavity and pharynx, NOS	29	-	-	-	-	-	-	-	0.8	1.6	1.6	6.0	4.9	8.5	2.9	4.6	2.0	-	-	1.8	1.7	1.3	0.15
C15	Oesophagus	211	-	-	-	-	-	-	-	2.4	3.9	11.4	31.0	33.0	36.8	30.6	56.9	46.1	37.0	8.4	12.9	11.5	8.1	1.02
C16	Stomach	266	-	-	-	-	-	-	-	2.4	2.3	8.9	16.4	22.3	39.6	55.3	63.1	102.3	94.1	175.8	16.2	14.3	9.4	1.05
C17	Small intestine	27	-	-	-	-	-	-	0.8	0.8	0.8	1.6	0.9	2.9	2.8	7.3	3.1	12.0	10.1	-	1.6	1.4	1.0	0.11
C18	Colon	740	-	-	0.9	2.8	-	-	3.4	6.5	8.6	20.3	25.8	67.0	82.1	180.4	187.7	280.9	352.9	334.9	45.1	38.2	25.3	2.88
C19	Rectosigmoid junction	79	-	-	-	-	-	-	-	-	-	2.4	5.2	9.7	9.9	8.7	30.8	30.1	26.9	33.5	4.8	4.1	2.7	0.33
C20	Rectum	348	-	-	-	-	-	-	-	0.8	3.1	12.2	16.4	37.9	56.6	82.9	112.3	102.3	114.3	125.6	21.2	18.5	12.5	1.60
C21	Anus and anal canal	15	-	-	-	-	-	-	-	-	0.8	2.4	-	1.9	1.4	2.9	3.1	4.0	6.7	-	0.9	0.8	0.5	0.06
C22	Liver and intrahepatic bile ducts	87	-	-	-	-	-	1.0	-	-	1.6	0.8	8.6	7.8	9.9	24.7	30.8	26.1	26.9	-	5.3	4.5	3.1	0.42
C23	Gallbladder	12	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	4.6	10.0	10.1	-	0.7	0.5	0.3	0.03
C24	Biliary tract, NOS	41	-	-	-	-	-	-	0.8	-	-	3.3	0.9	7.8	11.3	2.9	6.2	14.0	10.1	25.1	2.5	2.3	1.6	0.17
C25	Pancreas	186	-	-	-	-	-	-	0.8	0.8	3.1	4.9	12.9	19.4	25.5	33.5	67.7	66.2	53.8	41.9	11.3	9.7	6.5	0.84
C26	Other ill-defined digestive organs	8	-	-	-	-	-	-	-	-	0.8	-	-	1.0	-	-	3.1	6.0	3.4	-	0.5	0.4	0.2	0.02
C30	Nasal cavity and middle ear	12	-	-	-	-	-	-	-	-	0.8	0.8	0.9	1.0	2.8	1.5	6.2	-	3.4	-	0.7	0.6	0.5	0.07
C31	Accessory sinuses	10	-	-	-	-	-	1.0	-	-	1.6	0.8	2.6	1.0	-	-	1.5	-	3.4	-	0.6	0.6	0.4	0.04
C32	Larynx	216	-	-	-	-	-	-	0.8	0.8	7.0	11.4	25.0	38.8	49.5	49.5	40.0	26.1	30.2	41.9	13.2	12.4	8.9	1.11
C33	Trachea	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	2.0	3.4	-	0.2	0.1	0.1	0.01
C34	Bronchus and lung	1,784	-	-	-	-	-	-	3.4	4.0	17.9	57.7	125.7	218.5	290.0	436.6	526.1	608.0	450.3	217.7	108.8	94.3	64.6	8.06
C37	Thymus	4	-	-	-	-	-	-	-	-	-	0.8	-	-	1.4	-	3.1	-	-	-	0.2	0.2	0.2	0.03
C38	Heart, mediastinum and pleura	2	-	-	-	-	-	-	-	-	-	-	-	-	2.8	-	-	-	-	-	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	11	-	-	1.8	4.6	-	-	-	-	-	-	-	1.0	2.8	-	1.5	-	-	-	0.7	0.7	0.8	0.06
C41	Bone and articular cartilage, NOS	10	-	2.0	-	-	-	1.0	0.8	-	0.8	-	-	1.0	-	1.5	4.6	-	-	-	0.6	0.6	0.5	0.06
C43	Malignant melanoma of skin	200	1.0	-	0.9	1.8	5.7	2.9	7.6	8.1	12.5	15.4	21.5	17.5	21.2	30.6	36.9	34.1	30.2	33.5	12.2	11.2	8.6	0.91
C44	Malignant neoplasms of skin	502	-	-	-	-	-	-	3.4	-	4.7	2.4	16.4	24.3	36.8	75.7	141.5	212.7	376.4	477.2	30.6	25.2	15.4	1.51
C45	Mesothelioma	61	-	-	-	-	-	-	-	-	0.8	0.8	5.2	1.9	15.6	10.2	16.9	16.1	30.2	41.9	3.7	3.3	2.2	0.26

Walloon Region: Males 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	4	-	-	-	-	-	-	-	-	0.8	0.8	-	1.0	-	-	-	2.0	-	-	0.2	0.2	0.2	0.01
C47,C49	Soft tissues	50	-	-	0.9	0.9	1.0	1.0	0.8	2.4	-	4.9	5.2	4.9	4.2	5.8	9.2	16.1	10.1	8.4	3.0	2.7	2.0	0.21
C48	Retroperitoneum and peritoneum	8	-	-	-	-	-	-	0.8	-	-	-	2.6	-	1.4	-	1.5	4.0	-	-	0.5	0.4	0.3	0.03
C50	Breast	22	-	-	-	-	-	-	-	-	-	-	0.9	1.9	5.7	10.2	3.1	2.0	6.7	25.1	1.3	1.3	0.9	0.11
C60	Penis	22	-	-	-	-	-	-	-	-	0.8	-	2.6	1.0	4.2	4.4	6.2	2.0	16.8	8.4	1.3	1.2	0.8	0.10
C61	Prostate	3,069	-	-	-	-	-	-	-	-	0.8	26.0	118.8	321.4	582.9	862.9	989.2	1,081.5	954.4	803.8	187.1	162.0	109.0	13.51
C62	Testis	99	-	-	0.9	3.7	15.2	19.4	11.0	10.5	10.9	6.5	0.9	1.0	2.8	-	6.2	2.0	-	8.4	6.0	6.0	5.9	0.44
C63	Male genital organs, NOS	2	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	2.0	-	-	0.1	0.1	0.1	0.00
C64	Kidney	248	2.0	1.0	-	-	-	-	1.7	5.7	10.9	15.4	21.5	31.1	38.2	53.8	63.1	52.2	40.3	25.1	15.1	13.6	9.9	1.21
C65	Renal pelvis	30	-	-	-	-	-	-	-	0.8	-	0.8	-	1.9	1.4	7.3	16.9	8.0	16.8	-	1.8	1.4	1.0	0.15
C66	Ureter	29	-	-	-	-	-	-	-	-	-	0.8	1.7	2.9	5.7	7.3	10.8	14.0	-	-	1.8	1.5	1.1	0.15
C67	Bladder	557	-	-	-	-	-	-	-	-	6.2	10.6	20.7	46.6	72.2	116.4	143.1	246.8	258.8	334.9	34.0	28.8	18.6	2.06
C68	Urinary organs, NOS	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2.9	1.5	4.0	-	8.4	0.4	0.3	0.2	0.02
C69	Eye and adnexa	5	-	-	-	-	-	-	0.8	-	0.8	0.8	-	1.0	-	-	-	2.0	-	-	0.3	0.3	0.2	0.02
C70	Meninges	5	-	-	-	0.9	-	-	-	-	0.8	0.8	-	-	-	1.5	-	-	3.4	-	0.3	0.3	0.2	0.02
C71	Brain	134	2.0	3.9	0.9	0.9	5.7	5.8	2.5	4.8	9.4	9.8	11.2	12.6	15.6	29.1	10.8	24.1	16.8	-	8.2	7.7	6.4	0.62
C72	Spinal cord, cranial nerves and CNS, NOS	13	-	-	-	-	1.0	1.0	-	0.8	0.8	-	1.7	1.0	2.8	1.5	1.5	2.0	3.4	-	0.8	0.7	0.6	0.06
C73	Thyroid gland	65	-	-	-	-	1.9	2.9	7.6	2.4	4.7	7.3	2.6	9.7	2.8	7.3	10.8	10.0	3.4	-	4.0	3.6	2.9	0.30
C74	Adrenal gland	5	2.0	-	-	-	-	-	-	0.8	0.8	0.8	-	-	-	-	-	-	-	-	0.3	0.3	0.4	0.02
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	57	-	-	1.8	3.7	5.7	4.8	5.9	4.0	3.9	4.1	3.4	3.9	7.1	1.5	1.5	4.0	3.4	-	3.5	3.4	3.2	0.26
C82-C85	Non-Hodgkin-lymphoma	321	-	2.9	0.9	2.8	1.9	1.9	3.4	7.3	11.7	17.1	20.7	45.6	36.8	62.6	84.6	76.2	80.7	33.5	19.6	17.2	12.5	1.49
C88	Malignant immunoproliferative diseases	7	-	-	-	-	-	-	-	-	-	-	1.7	1.0	-	4.4	-	2.0	-	-	0.4	0.4	0.3	0.04
C90	Multiple myeloma	79	-	-	-	-	-	-	-	1.6	-	1.6	6.0	8.7	7.1	21.8	30.8	22.1	23.5	8.4	4.8	4.1	2.8	0.39
C91	Lymphoid leukaemia	82	10.0	4.9	-	0.9	-	1.0	0.8	-	1.6	1.6	6.9	7.8	11.3	7.3	21.5	20.1	16.8	16.7	5.0	4.7	4.2	0.38
C92	Myeloid leukaemia	66	1.0	1.0	-	1.8	1.9	1.9	0.8	3.2	2.3	1.6	2.6	4.9	5.7	17.5	16.9	12.0	13.4	25.1	4.0	3.7	2.9	0.32
C93	Monocytic leukaemia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	-	-	0.1	0.0	0.0	-
C94-C95	Leukaemia other	5	-	-	-	-	-	-	-	-	0.8	-	-	-	1.4	-	1.5	2.0	-	8.4	0.3	0.3	0.2	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	5	2.0	-	-	-	-	-	-	-	-	-	-	1.0	-	1.5	1.5	-	-	-	0.3	0.3	0.4	0.03
C76	Other and ill-defined sites	3	-	-	-	-	-	-	-	-	-	-	0.9	-	1.4	-	1.5	-	-	-	0.2	0.2	0.1	0.02
C80	Unknown primary site	242	-	-	-	-	-	-	-	1.6	3.1	11.4	20.7	22.3	35.4	59.7	52.3	82.3	84.0	75.4	14.8	12.9	8.8	1.03
MPD	Myeloproliferative Disorders	26	-	-	-	-	-	-	-	0.8	3.3	0.9	2.9	8.5	7.3	1.5	6.0	6.7	-	-	1.6	1.5	1.1	0.13
MDS	Myelodysplastic syndromes	56	1.0	-	-	-	-	-	0.8	-	0.8	-	2.6	2.9	7.1	10.2	9.2	24.1	43.7	33.5	3.4	2.8	1.9	0.17
Total		10,644	21.0	15.6	8.9	24.8	40.0	48.4	61.2	79.2	164.5	327.6	653.4	1,165.1	1,638.4	2,398.2	2,910.7	3,381.0	3,316.9	3,055.9	648.9	567.7	392.8	37.99
Total excl. non-melanoma		10,142	21.0	15.6	8.9	24.8	40.0	48.4	57.8	79.2	159.8	325.1	637.0	1,140.8	1,601.6	2,322.5	2,769.2	3,168.3	2,940.5	2,578.7	618.3	542.5	377.4	37.03
Total excl. non-melanoma and MDS-MPD		10,060	20.0	15.6	8.9	24.8	40.0	48.4	56.9	79.2	158.2	321.9	633.6	1,135.0	1,586.0	2,305.1	2,758.4	3,138.2	2,890.1	2,545.2	613.3	538.2	374.4	36.85

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Females, number of invasive tumours by primary site and age group in 2004

Walloon Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1
C01	Base of tongue	5	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-
C02	Tongue	27	-	-	-	-	-	2	-	-	2	4	2	4	2	1	2	4	1	3
C03	Gum	14	-	-	-	-	-	-	-	-	2	1	-	4	1	1	1	1	1	2
C04	Floor of mouth	11	-	-	-	-	-	-	1	-	1	1	1	1	2	1	1	2	-	-
C05	Palate	12	-	-	-	-	-	-	1	-	-	2	4	2	1	1	1	-	-	-
C06	Mouth, NOS	19	-	-	-	-	-	-	-	-	2	1	3	2	1	4	-	1	3	2
C07	Parotid gland	14	-	-	-	-	-	-	-	1	-	3	-	-	1	3	2	2	1	1
C08	Salivary glands, NOS	9	-	-	-	1	-	-	-	1	1	-	1	-	1	2	-	1	1	-
C09	Tonsil	30	-	-	-	-	-	-	-	-	-	8	8	2	4	1	3	2	1	1
C10	Oropharynx	11	-	-	-	-	-	-	-	-	1	1	-	3	1	-	3	1	-	1
C11	Nasopharynx	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C12	Pyrimiform sinus	6	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	-	-	-
C13	Hypopharynx	6	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-
C14	Lip, oral cavity and pharynx, NOS	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1
C15	Oesophagus	83	-	-	-	-	-	-	-	-	-	3	6	14	6	8	18	12	10	6
C16	Stomach	141	-	-	-	-	1	-	1	3	4	6	10	8	15	12	12	24	23	22
C17	Small intestine	34	-	-	-	-	-	-	1	3	2	1	1	3	4	2	5	3	3	6
C18	Colon	759	-	-	-	3	1	2	2	8	6	14	26	54	58	69	133	129	149	105
C19	Rectosigmoid junction	74	-	-	-	-	-	-	-	-	2	3	4	6	8	7	13	16	10	5
C20	Rectum	267	-	-	-	-	-	-	2	1	5	5	16	19	25	43	39	45	45	22
C21	Anus and anal canal	28	-	-	-	-	-	-	-	-	1	3	3	5	4	2	1	3	3	3
C22	Liver and intrahepatic bile ducts	24	1	-	-	-	-	-	-	-	-	1	-	1	1	4	5	8	3	-
C23	Gallbladder	21	-	-	-	-	-	-	-	-	-	2	-	1	-	6	-	3	7	2
C24	Biliary tract, NOS	28	-	-	-	-	-	-	-	-	-	1	-	2	1	3	7	6	3	5
C25	Pancreas	169	-	-	-	-	-	-	-	3	7	6	6	14	16	19	33	23	25	17
C26	Other ill-defined digestive organs	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2
C30	Nasal cavity and middle ear	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2
C31	Accessory sinuses	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2
C32	Larynx	43	-	-	-	-	-	-	-	1	4	3	8	7	3	2	6	2	4	3
C33	Trachea	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	522	-	-	-	-	-	2	1	6	17	37	75	67	61	85	55	71	32	13
C37	Thymus	5	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	-	-	-
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	7	-	-	-	2	-	1	1	-	-	-	-	-	1	1	-	1	-	-
C41	Bone and articular cartilage, NOS	12	-	-	-	1	2	1	-	-	1	1	-	1	1	4	-	-	-	-
C43	Malignant melanoma of skin	298	-	-	1	2	10	22	19	24	27	22	24	29	25	25	21	14	22	11
C44	Malignant neoplasms of skin	366	-	-	-	-	-	-	-	2	8	4	12	8	7	31	51	69	81	93
C45	Mesothelioma	7	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	1

Walloon Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
C47,C49	Soft tissues	56	2	1	-	2	2	1	2	3	2	7	2	4	5	3	5	3	5	7
C48	Retroperitoneum and peritoneum	7	1	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	2	-
C50	Breast	3,095	-	-	1	-	2	12	32	104	207	349	409	438	324	367	294	255	201	100
C51	Vulva	48	-	-	-	-	-	-	-	2	1	1	7	-	3	4	6	11	5	8
C52	Vagina	21	-	-	-	-	-	-	-	2	1	2	-	2	-	-	4	3	2	5
C53	Cervix uteri	214	-	-	-	-	1	10	17	28	22	20	23	17	16	12	14	12	14	8
C54	Corpus uteri	426	-	-	-	-	1	-	-	2	9	8	21	54	55	77	75	56	45	23
C55	Uterus	45	-	-	-	-	-	-	1	1	1	6	-	5	4	5	9	5	5	3
C56	Ovary	255	-	-	-	-	-	5	1	4	11	19	23	30	29	28	28	38	26	13
C57	Female genital organs, NOS	10	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	1	2	-
C58	Placenta	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C64	Kidney	142	2	1	-	-	1	-	-	2	6	11	14	18	13	18	21	15	17	3
C65	Renal pelvis	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	7	5	1
C66	Ureter	12	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	5	-	-
C67	Bladder	110	-	-	-	-	-	-	1	1	1	1	4	3	7	10	22	20	23	17
C68	Urinary organs, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
C69	Eye and adnexa	11	-	-	-	1	-	-	-	-	2	1	-	1	-	3	-	1	1	1
C70	Meninges	6	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-
C71	Brain	90	1	5	1	3	1	3	3	6	7	5	3	9	8	12	10	8	3	2
C72	Spinal cord, cranial nerves and CNS, NOS	9	-	-	-	-	1	-	1	1	1	-	1	-	-	-	3	-	-	1
C73	Thyroid gland	204	-	-	-	2	7	7	20	20	24	21	21	29	11	12	12	14	4	-
C74	Adrenal gland	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	38	-	-	-	8	4	1	1	2	2	3	1	3	2	3	3	2	3	-
C82-C85	Non-Hodgkin-lymphoma	295	-	-	1	1	4	1	4	9	14	12	25	30	23	34	40	39	32	26
C88	Malignant immunoproliferative diseases	8	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	3	1	-
C90	Multiple myeloma	91	-	-	-	-	-	-	-	1	1	3	11	8	9	12	10	19	13	4
C91	Lymphoid leukaemia	62	5	4	-	-	-	-	1	2	2	5	3	3	7	6	6	8	5	5
C92	Myeloid leukaemia	61	1	-	2	1	-	3	1	4	2	1	1	4	8	8	11	3	5	6
C93	Monocytic leukaemia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C94-C95	Leukaemia other	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	1	3
C96	Lymphoid, haematopoietic and related tissue, NOS	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
C76	Other and ill-defined sites	7	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	1	2
C80	Unknown primary site	210	-	-	-	-	1	2	-	2	3	10	16	16	12	18	31	34	38	27
MPD	Myeloproliferative Disorders	30	-	-	-	-	-	-	-	2	-	2	3	1	1	1	7	6	6	1
MDS	Myelodysplastic syndromes	50	-	-	-	-	-	-	-	-	-	2	4	2	3	3	7	8	9	12
Total		8,737	13	11	7	27	40	76	116	253	418	633	809	948	805	988	1,049	1,022	910	612
Total excl. non-melanoma		8,371	13	11	7	27	40	76	116	251	410	629	797	940	798	957	998	953	829	519
Total excl. non-melanoma and MDS-MPD		8,291	13	11	7	27	40	76	116	249	410	625	790	937	794	953	984	939	814	506

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004 (n/100,000 person years)

Walloon Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	1.2	-	1.7	2.6	0.2	0.1	0.1	0.01
C01	Base of tongue	5	-	-	-	-	-	-	-	-	-	-	1.7	-	2.6	-	1.2	-	-	-	0.3	0.3	0.2	0.03
C02	Tongue	27	-	-	-	-	-	2.0	-	-	1.6	3.2	1.7	3.8	2.6	1.2	2.3	5.1	1.7	7.8	1.6	1.3	1.0	0.09
C03	Gum	14	-	-	-	-	-	-	-	-	1.6	0.8	-	3.8	1.3	1.2	1.2	1.3	1.7	5.2	0.8	0.6	0.5	0.05
C04	Floor of mouth	11	-	-	-	-	-	-	0.9	-	0.8	0.8	0.9	0.9	2.6	1.2	1.2	2.6	-	-	0.6	0.6	0.4	0.05
C05	Palate	12	-	-	-	-	-	-	0.9	-	-	1.6	3.4	1.9	1.3	1.2	1.2	-	-	-	0.7	0.7	0.5	0.06
C06	Mouth, NOS	19	-	-	-	-	-	-	-	-	1.6	0.8	2.6	1.9	1.3	4.9	-	1.3	5.1	5.2	1.1	0.9	0.6	0.07
C07	Parotid gland	14	-	-	-	-	-	-	-	0.8	-	2.4	-	-	1.3	3.7	2.3	2.6	1.7	2.6	0.8	0.6	0.5	0.05
C08	Salivary glands, NOS	9	-	-	-	1.0	-	-	-	0.8	0.8	-	0.9	-	1.3	2.5	-	1.3	1.7	-	0.5	0.4	0.4	0.04
C09	Tonsil	30	-	-	-	-	-	-	-	-	-	6.4	6.9	1.9	5.2	1.2	3.5	2.6	1.7	2.6	1.7	1.6	1.2	0.13
C10	Oropharynx	11	-	-	-	-	-	-	-	-	0.8	0.8	-	2.8	1.3	-	3.5	1.3	-	2.6	0.6	0.5	0.4	0.05
C11	Nasopharynx	3	-	-	0.9	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	2.6	0.2	0.1	0.1	0.01
C12	Pyrimiform sinus	6	-	-	-	-	-	-	-	-	-	1.6	-	2.8	-	1.2	-	-	-	-	0.3	0.3	0.2	0.03
C13	Hypopharynx	6	-	-	-	-	-	-	-	-	0.8	0.8	0.9	-	1.3	-	2.3	-	-	-	0.3	0.3	0.2	0.03
C14	Lip, oral cavity and pharynx, NOS	5	-	-	-	-	-	-	-	-	-	-	0.9	-	-	2.5	1.2	-	-	2.6	0.3	0.2	0.2	0.02
C15	Oesophagus	83	-	-	-	-	-	-	-	-	-	2.4	5.1	13.2	7.8	9.9	21.1	15.4	16.9	15.6	4.8	3.4	2.3	0.30
C16	Stomach	141	-	-	-	-	1.0	-	0.9	2.4	3.1	4.8	8.6	7.6	19.5	14.8	14.1	30.9	39.0	57.3	8.1	5.5	3.8	0.38
C17	Small intestine	34	-	-	-	-	-	-	0.9	2.4	1.6	0.8	0.9	2.8	5.2	2.5	5.9	3.9	5.1	15.6	2.0	1.4	1.0	0.11
C18	Colon	759	-	-	-	2.9	1.0	2.0	1.7	6.5	4.7	11.3	22.3	51.0	75.4	85.2	155.7	166.0	252.4	273.5	43.6	27.2	18.1	2.08
C19	Rectosigmoid junction	74	-	-	-	-	-	-	-	-	1.6	2.4	3.4	5.7	10.4	8.6	15.2	20.6	16.9	13.0	4.3	2.9	2.0	0.24
C20	Rectum	267	-	-	-	-	-	-	1.7	0.8	3.9	4.0	13.7	17.9	32.5	53.1	45.7	57.9	76.2	57.3	15.3	10.4	7.1	0.86
C21	Anus and anal canal	28	-	-	-	-	-	-	-	-	0.8	2.4	2.6	4.7	5.2	2.5	1.2	3.9	5.1	7.8	1.6	1.3	0.9	0.10
C22	Liver and intrahepatic bile ducts	24	1.0	-	-	-	-	-	-	-	-	0.8	-	0.9	1.3	4.9	5.9	10.3	5.1	-	1.4	0.9	0.7	0.07
C23	Gallbladder	21	-	-	-	-	-	-	-	-	-	1.6	-	0.9	-	7.4	-	3.9	11.9	5.2	1.2	0.7	0.5	0.05
C24	Biliary tract, NOS	28	-	-	-	-	-	-	-	-	-	0.8	-	1.9	1.3	3.7	8.2	7.7	5.1	13.0	1.6	1.0	0.6	0.08
C25	Pancreas	169	-	-	-	-	-	-	-	2.4	5.5	4.8	5.1	13.2	20.8	23.5	38.6	29.6	42.4	44.3	9.7	6.6	4.6	0.57
C26	Other ill-defined digestive organs	5	-	-	-	-	-	-	-	-	-	-	-	0.9	1.3	-	1.2	-	-	5.2	0.3	0.2	0.1	0.02
C30	Nasal cavity and middle ear	6	-	-	-	-	-	-	-	-	0.8	-	-	-	1.3	-	1.2	-	1.7	5.2	0.3	0.2	0.2	0.02
C31	Accessory sinuses	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	1.2	-	1.7	5.2	0.3	0.2	0.1	0.02
C32	Larynx	43	-	-	-	-	-	-	-	0.8	3.1	2.4	6.9	6.6	3.9	2.5	7.0	2.6	6.8	7.8	2.5	2.0	1.5	0.17
C33	Trachea	1	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	0.1	0.1	0.0	0.00
C34	Bronchus and lung	522	-	-	-	-	-	2.0	0.9	4.9	13.2	29.8	64.3	63.3	79.3	105.0	64.4	91.4	54.2	33.9	30.0	24.7	17.8	2.11
C37	Thymus	5	-	-	-	-	-	-	0.9	-	-	-	0.9	1.9	-	-	1.2	-	-	-	0.3	0.3	0.2	0.02
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	7	-	-	-	1.9	-	1.0	0.9	-	-	-	-	-	1.3	1.2	-	1.3	-	-	0.4	0.4	0.4	0.03
C41	Bone and articular cartilage, NOS	12	-	-	-	1.0	2.0	1.0	-	-	0.8	0.8	-	0.9	1.3	4.9	-	-	-	-	0.7	0.7	0.7	0.06
C43	Malignant melanoma of skin	298	-	-	0.9	1.9	9.8	21.9	16.4	19.5	21.0	17.7	20.6	27.4	32.5	30.9	24.6	18.0	37.3	28.7	17.1	15.3	12.6	1.22
C44	Malignant neoplasms of skin	366	-	-	-	-	-	-	-	1.6	6.2	3.2	10.3	7.6	9.1	38.3	59.7	88.8	137.2	242.3	21.0	11.3	7.0	0.68
C45	Mesothelioma	7	-	-	-	-	-	-	-	-	-	0.8	-	1.9	1.3	-	1.2	-	1.7	2.6	0.4	0.3	0.2	0.03

Walloon Region: Females 2004		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI	
C46	Kaposi's sarcoma	3	-	-	-	-	-	-	-	0.8	-	-	-	1.3	-	-	-	1.7	-	0.2	0.1	0.1	0.01		
C47,C49	Soft tissues	56	2.1	1.0	-	1.9	2.0	1.0	1.7	2.4	1.6	5.6	1.7	3.8	6.5	3.7	5.9	3.9	8.5	18.2	3.2	2.7	2.3	0.20	
C48	Retroperitoneum and peritoneum	7	1.0	-	-	-	-	-	0.9	-	-	-	0.9	-	-	-	2.3	-	3.4	-	0.4	0.3	0.3	0.03	
C50	Breast	3,095	-	-	0.9	-	2.0	11.9	27.6	84.6	161.3	281.1	350.6	413.8	421.3	453.4	344.3	328.1	340.5	260.5	177.8	151.3	112.2	11.98	
C51	Vulva	48	-	-	-	-	-	-	-	1.6	0.8	0.8	6.0	-	3.9	4.9	7.0	14.2	8.5	20.8	2.8	1.8	1.2	0.13	
C52	Vagina	21	-	-	-	-	-	-	-	1.6	0.8	1.6	-	1.9	-	-	4.7	3.9	3.4	13.0	1.2	0.8	0.5	0.05	
C53	Cervix uteri	214	-	-	-	-	1.0	9.9	14.7	22.8	17.1	16.1	19.7	16.1	20.8	14.8	16.4	15.4	23.7	20.8	12.3	10.9	8.7	0.84	
C54	Corpus uteri	426	-	-	-	-	1.0	-	-	1.6	7.0	6.4	18.0	51.0	71.5	95.1	87.8	72.1	76.2	59.9	24.5	18.3	12.8	1.68	
C55	Uterus	45	-	-	-	-	-	-	0.9	0.8	0.8	4.8	-	4.7	5.2	6.2	10.5	6.4	8.5	7.8	2.6	1.9	1.4	0.17	
C56	Ovary	255	-	-	-	-	-	5.0	0.9	3.3	8.6	15.3	19.7	28.3	37.7	34.6	32.8	48.9	44.0	33.9	14.7	11.4	8.3	0.93	
C57	Female genital organs, NOS	10	-	-	-	-	-	-	-	0.8	1.6	0.8	0.9	0.9	1.3	-	-	1.3	3.4	-	0.6	0.5	0.4	0.03	
C58	Placenta	1	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.0	0.00	
C64	Kidney	142	2.1	1.0	-	-	1.0	-	-	1.6	4.7	8.9	12.0	17.0	16.9	22.2	24.6	19.3	28.8	7.8	8.2	6.5	4.8	0.56	
C65	Renal pelvis	20	-	-	-	-	-	-	-	-	-	-	-	0.9	2.6	2.5	2.3	9.0	8.5	2.6	1.1	0.6	0.4	0.04	
C66	Ureter	12	-	-	-	-	-	-	-	-	-	0.8	-	1.9	3.9	1.2	-	6.4	-	-	0.7	0.5	0.4	0.04	
C67	Bladder	110	-	-	-	-	-	-	0.9	0.8	0.8	0.8	3.4	2.8	9.1	12.4	25.8	25.7	39.0	44.3	6.3	3.7	2.4	0.28	
C68	Urinary organs, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	-	0.1	0.0	0.0	-	
C69	Eye and adnexa	11	-	-	-	1.0	-	-	-	-	1.6	0.8	-	0.9	-	3.7	-	1.3	1.7	2.6	0.6	0.5	0.4	0.04	
C70	Meninges	6	-	-	-	-	-	-	-	-	-	0.8	-	-	1.3	2.5	-	1.3	1.7	-	0.3	0.3	0.2	0.02	
C71	Brain	90	1.0	5.1	0.9	2.9	1.0	3.0	2.6	4.9	5.5	4.0	2.6	8.5	10.4	14.8	11.7	10.3	5.1	5.2	5.2	4.6	4.0	0.39	
C72	Spinal cord, cranial nerves and CNS, NOS	9	-	-	-	-	1.0	-	0.9	0.8	0.8	-	0.9	-	-	-	-	3.5	-	-	2.6	0.5	0.4	0.4	0.04
C73	Thyroid gland	204	-	-	-	1.9	6.9	7.0	17.3	16.3	18.7	16.9	18.0	27.4	14.3	14.8	14.1	18.0	6.8	-	11.7	11.0	8.9	0.86	
C74	Adrenal gland	3	-	-	-	-	-	-	-	-	-	0.8	-	0.9	-	-	-	-	-	2.6	0.2	0.1	0.1	0.01	
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C81	Hodgkin's disease	38	-	-	-	7.7	3.9	1.0	0.9	1.6	1.6	2.4	0.9	2.8	2.6	3.7	3.5	2.6	5.1	-	2.2	2.1	2.0	0.16	
C82-C85	Non-Hodgkin-lymphoma	295	-	-	0.9	1.0	3.9	1.0	3.5	7.3	10.9	9.7	21.4	28.3	29.9	42.0	46.8	50.2	54.2	67.7	17.0	12.7	9.2	1.03	
C88	Malignant immunoproliferative diseases	8	-	-	-	1.0	-	-	-	-	0.8	-	-	-	1.3	1.2	-	3.9	1.7	-	0.5	0.3	0.3	0.02	
C90	Multiple myeloma	91	-	-	-	-	-	-	-	0.8	0.8	2.4	9.4	7.6	11.7	14.8	11.7	24.4	22.0	10.4	5.2	3.7	2.6	0.30	
C91	Lymphoid leukaemia	62	5.2	4.1	-	-	-	-	0.9	1.6	1.6	4.0	2.6	2.8	9.1	7.4	7.0	10.3	8.5	13.0	3.6	3.0	2.7	0.23	
C92	Myeloid leukaemia	61	1.0	-	1.9	1.0	-	3.0	0.9	3.3	1.6	0.8	0.9	3.8	10.4	9.9	12.9	3.9	8.5	15.6	3.5	2.9	2.3	0.26	
C93	Monocytic leukaemia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	0.1	0.0	0.0	-	
C94-C95	Leukaemia other	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	4.7	-	1.7	7.8	0.6	0.3	0.2	0.04	
C96	Lymphoid, haematopoietic and related tissue, NOS	2	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	1.3	-	-	0.1	0.1	0.1	0.00	
C76	Other and ill-defined sites	7	-	-	-	-	-	1.0	-	-	-	-	-	0.9	-	1.2	1.2	-	1.7	5.2	0.4	0.3	0.2	0.02	
C80	Unknown primary site	210	-	-	-	-	1.0	2.0	-	1.6	2.3	8.1	13.7	15.1	15.6	22.2	36.3	43.8	64.4	70.3	12.1	7.9	5.4	0.59	
MPD	Myeloproliferative Disorders	30	-	-	-	-	-	-	-	1.6	-	1.6	2.6	0.9	1.3	1.2	8.2	7.7	10.2	2.6	1.7	1.1	0.8	0.09	
MDS	Myelodysplastic syndromes	50	-	-	-	-	-	-	-	-	-	1.6	3.4	1.9	3.9	3.7	8.2	10.3	15.2	31.3	2.9	1.7	1.1	0.11	
Total		8,737	13.6	11.2	6.5	25.9	39.2	75.5	100.1	205.7	325.7	509.9	693.4	895.6	1,046.8	1,220.5	1,228.4	1,315.1	1,541.6	1,594.2	502.0	390.0	285.7	27.38	
Total excl. non-melanoma		8,371	13.6	11.2	6.5	25.9	39.2	75.5	100.1	204.1	319.5	506.7	683.1	888.0	1,037.7	1,182.2	1,168.7	1,226.3	1,404.4	1,352.0	481.0	378.7	278.8	26.88	
Total excl. non-melanoma and MDS-MPD		8,291	13.6	11.2	6.5	25.9	39.2	75.5	100.1	202.5	319.5	503.5	677.1	885.2	1,032.5	1,177.3	1,152.3	1,208.3	1,379.0	1,318.1	476.4	375.9	276.9	26.74	

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Males, number of invasive tumours by primary site and age group in 2005

Belgium: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	63	-	-	-	-	-	-	-	-	2	2	3	4	7	8	18	9	7	3
C01	Base of tongue	50	-	-	-	-	-	-	-	1	3	4	12	11	7	3	4	3	-	2
C02	Tongue	171	-	-	-	-	-	1	1	3	8	18	37	34	20	16	21	4	6	2
C03	Gum	29	-	-	-	-	-	-	-	-	2	1	4	5	9	5	1	-	-	2
C04	Floor of mouth	149	-	-	-	-	-	-	-	1	8	22	30	32	20	16	11	6	2	1
C05	Palate	64	-	-	-	-	-	-	-	-	3	6	10	18	13	3	5	1	4	1
C06	Mouth, NOS	70	-	-	-	-	1	-	-	1	2	4	12	11	9	7	9	8	6	-
C07	Parotid gland	48	-	-	1	-	1	1	1	2	3	-	-	6	5	3	11	6	2	6
C08	Salivary glands, NOS	27	-	-	-	-	1	-	-	-	3	1	2	3	2	3	4	1	5	2
C09	Tonsil	151	-	-	-	-	-	-	1	-	7	12	32	35	23	12	14	10	3	2
C10	Oropharynx	97	-	-	-	-	-	-	-	2	2	17	21	24	9	8	8	4	1	1
C11	Nasopharynx	38	-	-	-	-	2	3	1	2	2	4	3	4	6	4	4	-	2	1
C12	Pyrimiform sinus	118	-	-	-	-	-	-	-	-	-	13	18	22	20	21	11	11	2	-
C13	Hypopharynx	45	-	-	-	-	-	-	-	-	1	4	6	17	9	3	2	2	1	-
C14	Lip, oral cavity and pharynx, NOS	51	-	-	-	-	-	-	-	-	-	7	14	12	3	8	3	3	-	1
C15	Oesophagus	664	-	-	-	-	-	1	-	-	14	45	66	107	88	103	103	78	39	20
C16	Stomach	846	-	-	-	-	-	3	10	13	20	27	60	54	81	122	131	158	103	64
C17	Small intestine	99	-	-	-	-	-	1	1	2	2	6	9	13	11	16	15	11	10	2
C18	Colon	2,678	-	-	3	5	4	3	8	23	38	49	137	216	253	360	519	521	369	170
C19	Rectosigmoid junction	210	-	-	-	-	-	-	1	3	1	6	15	19	24	33	40	33	20	15
C20	Rectum	1,223	-	-	-	-	-	1	1	8	20	41	67	129	131	206	225	184	147	63
C21	Anus and anal canal	51	-	-	-	-	-	-	-	2	1	4	3	10	9	3	6	5	5	3
C22	Liver and intrahepatic bile ducts	287	-	-	-	-	1	3	1	3	3	14	16	32	41	35	71	31	31	5
C23	Gallbladder	29	-	-	-	-	-	-	-	-	-	1	1	-	4	7	5	4	6	1
C24	Biliary tract, NOS	102	-	-	-	-	-	-	-	2	2	4	5	9	8	16	13	27	13	3
C25	Pancreas	520	-	-	-	-	-	-	1	3	15	25	29	62	63	65	109	93	41	14
C26	Other ill-defined digestive organs	12	-	-	-	-	1	-	-	-	1	-	3	1	1	-	2	3	-	-
C30	Nasal cavity and middle ear	22	-	-	-	-	-	-	-	-	-	4	3	4	2	2	3	2	2	-
C31	Accessory sinuses	70	-	-	-	-	-	1	-	1	1	2	7	20	7	7	10	5	7	2
C32	Larynx	543	-	-	-	-	-	-	-	2	9	37	57	86	84	78	77	66	34	13
C33	Trachea	11	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	-	3	-
C34	Bronchus and lung	5,268	-	-	-	1	1	1	9	19	61	151	334	535	721	826	1,030	885	524	170
C37	Thymus	14	-	-	-	-	-	-	-	-	-	1	-	4	1	2	3	3	-	-
C38	Heart, mediastinum and pleura	8	-	-	-	-	-	-	-	2	-	1	1	1	-	-	2	-	-	1
C39	Respiratory system and intrathoracic organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C40	Bone and articular cartilage of limbs	34	-	-	4	7	4	3	2	1	2	1	2	3	-	1	4	-	-	-
C41	Bone and articular cartilage, NOS	36	1	1	3	3	4	4	1	4	4	-	3	2	2	1	1	1	1	-
C43	Malignant melanoma of skin	621	-	1	1	3	10	20	17	36	61	48	43	51	46	81	63	64	55	21
C44	Malignant neoplasms of skin	1,725	-	1	1	-	2	2	7	11	15	29	48	79	118	192	277	370	363	210
C45	Mesothelioma	206	-	-	-	-	-	-	1	1	1	4	6	15	31	35	43	39	20	10

Belgium: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	25	-	-	-	-	-	1	3	6	3	1	2	2	2	-	3	-	1	1
C47,C49	Soft tissues	201	3	2	4	1	4	3	9	17	13	12	19	22	14	12	17	21	20	8
C48	Retroperitoneum and peritoneum	22	1	-	-	-	-	1	-	-	1	-	1	4	2	4	3	2	1	2
C50	Breast	81	-	-	-	-	-	-	1	-	1	3	4	4	12	14	14	12	9	7
C60	Penis	67	-	-	-	-	1	-	-	2	2	9	4	7	3	8	5	15	6	5
C61	Prostate	9,510	-	-	-	-	-	-	-	-	16	110	436	991	1,192	1,873	1,947	1,584	944	417
C62	Testis	283	-	-	-	10	36	46	69	40	29	13	13	10	4	4	4	2	2	1
C63	Male genital organs, NOS	12	1	-	-	1	-	-	-	-	-	2	-	3	-	1	2	-	-	2
C64	Kidney	808	8	2	-	1	-	2	-	16	33	33	47	97	104	138	128	118	68	13
C65	Renal pelvis	112	-	-	-	-	-	-	-	1	-	3	1	13	4	20	22	25	16	7
C66	Ureter	70	-	-	-	-	-	-	-	-	2	1	2	6	8	10	18	11	10	2
C67	Bladder	1,611	-	-	-	-	-	1	2	4	14	26	64	110	153	218	306	316	270	127
C68	Urinary organs, NOS	26	-	-	-	-	-	-	-	1	-	-	-	2	2	4	5	8	3	1
C69	Eye and adnexa	33	7	-	-	-	-	-	-	-	-	2	1	5	3	3	4	5	2	1
C70	Meninges	8	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	1	2	-
C71	Brain	437	12	3	5	12	13	9	10	20	37	32	33	40	57	54	44	34	20	2
C72	Spinal cord, cranial nerves and CNS, NOS	12	1	-	1	1	-	-	1	-	2	2	1	-	-	1	1	1	-	-
C73	Thyroid gland	165	-	-	1	2	2	3	4	15	13	22	23	24	17	18	8	7	4	2
C74	Adrenal gland	16	7	1	-	-	-	-	-	1	1	3	1	-	1	-	1	-	-	-
C75	Endocrine glands, NOS	7	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	1	-	-
C81	Hodgkin's disease	171	1	3	14	11	24	15	13	12	16	8	8	11	8	8	5	9	3	2
C82-C85	Non-Hodgkin-lymphoma	1,009	3	5	7	10	13	15	21	24	28	53	81	90	108	122	151	133	110	35
C88	Malignant immunoproliferative diseases	32	-	-	-	-	-	-	-	1	1	1	4	4	3	2	2	12	1	1
C90	Multiple myeloma	338	-	-	-	-	-	-	-	1	8	17	12	37	32	47	65	66	39	14
C91	Lymphoid leukaemia	362	23	8	2	3	2	2	2	7	14	15	21	28	46	48	54	48	29	10
C92	Myeloid leukaemia	291	7	2	1	6	3	7	8	10	9	17	25	19	31	37	41	31	29	8
C93	Monocytic leukaemia	10	-	-	-	-	-	-	-	2	1	-	-	1	2	1	2	-	1	-
C94-C95	Leukaemia other	21	1	-	-	-	-	-	-	-	2	1	1	1	2	6	2	3	1	1
C96	Lymphoid, haematopoietic and related tissue, NOS	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	21	2	-	-	-	-	-	-	1	-	2	3	1	2	7	-	2	-	1
C80	Unknown primary site	652	-	-	-	-	-	3	5	6	8	29	58	60	59	87	109	108	82	38
MPD	Myeloproliferative Disorders	144	-	-	-	1	-	1	1	3	5	11	10	18	9	12	26	22	19	6
MDS	Myelodysplastic syndromes	200	-	1	1	-	1	-	2	3	4	5	3	6	16	27	30	42	37	22
Total		33,209	79	31	49	79	131	158	217	343	581	1,049	1,998	3,308	3,788	5,098	5,900	5,290	3,563	1,547
Total excl. non-melanoma		31,484	79	30	48	79	129	156	210	332	566	1,020	1,950	3,229	3,670	4,906	5,623	4,920	3,200	1,337
Total excl. non-melanoma and MDS-MPD		31,140	79	29	47	78	128	155	207	326	557	1,004	1,937	3,205	3,645	4,867	5,567	4,856	3,144	1,309

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Belgium: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	63	-	-	-	-	-	-	-	-	0.5	0.5	0.8	1.2	2.9	3.4	8.5	5.7	6.9	6.9	1.2	1.0	0.7	0.09
C01	Base of tongue	50	-	-	-	-	-	-	-	0.3	0.7	1.0	3.4	3.4	2.9	1.3	1.9	1.9	-	4.6	1.0	0.9	0.7	0.07
C02	Tongue	171	-	-	-	-	-	0.3	0.3	0.8	1.9	4.6	10.5	10.4	8.3	6.9	10.0	2.5	5.9	4.6	3.3	3.1	2.2	0.27
C03	Gum	29	-	-	-	-	-	-	-	-	0.5	0.3	1.1	1.5	3.7	2.1	0.5	-	-	4.6	0.6	0.6	0.4	0.05
C04	Floor of mouth	149	-	-	-	-	-	-	-	0.3	1.9	5.7	8.5	9.8	8.3	6.9	5.2	3.8	2.0	2.3	2.9	2.7	2.0	0.23
C05	Palate	64	-	-	-	-	-	-	-	-	0.7	1.5	2.8	5.5	5.4	1.3	2.4	0.6	3.9	2.3	1.3	1.2	0.8	0.10
C06	Mouth, NOS	70	-	-	-	-	0.3	-	-	0.3	0.5	1.0	3.4	3.4	3.7	3.0	4.3	5.1	5.9	-	1.4	1.2	0.8	0.10
C07	Parotid gland	48	-	-	0.3	-	0.3	0.3	0.3	0.5	0.7	-	-	1.8	2.1	1.3	5.2	3.8	2.0	13.7	0.9	0.8	0.6	0.06
C08	Salivary glands, NOS	27	-	-	-	-	0.3	-	-	-	0.7	0.3	0.6	0.9	0.8	1.3	1.9	0.6	4.9	4.6	0.5	0.4	0.3	0.03
C09	Tonsil	151	-	-	-	-	-	-	0.3	-	1.7	3.1	9.1	10.7	9.5	5.2	6.6	6.3	3.0	4.6	3.0	2.7	2.0	0.23
C10	Oropharynx	97	-	-	-	-	-	-	-	0.5	0.5	4.4	5.9	7.3	3.7	3.4	3.8	2.5	1.0	2.3	1.9	1.8	1.3	0.15
C11	Nasopharynx	38	-	-	-	-	0.6	0.9	0.3	0.5	0.5	1.0	0.8	1.2	2.5	1.7	1.9	-	2.0	2.3	0.7	0.7	0.6	0.06
C12	Pyrimiform sinus	118	-	-	-	-	-	-	-	-	-	3.3	5.1	6.7	8.3	9.0	5.2	7.0	2.0	-	2.3	2.1	1.5	0.19
C13	Hypopharynx	45	-	-	-	-	-	-	-	-	0.2	1.0	1.7	5.2	3.7	1.3	0.9	1.3	1.0	-	0.9	0.8	0.6	0.07
C14	Lip, oral cavity and pharynx, NOS	51	-	-	-	-	-	-	-	-	-	1.8	4.0	3.7	1.2	3.4	1.4	1.9	-	2.3	1.0	0.9	0.7	0.08
C15	Oesophagus	664	-	-	-	-	-	0.3	-	-	3.4	11.6	18.7	32.7	36.5	44.2	48.9	49.5	38.5	45.7	13.0	11.2	7.8	0.98
C16	Stomach	846	-	-	-	-	-	0.9	2.8	3.3	4.9	7.0	17.0	16.5	33.6	52.4	62.2	100.2	101.7	146.3	16.6	13.6	9.1	1.00
C17	Small intestine	99	-	-	-	-	-	0.3	0.3	0.5	0.5	1.5	2.5	4.0	4.6	6.9	7.1	7.0	9.9	4.6	1.9	1.6	1.2	0.14
C18	Colon	2,678	-	-	0.9	1.6	1.2	0.9	2.2	5.9	9.2	12.6	38.8	65.9	104.8	154.5	246.4	330.5	364.3	388.5	52.4	42.0	27.6	3.17
C19	Rectosigmoid junction	210	-	-	-	-	-	-	0.3	0.8	0.2	1.5	4.2	5.8	9.9	14.2	19.0	20.9	19.7	34.3	4.1	3.4	2.3	0.28
C20	Rectum	1,223	-	-	-	-	-	0.3	0.3	2.0	4.9	10.6	19.0	39.4	54.3	88.4	106.8	116.7	145.1	144.0	23.9	19.6	13.2	1.62
C21	Anus and anal canal	51	-	-	-	-	-	-	-	0.5	0.2	1.0	0.8	3.1	3.7	1.3	2.8	3.2	4.9	6.9	1.0	0.9	0.6	0.07
C22	Liver and intrahepatic bile ducts	287	-	-	-	-	0.3	0.9	0.3	0.8	0.7	3.6	4.5	9.8	17.0	15.0	33.7	19.7	30.6	11.4	5.6	4.6	3.2	0.43
C23	Gallbladder	29	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.7	3.0	2.4	2.5	5.9	2.3	0.6	0.4	0.3	0.04
C24	Biliary tract, NOS	102	-	-	-	-	-	-	-	0.5	0.5	1.0	1.4	2.7	3.3	6.9	6.2	17.1	12.8	6.9	2.0	1.6	1.0	0.11
C25	Pancreas	520	-	-	-	-	-	-	0.3	0.8	3.6	6.4	8.2	18.9	26.1	27.9	51.8	59.0	40.5	32.0	10.2	8.4	5.7	0.72
C26	Other ill-defined digestive organs	12	-	-	-	-	0.3	-	-	-	0.2	-	0.8	0.3	0.4	-	0.9	1.9	-	-	0.2	0.2	0.1	0.02
C30	Nasal cavity and middle ear	22	-	-	-	-	-	-	-	-	-	1.0	0.8	1.2	0.8	0.9	1.4	1.3	2.0	-	0.4	0.4	0.3	0.03
C31	Accessory sinuses	70	-	-	-	-	-	0.3	-	0.3	0.2	0.5	2.0	6.1	2.9	3.0	4.7	3.2	6.9	4.6	1.4	1.2	0.8	0.10
C32	Larynx	543	-	-	-	-	-	-	-	0.5	2.2	9.5	16.1	26.3	34.8	33.5	36.6	41.9	33.6	29.7	10.6	9.2	6.5	0.79
C33	Trachea	11	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.2	0.4	0.9	-	3.0	-	0.2	0.2	0.1	0.02
C34	Bronchus and lung	5,268	-	-	-	0.3	0.3	0.3	2.5	4.8	14.8	38.9	94.6	163.3	298.7	354.6	489.0	561.4	517.3	388.5	103.1	84.8	57.5	7.05
C37	Thymus	14	-	-	-	-	-	-	-	-	-	0.3	-	1.2	0.4	0.9	1.4	1.9	-	-	0.3	0.2	0.2	0.02
C38	Heart, mediastinum and pleura	8	-	-	-	-	-	-	-	0.5	-	0.3	0.3	0.3	-	-	0.9	-	-	2.3	0.2	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0	0.0	0.00
C40	Bone and articular cartilage of limbs	34	-	-	1.2	2.2	1.2	0.9	0.6	0.3	0.5	0.3	0.6	0.9	-	0.4	1.9	-	-	-	0.7	0.7	0.7	0.05
C41	Bone and articular cartilage, NOS	36	0.3	0.3	0.9	0.9	1.2	1.2	0.3	1.0	1.0	-	0.8	0.6	0.8	0.4	0.5	0.6	1.0	-	0.7	0.7	0.7	0.05
C43	Malignant melanoma of skin	621	-	0.3	0.3	0.9	3.1	6.1	4.7	9.2	14.8	12.4	12.2	15.6	19.1	34.8	29.9	40.6	54.3	48.0	12.1	10.5	7.9	0.81
C44	Malignant neoplasms of skin	1,725	-	0.3	0.3	-	0.6	0.6	1.9	2.8	3.6	7.5	13.6	24.1	48.9	82.4	131.5	234.7	358.4	479.9	33.7	26.4	16.4	1.58
C45	Mesothelioma	206	-	-	-	-	-	-	0.3	0.3	0.2	1.0	1.7	4.6	12.8	15.0	20.4	24.7	19.7	22.9	4.0	3.3	2.2	0.28

Belgium: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	25	-	-	-	-	-	0.3	0.8	1.5	0.7	0.3	0.6	0.6	0.8	-	1.4	-	1.0	2.3	0.5	0.4	0.4	0.04
C47,C49	Soft tissues	201	1.0	0.7	1.2	0.3	1.2	0.9	2.5	4.3	3.2	3.1	5.4	6.7	5.8	5.2	8.1	13.3	19.7	18.3	3.9	3.5	2.7	0.25
C48	Retroperitoneum and peritoneum	22	0.3	-	-	-	-	0.3	-	-	0.2	-	0.3	1.2	0.8	1.7	1.4	1.3	1.0	4.6	0.4	0.4	0.3	0.03
C50	Breast	81	-	-	-	-	-	-	0.3	-	0.2	0.8	1.1	1.2	5.0	6.0	6.6	7.6	8.9	16.0	1.6	1.3	0.9	0.11
C60	Penis	67	-	-	-	-	0.3	-	-	0.5	0.5	2.3	1.1	2.1	1.2	3.4	2.4	9.5	5.9	11.4	1.3	1.1	0.7	0.07
C61	Prostate	9,510	-	-	-	-	-	-	-	-	3.9	28.3	123.4	302.5	493.8	804.1	924.4	1,004.8	932.0	952.9	186.1	152.6	102.0	12.54
C62	Testis	283	-	-	-	3.2	11.1	13.9	19.0	10.2	7.0	3.3	3.7	3.1	1.7	1.7	1.9	1.3	2.0	2.3	5.5	5.5	5.2	0.40
C63	Male genital organs, NOS	12	0.3	-	-	0.3	-	-	-	-	-	0.5	-	0.9	-	0.4	0.9	-	-	4.6	0.2	0.2	0.2	0.02
C64	Kidney	808	2.7	0.7	-	0.3	-	0.6	-	4.1	8.0	8.5	13.3	29.6	43.1	59.2	60.8	74.9	67.1	29.7	15.8	13.3	9.5	1.15
C65	Renal pelvis	112	-	-	-	-	-	-	-	0.3	-	0.8	0.3	4.0	1.7	8.6	10.4	15.9	15.8	16.0	2.2	1.7	1.1	0.13
C66	Ureter	70	-	-	-	-	-	-	-	-	0.5	0.3	0.6	1.8	3.3	4.3	8.5	7.0	9.9	4.6	1.4	1.1	0.7	0.10
C67	Bladder	1,611	-	-	-	-	-	0.3	0.6	1.0	3.4	6.7	18.1	33.6	63.4	93.6	145.3	200.5	266.6	290.2	31.5	25.0	16.0	1.81
C68	Urinary organs, NOS	26	-	-	-	-	-	-	-	0.3	-	-	-	0.6	0.8	1.7	2.4	5.1	3.0	2.3	0.5	0.4	0.2	0.03
C69	Eye and adnexa	33	2.4	-	-	-	-	-	-	-	-	0.5	0.3	1.5	1.2	1.3	1.9	3.2	2.0	2.3	0.6	0.6	0.6	0.05
C70	Meninges	8	-	0.3	-	-	-	-	0.3	0.3	-	-	-	0.3	-	-	0.5	0.6	2.0	-	0.2	0.1	0.1	0.01
C71	Brain	437	4.1	1.0	1.5	3.8	4.0	2.7	2.8	5.1	9.0	8.2	9.3	12.2	23.6	23.2	20.9	21.6	19.7	4.6	8.5	7.8	6.5	0.66
C72	Spinal cord, cranial nerves and CNS, NOS	12	0.3	-	0.3	0.3	-	-	0.3	-	0.5	0.5	0.3	-	-	0.4	0.5	0.6	-	-	0.2	0.2	0.2	0.02
C73	Thyroid gland	165	-	-	0.3	0.6	0.6	0.9	1.1	3.8	3.2	5.7	6.5	7.3	7.0	7.7	3.8	4.4	3.9	4.6	3.2	3.0	2.3	0.24
C74	Adrenal gland	16	2.4	0.3	-	-	-	-	-	0.3	0.2	0.8	0.3	-	0.4	-	0.5	-	-	-	0.3	0.4	0.4	0.03
C75	Endocrine glands, NOS	7	-	-	-	0.3	-	0.3	0.3	0.3	0.2	-	0.3	-	-	-	-	0.6	-	-	0.1	0.1	0.1	0.01
C81	Hodgkin's disease	171	0.3	1.0	4.3	3.5	7.4	4.5	3.6	3.1	3.9	2.1	2.3	3.4	3.3	3.4	2.4	5.7	3.0	4.6	3.3	3.3	3.2	0.24
C82-C85	Non-Hodgkin-lymphoma	1,009	1.0	1.7	2.2	3.2	4.0	4.5	5.8	6.1	6.8	13.6	22.9	27.5	44.7	52.4	71.7	84.4	108.6	80.0	19.7	16.7	12.2	1.33
C88	Malignant immunoproliferative diseases	32	-	-	-	-	-	-	-	0.3	0.2	0.3	1.1	1.2	1.2	0.9	0.9	7.6	1.0	2.3	0.6	0.5	0.3	0.03
C90	Multiple myeloma	338	-	-	-	-	-	-	-	0.3	1.9	4.4	3.4	11.3	13.3	20.2	30.9	41.9	38.5	32.0	6.6	5.3	3.5	0.43
C91	Lymphoid leukaemia	362	7.8	2.7	0.6	0.9	0.6	0.6	0.6	1.8	3.4	3.9	5.9	8.5	19.1	20.6	25.6	30.4	28.6	22.9	7.1	6.3	5.1	0.51
C92	Myeloid leukaemia	291	2.4	0.7	0.3	1.9	0.9	2.1	2.2	2.5	2.2	4.4	7.1	5.8	12.8	15.9	19.5	19.7	28.6	18.3	5.7	5.0	3.9	0.40
C93	Monocytic leukaemia	10	-	-	-	-	-	-	-	0.5	0.2	-	-	0.3	0.8	0.4	0.9	-	1.0	-	0.2	0.2	0.1	0.02
C94-C95	Leukaemia other	21	0.3	-	-	-	-	-	-	-	0.5	0.3	0.3	0.3	0.8	2.6	0.9	1.9	1.0	2.3	0.4	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C76	Other and ill-defined sites	21	0.7	-	-	-	-	-	-	0.3	-	0.5	0.8	0.3	0.8	3.0	-	1.3	-	2.3	0.4	0.4	0.3	0.03
C80	Unknown primary site	652	-	-	-	-	-	0.9	1.4	1.5	1.9	7.5	16.4	18.3	24.4	37.3	51.8	68.5	81.0	86.8	12.8	10.5	7.0	0.80
MPD	Myeloproliferative Disorders	144	-	-	-	0.3	-	0.3	0.3	0.8	1.2	2.8	2.8	5.5	3.7	5.2	12.3	14.0	18.8	13.7	2.8	2.3	1.6	0.18
MDS	Myelodysplastic syndromes	200	-	0.3	0.3	-	0.3	-	0.6	0.8	1.0	1.3	0.8	1.8	6.6	11.6	14.2	26.6	36.5	50.3	3.9	3.1	2.0	0.20
Total		33,209	26.9	10.3	15.2	25.0	40.6	47.9	59.7	87.4	141.1	270.1	565.7	1,009.7	1,569.1	2,188.5	2,801.3	3,355.8	3,517.6	3,535.3	649.7	538.8	370.4	35.78
Total excl. non-melanoma		31,484	26.9	10.0	14.9	25.0	39.9	47.2	57.8	84.6	137.4	262.7	552.1	985.6	1,520.2	2,106.1	2,669.8	3,121.1	3,159.2	3,055.4	616.0	512.4	354.0	34.75
Total excl. non-melanoma and MDS-MPD		31,140	26.9	9.6	14.6	24.7	39.6	46.9	56.9	83.1	135.3	258.5	548.4	978.3	1,509.9	2,089.4	2,643.2	3,080.5	3,103.9	2,991.4	609.2	507.0	350.4	34.51

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Females, number of invasive tumours by primary site and age group in 2005

Belgium: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	24	-	-	-	-	-	-	-	-	-	-	1	3	1	5	2	2	6	4
C01	Base of tongue	15	-	-	-	-	-	-	-	1	-	1	3	2	4	2	1	-	1	-
C02	Tongue	64	-	-	-	-	-	-	1	1	4	5	8	13	6	6	9	6	1	4
C03	Gum	21	-	-	-	-	-	-	-	-	1	1	1	3	3	3	4	2	3	-
C04	Floor of mouth	36	-	-	-	-	-	-	-	-	1	4	4	2	11	3	4	5	1	1
C05	Palate	33	-	-	-	-	2	-	-	1	-	1	7	6	6	2	4	2	1	1
C06	Mouth, NOS	50	-	-	-	-	-	-	-	-	4	1	6	6	6	4	4	9	4	6
C07	Parotid gland	45	-	-	-	1	-	1	1	2	5	2	1	4	2	2	10	6	3	5
C08	Salivary glands, NOS	26	-	-	-	-	1	1	2	-	1	1	3	3	5	1	3	3	-	2
C09	Tonsil	53	-	-	-	-	-	-	-	1	1	8	11	7	6	8	3	4	4	-
C10	Oropharynx	17	-	-	-	-	-	-	-	-	-	-	5	4	2	2	2	-	1	1
C11	Nasopharynx	8	-	-	-	-	-	-	1	1	-	-	1	-	1	-	3	-	1	-
C12	Pyrimiform sinus	14	-	-	-	-	-	-	-	-	1	3	3	3	1	-	1	2	-	-
C13	Hypopharynx	15	-	-	-	-	-	-	-	-	-	1	1	4	2	2	-	1	4	-
C14	Lip, oral cavity and pharynx, NOS	11	-	-	-	-	-	-	-	-	-	-	1	5	2	-	1	2	-	-
C15	Oesophagus	224	-	-	-	-	-	-	-	1	3	5	18	22	28	27	30	35	32	23
C16	Stomach	516	-	-	-	-	-	2	4	4	9	14	23	27	34	50	73	89	100	87
C17	Small intestine	84	-	-	-	-	-	1	-	1	2	6	6	7	7	4	17	15	13	5
C18	Colon	2,375	-	-	4	5	7	4	12	8	41	55	92	160	162	264	385	424	409	343
C19	Rectosigmoid junction	184	-	-	-	-	-	-	1	-	3	12	10	15	14	24	29	29	29	18
C20	Rectum	849	-	-	-	1	-	1	5	9	16	31	61	80	80	106	119	135	120	85
C21	Anus and anal canal	74	-	-	-	-	-	-	1	3	3	3	6	9	5	11	6	9	10	8
C22	Liver and intrahepatic bile ducts	161	3	-	-	1	1	2	1	1	2	10	9	16	15	20	24	28	17	11
C23	Gallbladder	63	-	-	-	-	-	-	-	-	2	-	2	2	5	11	10	14	12	5
C24	Biliary tract, NOS	95	-	-	-	-	-	1	-	2	1	2	3	2	9	12	20	17	19	7
C25	Pancreas	514	-	-	1	1	1	1	4	1	10	13	24	45	50	76	93	97	58	39
C26	Other ill-defined digestive organs	14	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	1	4
C30	Nasal cavity and middle ear	16	-	-	-	-	1	-	-	2	-	-	1	-	5	2	3	2	-	-
C31	Accessory sinuses	20	-	-	-	-	-	1	1	-	2	-	1	3	2	1	-	-	6	3
C32	Larynx	85	-	-	-	-	-	-	-	3	1	3	17	13	10	12	10	11	4	1
C33	Trachea	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1
C34	Bronchus and lung	1,540	-	-	-	-	2	1	3	15	36	102	182	189	214	209	196	211	136	44
C37	Thymus	8	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	1	-	-
C38	Heart, mediastinum and pleura	9	-	1	-	-	-	-	1	1	-	-	-	1	1	-	1	1	1	1
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	39	-	-	10	3	2	3	2	2	4	4	1	4	-	2	-	1	1	-
C41	Bone and articular cartilage, NOS	34	-	2	3	3	1	-	-	1	1	-	2	-	1	6	6	5	3	-
C43	Malignant melanoma of skin	939	2	2	1	6	27	39	54	83	72	90	86	87	79	70	76	68	61	36
C44	Malignant neoplasms of skin	1,232	-	2	3	2	2	3	5	6	7	24	40	50	68	124	151	195	261	289
C45	Mesothelioma	47	-	-	-	2	-	-	-	-	-	2	2	4	6	8	14	6	3	-

Belgium: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	8	-	-	-	-	1	-	-	3	-	-	-	-	-	-	2	-	1	1
C47,C49	Soft tissues	177	5	1	1	5	3	9	5	15	17	18	14	12	13	12	13	18	11	5
C48	Retroperitoneum and peritoneum	40	1	-	-	2	-	2	-	-	3	2	2	6	4	2	3	6	4	3
C50	Breast	9,405	-	-	-	-	4	38	134	289	706	1,031	1,176	1,186	1,003	1,007	908	848	678	397
C51	Vulva	162	-	-	-	-	-	-	3	2	5	7	8	16	11	13	25	21	29	22
C52	Vagina	45	-	-	-	-	-	-	-	1	3	4	2	1	4	7	5	7	3	8
C53	Cervix uteri	651	-	-	-	-	4	11	54	80	93	90	59	63	44	43	35	31	25	19
C54	Corpus uteri	1,344	-	-	-	-	-	1	2	5	19	37	84	164	183	231	207	201	145	65
C55	Uterus	67	-	-	-	-	-	-	-	3	4	6	2	5	7	9	9	12	8	2
C56	Ovary	908	-	-	4	3	4	6	12	23	37	66	75	96	69	115	121	128	92	57
C57	Female genital organs, NOS	35	1	-	-	-	-	-	-	-	2	2	3	3	2	5	3	6	5	3
C58	Placenta	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	521	8	2	-	-	1	-	-	14	12	29	35	50	49	77	83	79	63	19
C65	Renal pelvis	70	-	-	-	-	-	-	-	-	1	-	1	3	4	11	12	19	14	5
C66	Ureter	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	9	2
C67	Bladder	441	-	-	-	-	-	-	1	2	-	14	22	17	30	51	75	77	89	63
C68	Urinary organs, NOS	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	1
C69	Eye and adnexa	35	7	-	-	-	-	-	2	-	1	2	2	2	5	4	4	4	-	2
C70	Meninges	13	-	-	-	-	-	-	-	1	1	1	1	3	-	1	2	2	1	-
C71	Brain	284	5	6	3	8	2	11	10	10	24	24	17	26	30	33	31	25	16	3
C72	Spinal cord, cranial nerves and CNS, NOS	12	2	2	1	-	-	-	2	-	2	-	1	1	-	-	-	1	-	-
C73	Thyroid gland	484	-	1	-	2	14	26	21	42	65	62	53	49	34	30	35	20	21	9
C74	Adrenal gland	19	8	1	-	-	-	1	-	-	1	2	1	1	1	1	1	1	-	-
C75	Endocrine glands, NOS	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
C81	Hodgkin's disease	124	-	1	5	17	16	20	8	7	7	10	6	5	3	5	4	6	3	1
C82-C85	Non-Hodgkin-lymphoma	821	-	1	2	6	7	4	15	11	29	37	57	59	81	94	124	142	94	58
C88	Malignant immunoproliferative diseases	24	-	-	-	-	-	-	-	-	2	-	1	2	4	2	2	3	2	6
C90	Multiple myeloma	279	-	-	-	-	-	-	1	4	2	12	15	29	22	42	43	47	37	25
C91	Lymphoid leukaemia	249	12	5	9	6	-	2	2	4	3	18	8	18	22	33	39	31	24	13
C92	Myeloid leukaemia	234	3	4	1	4	3	5	7	16	11	17	12	15	18	27	25	27	19	20
C93	Monocytic leukaemia	9	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	3	1	-
C94-C95	Leukaemia other	16	1	-	-	-	-	-	1	2	-	-	-	2	3	2	-	2	1	2
C96	Lymphoid, haematopoietic and related tissue, NOS	6	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	1	-
C76	Other and ill-defined sites	15	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	4
C80	Unknown primary site	523	-	-	-	-	-	1	5	3	9	20	31	34	45	66	79	86	89	55
MPD	Myeloproliferative Disorders	145	-	-	-	1	1	1	-	6	5	10	10	13	12	5	27	24	23	7
MDS	Myelodysplastic syndromes	175	-	-	-	-	-	-	4	3	3	4	6	6	10	22	27	34	34	22
Total		26,933	63	31	48	79	109	200	390	698	1,300	1,929	2,350	2,696	2,574	3,036	3,268	3,358	2,871	1,933
Total excl. non-melanoma		25,701	63	29	45	77	107	197	385	692	1,293	1,905	2,310	2,646	2,506	2,912	3,117	3,163	2,610	1,644
Total excl. non-melanoma and MDS-MPD		25,381	63	29	45	76	106	196	381	683	1,285	1,891	2,294	2,627	2,484	2,885	3,063	3,105	2,553	1,615

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Belgium: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	24	-	-	-	-	-	-	-	-	-	-	0.3	0.9	0.4	1.9	0.8	0.9	3.3	3.3	0.4	0.3	0.2	0.02
C01	Base of tongue	15	-	-	-	-	-	-	-	0.3	-	0.3	0.9	0.6	1.6	0.8	0.4	-	0.6	-	0.3	0.3	0.2	0.02
C02	Tongue	64	-	-	-	-	-	-	0.3	0.3	1.0	1.3	2.3	4.0	2.4	2.3	3.4	2.6	0.6	3.3	1.2	1.0	0.7	0.09
C03	Gum	21	-	-	-	-	-	-	-	-	0.2	0.3	0.3	0.9	1.2	1.1	1.5	0.9	1.7	-	0.4	0.3	0.2	0.03
C04	Floor of mouth	36	-	-	-	-	-	-	-	-	0.2	1.0	1.1	0.6	4.4	1.1	1.5	2.2	0.6	0.8	0.7	0.6	0.4	0.05
C05	Palate	33	-	-	-	-	0.6	-	-	0.3	-	0.3	2.0	1.8	2.4	0.8	1.5	0.9	0.6	0.8	0.6	0.6	0.4	0.05
C06	Mouth, NOS	50	-	-	-	-	-	-	-	-	1.0	0.3	1.7	1.8	2.4	1.5	1.5	3.9	2.2	4.9	0.9	0.7	0.5	0.05
C07	Parotid gland	45	-	-	-	0.3	-	0.3	0.3	0.5	1.2	0.5	0.3	1.2	0.8	0.8	3.8	2.6	1.7	4.1	0.8	0.6	0.5	0.05
C08	Salivary glands, NOS	26	-	-	-	-	0.3	0.3	0.6	-	0.2	0.3	0.9	0.9	2.0	0.4	1.1	1.3	-	1.6	0.5	0.4	0.3	0.03
C09	Tonsil	53	-	-	-	-	-	-	-	0.3	0.2	2.1	3.1	2.1	2.4	3.1	1.1	1.8	2.2	-	1.0	0.9	0.6	0.07
C10	Oropharynx	17	-	-	-	-	-	-	-	-	-	-	1.4	1.2	0.8	0.8	0.8	-	0.6	0.8	0.3	0.3	0.2	0.02
C11	Nasopharynx	8	-	-	-	-	-	-	0.3	0.3	-	-	0.3	-	0.4	-	1.1	-	0.6	-	0.1	0.1	0.1	0.01
C12	Pyrimiform sinus	14	-	-	-	-	-	-	-	-	0.2	0.8	0.9	0.9	0.4	-	0.4	0.9	-	-	0.3	0.2	0.2	0.02
C13	Hypopharynx	15	-	-	-	-	-	-	-	-	-	0.3	0.3	1.2	0.8	0.8	-	0.4	2.2	-	0.3	0.2	0.1	0.02
C14	Lip, oral cavity and pharynx, NOS	11	-	-	-	-	-	-	-	-	-	-	0.3	1.5	0.8	-	0.4	0.9	-	-	0.2	0.2	0.1	0.01
C15	Oesophagus	224	-	-	-	-	-	-	-	0.3	0.7	1.3	5.1	6.7	11.1	10.3	11.5	15.3	17.7	18.9	4.2	2.9	2.0	0.23
C16	Stomach	516	-	-	-	-	-	0.6	1.1	1.0	2.2	3.6	6.6	8.2	13.5	19.2	28.0	39.0	55.3	71.4	9.7	5.9	3.9	0.42
C17	Small intestine	84	-	-	-	-	-	0.3	-	0.3	0.5	1.6	1.7	2.1	2.8	1.5	6.5	6.6	7.2	4.1	1.6	1.1	0.7	0.09
C18	Colon	2,375	-	-	1.3	1.7	2.2	1.2	3.4	2.1	10.2	14.3	26.3	48.6	64.1	101.1	147.4	185.6	226.2	281.6	44.5	27.8	18.5	2.10
C19	Rectosigmoid junction	184	-	-	-	-	-	-	0.3	-	0.7	3.1	2.9	4.6	5.5	9.2	11.1	12.7	16.0	14.8	3.4	2.3	1.6	0.19
C20	Rectum	849	-	-	-	0.3	-	0.3	1.4	2.4	4.0	8.1	17.4	24.3	31.7	40.6	45.6	59.1	66.4	69.8	15.9	10.9	7.5	0.88
C21	Anus and anal canal	74	-	-	-	-	-	-	0.3	0.8	0.7	0.8	1.7	2.7	2.0	4.2	2.3	3.9	5.5	6.6	1.4	1.0	0.7	0.08
C22	Liver and intrahepatic bile ducts	161	1.1	-	-	0.3	0.3	0.6	0.3	0.3	0.5	2.6	2.6	4.9	5.9	7.7	9.2	12.3	9.4	9.0	3.0	2.2	1.6	0.18
C23	Gallbladder	63	-	-	-	-	-	-	-	-	0.5	-	0.6	0.6	2.0	4.2	3.8	6.1	6.6	4.1	1.2	0.7	0.5	0.06
C24	Biliary tract, NOS	95	-	-	-	-	-	0.3	-	0.5	0.2	0.5	0.9	0.6	3.6	4.6	7.7	7.4	10.5	5.7	1.8	1.1	0.8	0.09
C25	Pancreas	514	-	-	0.3	0.3	0.3	0.3	1.1	0.3	2.5	3.4	6.9	13.7	19.8	29.1	35.6	42.5	32.1	32.0	9.6	6.6	4.6	0.57
C26	Other ill-defined digestive organs	14	-	-	-	-	-	-	-	-	-	-	-	0.3	0.8	0.4	1.1	0.9	0.6	3.3	0.3	0.2	0.1	0.01
C30	Nasal cavity and middle ear	16	-	-	-	-	0.3	-	-	0.5	-	-	0.3	-	2.0	0.8	1.1	0.9	-	-	0.3	0.3	0.2	0.03
C31	Accessory sinuses	20	-	-	-	-	-	0.3	0.3	-	0.5	-	0.3	0.9	0.8	0.4	-	-	3.3	2.5	0.4	0.3	0.2	0.02
C32	Larynx	85	-	-	-	-	-	-	-	0.8	0.2	0.8	4.9	4.0	4.0	4.6	3.8	4.8	2.2	0.8	1.6	1.3	0.9	0.11
C33	Trachea	4	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.4	-	0.6	0.8	0.1	0.0	0.0	0.00
C34	Bronchus and lung	1,540	-	-	-	-	0.6	0.3	0.8	3.9	8.9	26.6	52.0	57.5	84.7	80.1	75.1	92.4	75.2	36.1	28.9	22.6	16.2	1.93
C37	Thymus	8	-	-	-	-	-	-	-	-	-	-	0.3	0.9	0.8	0.4	-	0.4	-	-	0.1	0.1	0.1	0.01
C38	Heart, mediastinum and pleura	9	-	0.3	-	-	-	-	0.3	0.3	-	-	-	0.3	0.4	-	0.4	0.4	0.6	0.8	0.2	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	39	-	-	3.2	1.0	0.6	0.9	0.6	0.5	1.0	1.0	0.3	1.2	-	0.8	-	0.4	0.6	-	0.7	0.8	0.8	0.06
C41	Bone and articular cartilage, NOS	34	-	0.7	1.0	1.0	0.3	-	-	0.3	0.2	-	0.6	-	0.4	2.3	2.3	2.2	1.7	-	0.6	0.5	0.5	0.05
C43	Malignant melanoma of skin	939	0.7	0.7	0.3	2.0	8.5	12.0	15.2	21.8	17.9	23.4	24.6	26.5	31.3	26.8	29.1	29.8	33.7	29.6	17.6	15.2	12.2	1.20
C44	Malignant neoplasms of skin	1,232	-	0.7	1.0	0.7	0.6	0.9	1.4	1.6	1.7	6.2	11.4	15.2	26.9	47.5	57.8	85.4	144.4	237.2	23.1	13.3	8.6	0.86
C45	Mesothelioma	47	-	-	-	0.7	-	-	-	-	-	0.5	0.6	1.2	2.4	3.1	5.4	2.6	1.7	-	0.9	0.7	0.5	0.07

Belgium: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	8	-	-	-	-	0.3	-	-	0.8	-	-	-	-	-	-	0.8	-	0.6	0.8	0.1	0.1	0.1	0.01
C47,C49	Soft tissues	177	1.8	0.3	0.3	1.7	0.9	2.8	1.4	3.9	4.2	4.7	4.0	3.6	5.1	4.6	5.0	7.9	6.1	4.1	3.3	2.9	2.5	0.22
C48	Retroperitoneum and peritoneum	40	0.4	-	-	0.7	-	0.6	-	-	0.7	0.5	0.6	1.8	1.6	0.8	1.1	2.6	2.2	2.5	0.7	0.6	0.5	0.04
C50	Breast	9,405	-	-	-	-	1.3	11.7	37.6	75.8	175.1	268.4	335.7	360.6	396.9	385.8	347.7	371.2	375.0	325.9	176.3	145.2	107.3	11.29
C51	Vulva	162	-	-	-	-	-	-	0.8	0.5	1.2	1.8	2.3	4.9	4.4	5.0	9.6	9.2	16.0	18.1	3.0	2.0	1.4	0.15
C52	Vagina	45	-	-	-	-	-	-	-	0.3	0.7	1.0	0.6	0.3	1.6	2.7	1.9	3.1	1.7	6.6	0.8	0.6	0.4	0.05
C53	Cervix uteri	651	-	-	-	-	1.3	3.4	15.2	21.0	23.1	23.4	16.8	19.2	17.4	16.5	13.4	13.6	13.8	15.6	12.2	10.9	8.7	0.85
C54	Corpus uteri	1,344	-	-	-	-	-	0.3	0.6	1.3	4.7	9.6	24.0	49.9	72.4	88.5	79.3	88.0	80.2	53.4	25.2	18.5	12.9	1.64
C55	Uterus	67	-	-	-	-	-	-	-	0.8	1.0	1.6	0.6	1.5	2.8	3.4	3.4	5.3	4.4	1.6	1.3	0.9	0.7	0.08
C56	Ovary	908	-	-	1.3	1.0	1.3	1.8	3.4	6.0	9.2	17.2	21.4	29.2	27.3	44.1	46.3	56.0	50.9	46.8	17.0	12.7	9.2	1.04
C57	Female genital organs, NOS	35	0.4	-	-	-	-	-	-	-	0.5	0.5	0.9	0.9	0.8	1.9	1.1	2.6	2.8	2.5	0.7	0.5	0.3	0.03
C58	Placenta	3	-	-	-	-	0.3	0.3	0.3	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.00
C64	Kidney	521	2.8	0.7	-	-	0.3	-	-	3.7	3.0	7.5	10.0	15.2	19.4	29.5	31.8	34.6	34.8	15.6	9.8	7.2	5.3	0.62
C65	Renal pelvis	70	-	-	-	-	-	-	-	-	0.2	-	0.3	0.9	1.6	4.2	4.6	8.3	7.7	4.1	1.3	0.8	0.5	0.06
C66	Ureter	22	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.8	1.5	1.8	5.0	1.6	0.4	0.2	0.1	0.01
C67	Bladder	441	-	-	-	-	-	-	0.3	0.5	-	3.6	6.3	5.2	11.9	19.5	28.7	33.7	49.2	51.7	8.3	5.0	3.3	0.38
C68	Urinary organs, NOS	7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.8	0.4	0.9	-	0.8	0.1	0.1	0.1	0.01
C69	Eye and adnexa	35	2.5	-	-	-	-	-	0.6	-	0.2	0.5	0.6	0.6	2.0	1.5	1.5	1.8	-	1.6	0.7	0.6	0.6	0.05
C70	Meninges	13	-	-	-	-	-	-	-	0.3	0.2	0.3	0.3	0.9	-	0.4	0.8	0.9	0.6	-	0.2	0.2	0.1	0.02
C71	Brain	284	1.8	2.1	1.0	2.6	0.6	3.4	2.8	2.6	6.0	6.2	4.9	7.9	11.9	12.6	11.9	10.9	8.9	2.5	5.3	4.7	3.9	0.39
C72	Spinal cord, cranial nerves and CNS, NOS	12	0.7	0.7	0.3	-	-	-	0.6	-	0.5	-	0.3	0.3	-	-	-	0.4	-	-	0.2	0.2	0.3	0.02
C73	Thyroid gland	484	-	0.3	-	0.7	4.4	8.0	5.9	11.0	16.1	16.1	15.1	14.9	13.5	11.5	13.4	8.8	11.6	7.4	9.1	8.2	6.7	0.65
C74	Adrenal gland	19	2.8	0.3	-	-	-	0.3	-	-	0.2	0.5	0.3	0.3	0.4	0.4	0.4	0.4	-	-	0.4	0.4	0.5	0.03
C75	Endocrine glands, NOS	2	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C81	Hodgkin's disease	124	-	0.3	1.6	5.6	5.0	6.1	2.2	1.8	1.7	2.6	1.7	1.5	1.2	1.9	1.5	2.6	1.7	0.8	2.3	2.4	2.4	0.18
C82-C85	Non-Hodgkin-lymphoma	821	-	0.3	0.6	2.0	2.2	1.2	4.2	2.9	7.2	9.6	16.3	17.9	32.1	36.0	47.5	62.2	52.0	47.6	15.4	11.0	7.9	0.90
C88	Malignant immunoproliferative diseases	24	-	-	-	-	-	-	-	-	0.5	-	0.3	0.6	1.6	0.8	0.8	1.3	1.1	4.9	0.4	0.3	0.2	0.02
C90	Multiple myeloma	279	-	-	-	-	-	-	0.3	1.0	0.5	3.1	4.3	8.8	8.7	16.1	16.5	20.6	20.5	20.5	5.2	3.6	2.4	0.30
C91	Lymphoid leukaemia	249	4.3	1.7	2.9	2.0	-	0.6	0.6	1.0	0.7	4.7	2.3	5.5	8.7	12.6	14.9	13.6	13.3	10.7	4.7	3.7	3.2	0.31
C92	Myeloid leukaemia	234	1.1	1.4	0.3	1.3	0.9	1.5	2.0	4.2	2.7	4.4	3.4	4.6	7.1	10.3	9.6	11.8	10.5	16.4	4.4	3.5	2.8	0.27
C93	Monocytic leukaemia	9	-	-	-	-	-	-	-	0.5	-	-	0.3	0.3	0.4	-	-	1.3	0.6	-	0.2	0.1	0.1	0.01
C94-C95	Leukaemia other	16	0.4	-	-	-	-	-	0.3	0.5	-	-	-	0.6	1.2	0.8	-	0.9	0.6	1.6	0.3	0.3	0.2	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	6	0.4	-	-	-	0.3	-	0.3	-	-	-	-	-	0.8	-	-	-	0.6	-	0.1	0.1	0.1	0.01
C76	Other and ill-defined sites	15	1.4	-	-	-	-	-	-	-	-	-	-	0.3	-	0.4	0.4	0.9	1.1	3.3	0.3	0.2	0.2	0.01
C80	Unknown primary site	523	-	-	-	-	-	0.3	1.4	0.8	2.2	5.2	8.8	10.3	17.8	25.3	30.3	37.6	49.2	45.1	9.8	6.4	4.4	0.51
MPD	Myeloproliferative Disorders	145	-	-	-	0.3	0.3	0.3	-	1.6	1.2	2.6	2.9	4.0	4.7	1.9	10.3	10.5	12.7	5.7	2.7	1.9	1.4	0.15
MDS	Myelodysplastic syndromes	175	-	-	-	-	-	-	1.1	0.8	0.7	1.0	1.7	1.8	4.0	8.4	10.3	14.9	18.8	18.1	3.3	2.0	1.3	0.15
Total		26,933	22.4	10.7	15.6	26.1	34.2	61.4	109.6	183.0	322.4	502.2	670.9	819.8	1,018.5	1,163.0	1,251.5	1,469.8	1,588.1	1,586.8	504.9	382.6	279.8	26.70
Total excl. non-melanoma		25,701	22.4	10.1	14.6	25.4	33.6	60.5	108.2	181.4	320.7	495.9	659.5	804.5	991.6	1,115.5	1,193.6	1,384.4	1,443.7	1,349.5	481.8	369.4	271.2	26.06
Total excl. non-melanoma and MDS-MPD		25,381	22.4	10.1	14.6	25.1	33.3	60.2	107.0	179.1	318.7	492.3	654.9	798.8	982.9	1,105.2	1,173.0	1,359.0	1,412.2	1,325.7	475.8	365.5	268.5	25.83

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Flemish Region: Males, number of invasive tumours by primary site and age group in 2005

Flemish Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	47	-	-	-	-	-	-	-	-	-	2	1	3	6	7	14	6	5	3
C01	Base of tongue	19	-	-	-	-	-	-	-	1	-	1	5	4	3	1	2	1	-	1
C02	Tongue	100	-	-	-	-	-	1	1	2	6	12	16	17	13	11	15	2	4	-
C03	Gum	7	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
C04	Floor of mouth	81	-	-	-	-	-	-	-	3	8	15	21	12	10	6	4	1	1	1
C05	Palate	24	-	-	-	-	-	-	-	1	3	3	4	5	2	4	-	2	-	-
C06	Mouth, NOS	45	-	-	-	-	-	-	-	1	2	9	6	5	6	6	7	3	-	-
C07	Parotid gland	30	-	-	1	-	-	1	-	2	1	-	-	4	3	2	7	4	2	3
C08	Salivary glands, NOS	15	-	-	-	-	-	-	-	1	-	2	1	1	2	2	-	4	2	2
C09	Tonsil	73	-	-	-	-	-	-	-	6	7	11	19	12	6	5	5	1	1	1
C10	Oropharynx	35	-	-	-	-	-	-	-	1	7	5	10	4	3	5	-	-	-	-
C11	Nasopharynx	17	-	-	-	-	1	2	-	-	1	1	1	5	1	3	-	1	1	1
C12	Pyrimiform sinus	55	-	-	-	-	-	-	-	-	5	8	13	9	12	3	4	1	-	-
C13	Hypopharynx	28	-	-	-	-	-	-	-	1	1	3	11	6	3	1	1	1	1	-
C14	Lip, oral cavity and pharynx, NOS	20	-	-	-	-	-	-	-	-	3	4	4	1	4	1	2	-	1	1
C15	Oesophagus	393	-	-	-	-	-	-	-	7	24	37	58	52	65	65	48	21	16	16
C16	Stomach	518	-	-	-	-	-	2	2	9	8	13	37	27	41	78	93	94	67	47
C17	Small intestine	56	-	-	-	-	-	-	1	-	2	3	5	8	10	10	6	5	5	1
C18	Colon	1,693	-	-	2	2	2	2	3	15	29	21	76	139	164	223	338	328	230	119
C19	Rectosigmoid junction	123	-	-	-	-	-	-	1	2	1	2	9	8	14	18	28	21	8	11
C20	Rectum	820	-	-	-	-	-	1	1	4	15	28	47	79	96	147	155	119	86	42
C21	Anus and anal canal	34	-	-	-	-	-	-	-	1	1	2	2	7	8	2	5	2	3	1
C22	Liver and intrahepatic bile ducts	166	-	-	-	-	1	2	-	2	2	8	10	17	24	23	41	18	14	4
C23	Gallbladder	18	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	4	5	1
C24	Biliary tract, NOS	60	-	-	-	-	-	-	-	1	4	5	6	4	8	7	17	7	7	1
C25	Pancreas	317	-	-	-	-	-	-	1	2	11	12	16	37	43	37	65	53	28	12
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
C30	Nasal cavity and middle ear	15	-	-	-	-	-	-	-	-	-	3	2	1	2	2	2	2	1	-
C31	Accessory sinuses	46	-	-	-	-	-	1	-	1	1	-	6	14	6	5	5	4	2	1
C32	Larynx	307	-	-	-	-	-	-	-	1	5	16	30	50	47	45	40	35	29	9
C33	Trachea	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
C34	Bronchus and lung	3,169	-	-	-	1	-	-	5	12	27	78	192	281	423	493	663	552	334	108
C37	Thymus	10	-	-	-	-	-	-	-	-	-	1	-	4	1	1	2	1	-	-
C38	Heart, mediastinum and pleura	7	-	-	-	-	-	-	-	2	-	1	1	1	-	-	1	-	-	1
C39	Respiratory system and intrathoracic organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C40	Bone and articular cartilage of limbs	23	-	-	1	4	4	3	1	1	1	-	2	2	-	1	3	-	-	-
C41	Bone and articular cartilage, NOS	21	-	-	2	1	1	2	1	3	2	-	3	2	-	1	1	1	1	-
C43	Malignant melanoma of skin	364	-	-	-	1	7	12	13	27	42	31	27	34	26	46	30	29	28	11
C44	Malignant neoplasms of skin	1,061	-	1	-	-	1	1	3	8	9	14	23	41	78	122	174	248	214	124
C45	Mesothelioma	140	-	-	-	-	-	-	1	-	1	3	6	10	24	23	29	21	14	8

Flemish Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	10	-	-	-	-	-	1	1	3	3	-	-	-	-	-	1	-	-	1
C47,C49	Soft tissues	119	-	1	4	-	2	1	6	9	9	7	13	12	9	4	9	14	13	6
C48	Retroperitoneum and peritoneum	18	1	-	-	-	-	1	-	-	1	-	1	2	2	3	3	1	1	2
C50	Breast	50	-	-	-	-	-	-	1	-	1	3	3	4	8	8	8	5	4	5
C60	Penis	36	-	-	-	-	-	-	-	-	-	4	3	3	1	5	3	8	6	3
C61	Prostate	6,109	-	-	-	-	-	-	-	-	12	74	266	604	805	1,198	1,281	986	609	274
C62	Testis	158	-	-	-	7	19	27	38	21	15	9	8	3	2	2	2	2	2	1
C63	Male genital organs, NOS	6	1	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1
C64	Kidney	518	7	2	-	-	-	1	-	14	17	21	29	51	71	90	89	74	45	7
C65	Renal pelvis	72	-	-	-	-	-	-	-	-	-	1	-	9	2	9	16	19	10	6
C66	Ureter	39	-	-	-	-	-	-	-	-	1	1	-	3	5	5	11	8	5	-
C67	Bladder	979	-	-	-	-	-	-	2	1	8	17	37	60	90	129	192	195	163	85
C68	Urinary organs, NOS	10	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	1	2	1
C69	Eye and adnexa	19	2	-	-	-	-	-	-	-	-	2	-	2	2	3	3	3	2	-
C70	Meninges	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
C71	Brain	269	7	2	2	8	8	3	5	9	25	19	22	23	43	36	25	23	9	-
C72	Spinal cord, cranial nerves and CNS, NOS	9	-	-	1	1	-	-	-	-	2	1	1	-	-	1	1	1	-	-
C73	Thyroid gland	72	-	-	-	2	-	1	1	6	6	9	6	14	6	8	4	4	3	2
C74	Adrenal gland	8	3	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
C75	Endocrine glands, NOS	6	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	1	-	-
C81	Hodgkin's disease	107	1	1	10	8	15	9	6	8	10	6	4	7	2	7	5	5	2	1
C82-C85	Non-Hodgkin-lymphoma	605	2	2	5	7	6	8	12	11	16	32	52	46	65	71	103	80	65	22
C88	Malignant immunoproliferative diseases	22	-	-	-	-	-	-	-	1	1	1	2	4	2	1	-	8	1	1
C90	Multiple myeloma	223	-	-	-	-	-	-	-	1	3	11	8	25	19	30	52	38	28	8
C91	Lymphoid leukaemia	245	12	2	2	1	1	1	2	6	8	9	16	16	33	36	39	37	18	6
C92	Myeloid leukaemia	182	4	2	-	4	2	2	7	5	3	11	18	11	20	22	25	19	21	6
C93	Monocytic leukaemia	8	-	-	-	-	-	-	-	2	-	-	-	1	1	1	2	-	1	-
C94-C95	Leukaemia other	12	1	-	-	-	-	-	-	-	1	1	1	-	1	2	2	1	1	1
C96	Lymphoid, haematopoietic and related tissue, NOS	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	13	2	-	-	-	-	-	-	1	-	1	2	1	-	4	-	1	-	1
C80	Unknown primary site	350	-	-	-	-	-	-	3	2	4	17	24	30	34	50	63	58	46	19
MPD	Myeloproliferative Disorders	118	-	-	-	1	-	1	1	2	4	10	8	15	7	10	18	18	17	6
MDS	Myelodysplastic syndromes	142	-	1	1	-	1	-	2	3	3	3	1	4	13	19	20	26	27	18
Total		20,503	44	14	31	49	71	87	121	201	342	589	1,146	1,901	2,399	3,185	3,811	3,276	2,223	1,013
Total excl. non-melanoma		19,442	44	13	31	49	70	86	118	193	333	575	1,123	1,860	2,321	3,063	3,637	3,028	2,009	889
Total excl. non-melanoma and MDS-MPD		19,182	44	12	30	48	69	85	115	188	326	562	1,114	1,841	2,301	3,034	3,599	2,984	1,965	865

Flemish Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Flemish Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	47	-	-	-	-	-	-	-	-	-	0.9	0.5	1.5	4.0	4.8	10.7	6.3	8.3	11.3	1.6	1.2	0.8	0.11
C01	Base of tongue	19	-	-	-	-	-	-	-	0.4	-	0.4	2.4	2.1	2.0	0.7	1.5	1.1	-	3.8	0.6	0.6	0.4	0.05
C02	Tongue	100	-	-	-	-	-	0.5	0.5	0.9	2.4	5.2	7.7	8.8	8.7	7.5	11.5	2.1	6.6	-	3.4	2.9	2.2	0.27
C03	Gum	7	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	2.0	-	-	-	-	0.2	0.2	0.2	0.02
C04	Floor of mouth	81	-	-	-	-	-	-	-	-	1.2	3.4	7.2	10.8	8.0	6.8	4.6	4.2	1.7	3.8	2.7	2.4	1.8	0.21
C05	Palate	24	-	-	-	-	-	-	-	-	0.4	1.3	1.4	2.1	3.3	1.4	3.1	-	3.3	-	0.8	0.7	0.5	0.06
C06	Mouth, NOS	45	-	-	-	-	-	-	-	-	0.4	0.9	4.3	3.1	3.3	4.1	4.6	7.4	5.0	-	1.5	1.2	0.9	0.10
C07	Parotid gland	30	-	-	0.5	-	-	0.5	-	0.9	0.4	-	-	2.1	2.0	1.4	5.3	4.2	3.3	11.3	1.0	0.8	0.6	0.07
C08	Salivary glands, NOS	15	-	-	-	-	-	-	-	-	0.4	-	1.0	0.5	0.7	1.4	1.5	-	6.6	7.5	0.5	0.4	0.3	0.03
C09	Tonsil	73	-	-	-	-	-	-	-	-	2.4	3.0	5.3	9.8	8.0	4.1	3.8	5.3	1.7	3.8	2.4	2.2	1.6	0.18
C10	Oropharynx	35	-	-	-	-	-	-	-	-	0.4	3.0	2.4	5.2	2.7	2.0	3.8	-	-	-	1.2	1.0	0.8	0.10
C11	Nasopharynx	17	-	-	-	-	0.5	1.1	-	-	-	0.4	0.5	0.5	3.3	0.7	2.3	-	1.7	3.8	0.6	0.5	0.4	0.05
C12	Pyrimiform sinus	55	-	-	-	-	-	-	-	-	-	2.2	3.8	6.7	6.0	8.2	2.3	4.2	1.7	-	1.8	1.6	1.2	0.15
C13	Hypopharynx	28	-	-	-	-	-	-	-	-	0.4	0.4	1.4	5.7	4.0	2.0	0.8	1.1	1.7	-	0.9	0.8	0.6	0.07
C14	Lip, oral cavity and pharynx, NOS	20	-	-	-	-	-	-	-	-	-	1.3	1.9	2.1	0.7	2.7	0.8	2.1	-	3.8	0.7	0.6	0.4	0.05
C15	Oesophagus	393	-	-	-	-	-	-	-	-	2.8	10.3	17.8	30.0	34.6	44.2	49.6	50.5	34.9	60.3	13.2	10.9	7.6	0.94
C16	Stomach	518	-	-	-	-	-	1.1	1.0	3.9	3.2	5.6	17.8	13.9	27.3	53.1	71.0	98.8	111.2	177.0	17.4	13.6	8.9	0.98
C17	Small intestine	56	-	-	-	-	-	-	0.5	-	0.8	1.3	2.4	4.1	6.7	6.8	4.6	5.3	8.3	3.8	1.9	1.6	1.1	0.14
C18	Colon	1,693	-	-	1.1	1.1	1.1	1.1	1.5	6.5	11.8	9.0	36.5	71.8	109.2	151.7	258.0	344.9	381.8	448.1	56.8	43.7	28.5	3.25
C19	Rectosigmoid junction	123	-	-	-	-	-	-	0.5	0.9	0.4	0.9	4.3	4.1	9.3	12.2	21.4	22.1	13.3	41.4	4.1	3.3	2.2	0.27
C20	Rectum	820	-	-	-	-	-	0.5	0.5	1.7	6.1	12.1	22.6	40.8	63.9	100.0	118.3	125.1	142.8	158.2	27.5	21.7	14.7	1.82
C21	Anus and anal canal	34	-	-	-	-	-	-	-	0.4	0.4	0.9	1.0	3.6	5.3	1.4	3.8	2.1	5.0	3.8	1.1	1.0	0.7	0.08
C22	Liver and intrahepatic bile ducts	166	-	-	-	-	0.5	1.1	-	0.9	0.8	3.4	4.8	8.8	16.0	15.6	31.3	18.9	23.2	15.1	5.6	4.5	3.1	0.42
C23	Gallbladder	18	-	-	-	-	-	-	-	-	-	-	-	-	0.7	2.7	2.3	4.2	8.3	3.8	0.6	0.4	0.3	0.03
C24	Biliary tract, NOS	60	-	-	-	-	-	-	-	-	0.4	1.7	2.4	3.1	2.7	5.4	5.3	17.9	11.6	3.8	2.0	1.5	1.0	0.11
C25	Pancreas	317	-	-	-	-	-	-	0.5	0.9	4.5	5.2	7.7	19.1	28.6	25.2	49.6	55.7	46.5	45.2	10.6	8.4	5.7	0.70
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.8	1.1	-	-	0.1	0.1	0.1	0.01
C30	Nasal cavity and middle ear	15	-	-	-	-	-	-	-	-	-	1.3	1.0	0.5	1.3	1.4	1.5	2.1	1.7	-	0.5	0.4	0.3	0.03
C31	Accessory sinuses	46	-	-	-	-	-	0.5	-	0.4	0.4	-	2.9	7.2	4.0	3.4	3.8	4.2	3.3	3.8	1.5	1.3	0.9	0.11
C32	Larynx	307	-	-	-	-	-	-	-	0.4	2.0	6.9	14.4	25.8	31.3	30.6	30.5	36.8	48.1	33.9	10.3	8.5	5.9	0.71
C33	Trachea	4	-	-	-	-	-	-	-	-	-	-	-	0.5	1.3	-	0.8	-	-	-	0.1	0.1	0.1	0.01
C34	Bronchus and lung	3,169	-	-	-	0.6	-	-	2.5	5.2	11.0	33.6	92.2	145.1	281.6	335.3	506.1	580.4	554.5	406.7	106.3	82.8	55.7	6.82
C37	Thymus	10	-	-	-	-	-	-	-	-	-	0.4	-	2.1	0.7	0.7	1.5	1.1	-	-	0.3	0.3	0.2	0.03
C38	Heart, mediastinum and pleura	7	-	-	-	-	-	-	-	0.9	-	0.4	0.5	0.5	-	-	0.8	-	-	3.8	0.2	0.2	0.2	0.02
C39	Respiratory system and intrathoracic organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	0.0	0.0	0.0	0.00
C40	Bone and articular cartilage of limbs	23	-	-	0.5	2.3	2.2	1.6	0.5	0.4	0.4	-	1.0	1.0	-	0.7	2.3	-	-	-	0.8	0.8	0.8	0.06
C41	Bone and articular cartilage, NOS	21	-	-	1.1	0.6	0.5	1.1	0.5	1.3	0.8	-	1.4	1.0	-	0.7	0.8	1.1	1.7	-	0.7	0.7	0.6	0.05
C43	Malignant melanoma of skin	364	-	-	-	0.6	3.8	6.5	6.4	11.8	17.1	13.4	13.0	17.6	17.3	31.3	22.9	30.5	46.5	41.4	12.2	10.4	8.0	0.80
C44	Malignant neoplasms of skin	1,061	-	0.6	-	-	0.5	0.5	1.5	3.5	3.7	6.0	11.0	21.2	51.9	83.0	132.8	260.7	355.3	466.9	35.6	26.5	16.4	1.57
C45	Mesothelioma	140	-	-	-	-	-	-	0.5	-	0.4	1.3	2.9	5.2	16.0	15.6	22.1	22.1	23.2	30.1	4.7	3.7	2.5	0.32

Flemish Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	10	-	-	-	-	-	0.5	0.5	1.3	1.2	-	-	-	-	-	0.8	-	-	3.8	0.3	0.3	0.3	0.02
C47,C49	Soft tissues	119	-	0.6	2.2	-	1.1	0.5	3.0	3.9	3.7	3.0	6.2	6.2	6.0	2.7	6.9	14.7	21.6	22.6	4.0	3.4	2.6	0.23
C48	Retroperitoneum and peritoneum	18	0.6	-	-	-	-	0.5	-	-	0.4	-	0.5	1.0	1.3	2.0	2.3	1.1	1.7	7.5	0.6	0.5	0.4	0.04
C50	Breast	50	-	-	-	-	-	-	0.5	-	0.4	1.3	1.4	2.1	5.3	5.4	6.1	5.3	6.6	18.8	1.7	1.4	1.0	0.11
C60	Penis	36	-	-	-	-	-	-	-	-	1.7	1.4	1.5	0.7	3.4	2.3	8.4	10.0	11.3	1.2	0.9	0.6	0.06	
C61	Prostate	6,109	-	-	-	-	-	-	-	-	4.9	31.9	127.8	311.9	535.8	814.9	977.8	1,036.7	1,011.1	1,031.8	205.0	160.1	107.1	13.09
C62	Testis	158	-	-	-	3.9	10.2	14.5	18.8	9.2	6.1	3.9	3.8	1.5	1.3	1.4	1.5	2.1	3.3	3.8	5.3	5.3	5.0	0.38
C63	Male genital organs, NOS	6	0.6	-	-	-	-	-	-	-	0.4	-	1.0	-	-	0.8	-	-	3.8	0.2	0.2	0.2	0.01	
C64	Kidney	518	4.4	1.2	-	-	-	0.5	-	6.1	6.9	9.0	13.9	26.3	47.3	61.2	67.9	77.8	74.7	26.4	17.4	14.0	10.1	1.22
C65	Renal pelvis	72	-	-	-	-	-	-	-	-	0.4	-	4.6	1.3	6.1	12.2	20.0	16.6	22.6	2.4	1.8	1.1	0.12	
C66	Ureter	39	-	-	-	-	-	-	-	-	0.4	0.4	-	1.5	3.3	3.4	8.4	8.4	8.3	-	1.3	1.0	0.6	0.09
C67	Bladder	979	-	-	-	-	-	-	1.0	0.4	3.2	7.3	17.8	31.0	59.9	87.7	146.6	205.0	270.6	320.1	32.9	24.9	15.8	1.76
C68	Urinary organs, NOS	10	-	-	-	-	-	-	-	-	-	-	-	0.5	0.7	2.7	-	1.1	3.3	3.8	0.3	0.3	0.2	0.02
C69	Eye and adnexa	19	1.3	-	-	-	-	-	-	-	0.9	-	1.0	1.3	2.0	2.3	3.2	3.3	-	0.6	0.5	0.5	0.04	
C70	Meninges	3	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.8	1.1	-	-	0.1	0.1	0.0	0.01
C71	Brain	269	4.4	1.2	1.1	4.5	4.3	1.6	2.5	3.9	10.2	8.2	10.6	11.9	28.6	24.5	19.1	24.2	14.9	-	9.0	8.0	6.7	0.68
C72	Spinal cord, cranial nerves and CNS, NOS	9	-	-	0.5	0.6	-	-	-	-	0.8	0.4	0.5	-	-	0.7	0.8	1.1	-	-	0.3	0.3	0.2	0.02
C73	Thyroid gland	72	-	-	-	1.1	-	0.5	0.5	2.6	2.4	3.9	2.9	7.2	4.0	5.4	3.1	4.2	5.0	7.5	2.4	2.1	1.6	0.17
C74	Adrenal gland	8	1.9	-	-	-	-	-	-	-	0.4	0.9	0.5	-	0.7	-	-	-	-	-	0.3	0.3	0.4	0.02
C75	Endocrine glands, NOS	6	-	-	-	0.6	-	0.5	-	0.4	0.4	-	0.5	-	-	-	-	1.1	-	-	0.2	0.2	0.2	0.01
C81	Hodgkin's disease	107	0.6	0.6	5.5	4.5	8.1	4.8	3.0	3.5	4.1	2.6	1.9	3.6	1.3	4.8	3.8	5.3	3.3	3.8	3.6	3.5	3.5	0.26
C82-C85	Non-Hodgkin-lymphoma	605	1.3	1.2	2.7	3.9	3.2	4.3	5.9	4.8	6.5	13.8	25.0	23.8	43.3	48.3	78.6	84.1	107.9	82.8	20.3	16.6	12.1	1.32
C88	Malignant immunoproliferative diseases	22	-	-	-	-	-	-	-	0.4	0.4	0.4	1.0	2.1	1.3	0.7	-	8.4	1.7	3.8	0.7	0.6	0.4	0.03
C90	Multiple myeloma	223	-	-	-	-	-	-	-	0.4	1.2	4.7	3.8	12.9	12.6	20.4	39.7	40.0	46.5	30.1	7.5	5.7	3.8	0.48
C91	Lymphoid leukaemia	245	7.6	1.2	1.1	0.6	0.5	0.5	1.0	2.6	3.2	3.9	7.7	8.3	22.0	24.5	29.8	38.9	29.9	22.6	8.2	6.9	5.5	0.57
C92	Myeloid leukaemia	182	2.5	1.2	-	2.3	1.1	1.1	3.5	2.2	1.2	4.7	8.6	5.7	13.3	15.0	19.1	20.0	34.9	22.6	6.1	5.2	4.0	0.41
C93	Monocytic leukaemia	8	-	-	-	-	-	-	-	0.9	-	-	-	0.5	0.7	0.7	1.5	-	1.7	-	0.3	0.2	0.2	0.02
C94-C95	Leukaemia other	12	0.6	-	-	-	-	-	-	-	0.4	0.4	0.5	-	0.7	1.4	1.5	1.1	1.7	3.8	0.4	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	1	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.1	0.00
C76	Other and ill-defined sites	13	1.3	-	-	-	-	-	-	0.4	-	0.4	1.0	0.5	-	2.7	-	1.1	-	3.8	0.4	0.4	0.4	0.03
C80	Unknown primary site	350	-	-	-	-	-	-	1.5	0.9	1.6	7.3	11.5	15.5	22.6	34.0	48.1	61.0	76.4	71.5	11.7	9.2	6.1	0.71
MPD	Myeloproliferative Disorders	118	-	-	-	0.6	-	0.5	0.5	0.9	1.6	4.3	3.8	7.7	4.7	6.8	13.7	18.9	28.2	22.6	4.0	3.1	2.1	0.23
MDS	Myelodysplastic syndromes	142	-	0.6	0.5	-	0.5	-	1.0	1.3	1.2	1.3	0.5	2.1	8.7	12.9	15.3	27.3	44.8	67.8	4.8	3.7	2.4	0.23
Total		20,503	27.8	8.4	16.9	27.6	38.2	46.8	59.8	87.7	138.9	253.8	550.4	981.8	1,596.8	2,166.4	2,909.1	3,444.3	3,690.6	3,814.6	688.1	544.8	373.2	35.95
Total excl. non-melanoma		19,442	27.8	7.8	16.9	27.6	37.7	46.3	58.3	84.2	135.3	247.8	539.3	960.6	1,544.9	2,083.4	2,776.3	3,183.6	3,335.3	3,347.6	652.5	518.3	356.8	34.93
Total excl. non-melanoma and MDS-MPD		19,182	27.8	7.2	16.4	27.1	37.2	45.7	56.8	82.0	132.4	242.2	535.0	950.8	1,531.6	2,063.7	2,747.3	3,137.3	3,262.3	3,257.3	643.7	511.5	352.3	34.63

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Flemish Region: Females, number of invasive tumours by primary site and age group in 2005

Flemish Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	14	-	-	-	-	-	-	-	-	-	-	1	2	-	4	1	-	2	4
C01	Base of tongue	8	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	1	-
C02	Tongue	39	-	-	-	-	-	-	-	1	2	3	5	10	3	4	6	2	-	3
C03	Gum	8	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	1	-
C04	Floor of mouth	29	-	-	-	-	-	-	-	-	1	4	3	2	7	3	3	4	1	1
C05	Palate	17	-	-	-	-	1	-	-	1	-	-	3	-	5	1	2	2	1	1
C06	Mouth, NOS	30	-	-	-	-	-	-	-	-	-	1	4	4	3	2	3	6	2	5
C07	Parotid gland	24	-	-	-	-	-	1	1	1	2	1	-	3	1	1	7	2	2	2
C08	Salivary glands, NOS	20	-	-	-	-	1	-	2	-	1	1	2	2	5	-	2	3	-	1
C09	Tonsil	21	-	-	-	-	-	-	-	-	-	3	4	1	4	2	3	1	3	-
C10	Oropharynx	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
C11	Nasopharynx	5	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	-	-	-
C12	Pyrimiform sinus	7	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	1	-	-
C13	Hypopharynx	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-
C14	Lip, oral cavity and pharynx, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	127	-	-	-	-	-	-	-	-	2	3	7	12	17	15	21	17	21	12
C16	Stomach	335	-	-	-	-	-	1	-	2	2	10	16	17	21	32	46	65	56	67
C17	Small intestine	48	-	-	-	-	-	1	-	1	1	3	5	3	3	3	7	9	10	2
C18	Colon	1,392	-	-	1	3	1	3	8	4	25	37	45	79	103	168	240	244	239	192
C19	Rectosigmoid junction	110	-	-	-	-	-	-	1	-	1	6	6	9	8	17	16	15	17	14
C20	Rectum	496	-	-	-	-	-	1	2	3	11	18	35	47	46	66	72	78	65	52
C21	Anus and anal canal	37	-	-	-	-	-	-	-	3	2	1	3	6	2	4	3	3	3	7
C22	Liver and intrahepatic bile ducts	89	-	-	-	-	1	1	1	-	2	2	3	11	9	13	14	14	11	7
C23	Gallbladder	45	-	-	-	-	-	-	-	-	1	-	2	2	1	8	9	8	9	5
C24	Biliary tract, NOS	62	-	-	-	-	-	-	-	1	-	2	2	2	6	9	12	14	8	6
C25	Pancreas	309	-	-	1	1	-	-	3	-	6	9	15	25	28	46	58	57	38	22
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1
C30	Nasal cavity and middle ear	13	-	-	-	-	1	-	-	2	-	-	-	-	4	1	3	2	-	-
C31	Accessory sinuses	12	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	3	2
C32	Larynx	35	-	-	-	-	-	-	-	3	1	-	6	8	3	1	5	5	3	-
C33	Trachea	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
C34	Bronchus and lung	855	-	-	-	-	1	1	2	7	21	54	100	95	97	121	120	130	81	25
C37	Thymus	5	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
C38	Heart, mediastinum and pleura	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	29	-	-	8	1	1	2	2	2	4	4	-	3	-	1	-	1	-	-
C41	Bone and articular cartilage, NOS	22	-	2	2	-	1	-	-	-	1	-	2	-	-	3	5	5	1	-
C43	Malignant melanoma of skin	553	2	1	1	2	17	19	33	55	46	53	46	40	47	48	48	40	37	18
C44	Malignant neoplasms of skin	722	-	-	3	-	2	1	3	3	6	16	17	25	40	76	95	115	151	169
C45	Mesothelioma	35	-	-	-	2	-	-	-	-	-	1	1	4	3	6	11	5	2	-

Flemish Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
C47,C49	Soft tissues	114	3	1	1	2	3	5	4	11	9	14	9	10	7	7	6	12	8	2
C48	Retroperitoneum and peritoneum	25	-	-	-	1	-	2	-	-	2	2	2	2	3	1	3	4	1	2
C50	Breast	5,524	-	-	-	-	3	26	80	165	382	632	699	673	589	633	530	504	390	218
C51	Vulva	100	-	-	-	-	-	-	2	1	4	5	4	11	6	10	13	15	17	12
C52	Vagina	26	-	-	-	-	-	-	-	-	1	3	1	-	4	3	4	4	1	5
C53	Cervix uteri	407	-	-	-	-	4	9	34	45	61	53	42	45	24	28	24	14	13	11
C54	Corpus uteri	828	-	-	-	-	-	1	2	2	14	20	59	95	109	157	121	130	90	28
C55	Uterus	31	-	-	-	-	-	-	-	1	3	2	1	3	3	4	5	6	3	-
C56	Ovary	563	-	-	2	2	3	4	9	16	21	45	53	60	34	69	68	87	52	38
C57	Female genital organs, NOS	19	-	-	-	-	-	-	-	-	2	1	2	2	1	2	1	5	2	1
C58	Placenta	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	333	2	2	-	-	-	-	-	8	5	17	22	32	34	48	56	50	44	13
C65	Renal pelvis	43	-	-	-	-	-	-	-	-	1	-	1	1	4	7	8	12	7	2
C66	Ureter	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	-
C67	Bladder	268	-	-	-	-	-	-	1	-	-	5	13	8	19	37	48	41	58	38
C68	Urinary organs, NOS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1
C69	Eye and adnexa	21	2	-	-	-	-	-	1	-	1	2	2	2	1	2	4	3	-	1
C70	Meninges	8	-	-	-	-	-	-	-	1	1	1	1	1	-	1	2	-	-	-
C71	Brain	165	3	3	2	4	-	6	7	6	11	11	10	15	18	22	22	13	11	1
C72	Spinal cord, cranial nerves and CNS, NOS	6	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
C73	Thyroid gland	229	-	-	-	2	7	14	9	22	30	27	24	18	13	12	21	8	16	6
C74	Adrenal gland	8	3	1	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-
C75	Endocrine glands, NOS	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
C81	Hodgkin's disease	77	-	-	2	11	13	9	4	6	3	6	5	3	2	3	2	5	3	-
C82-C85	Non-Hodgkin-lymphoma	480	-	-	-	3	5	2	9	6	15	18	29	36	46	61	82	82	55	31
C88	Malignant immunoproliferative diseases	18	-	-	-	-	-	-	-	-	2	-	1	1	3	2	1	1	2	5
C90	Multiple myeloma	190	-	-	-	-	-	-	-	2	-	4	11	22	14	29	31	33	26	18
C91	Lymphoid leukaemia	179	7	2	6	4	-	2	1	3	2	13	5	9	15	27	30	25	16	12
C92	Myeloid leukaemia	155	1	1	-	2	2	3	5	10	8	12	8	11	10	16	18	20	13	15
C93	Monocytic leukaemia	6	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-
C94-C95	Leukaemia other	12	1	-	-	-	-	-	1	2	-	-	-	1	3	1	-	1	1	1
C96	Lymphoid, haematopoietic and related tissue, NOS	5	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-
C76	Other and ill-defined sites	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
C80	Unknown primary site	285	-	-	-	-	-	1	1	1	3	7	16	14	25	35	49	47	51	35
MPD	Myeloproliferative Disorders	113	-	-	-	1	1	1	-	4	5	9	8	9	9	4	21	18	18	5
MDS	Myelodysplastic syndromes	130	-	-	-	-	-	-	3	2	3	3	2	4	7	11	25	29	23	18
Total		15,966	29	13	30	41	70	118	234	406	729	1,146	1,374	1,513	1,481	1,895	2,018	2,027	1,700	1,142
Total excl. non-melanoma		15,244	29	13	27	41	68	117	231	403	723	1,130	1,357	1,488	1,441	1,819	1,923	1,912	1,549	973
Total excl. non-melanoma and MDS-MPD		15,001	29	13	27	40	67	116	228	397	715	1,118	1,347	1,475	1,425	1,804	1,877	1,865	1,508	950

Flemish Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Flemish Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	14	-	-	-	-	-	-	-	-	-	-	0.5	1.1	-	2.5	0.6	-	2.0	5.9	0.5	0.3	0.2	0.02
C01	Base of tongue	8	-	-	-	-	-	-	-	-	-	-	1.0	0.5	1.3	0.6	0.6	-	1.0	-	0.3	0.2	0.2	0.02
C02	Tongue	39	-	-	-	-	-	-	-	0.5	0.8	1.3	2.5	5.3	2.0	2.5	3.8	1.5	-	4.4	1.3	1.1	0.8	0.09
C03	Gum	8	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.7	1.9	0.6	-	1.0	-	0.3	0.2	0.2	0.02
C04	Floor of mouth	29	-	-	-	-	-	-	-	-	0.4	1.8	1.5	1.1	4.6	1.9	1.9	3.1	1.0	1.5	0.9	0.8	0.6	0.07
C05	Palate	17	-	-	-	-	0.6	-	-	0.5	-	-	1.5	-	3.3	0.6	1.3	1.5	1.0	1.5	0.6	0.5	0.3	0.04
C06	Mouth, NOS	30	-	-	-	-	-	-	-	-	-	0.4	2.0	2.1	2.0	1.3	1.9	4.6	2.0	7.4	1.0	0.7	0.5	0.05
C07	Parotid gland	24	-	-	-	-	-	0.6	0.5	0.5	0.8	0.4	-	1.6	0.7	0.6	4.5	1.5	2.0	2.9	0.8	0.6	0.4	0.05
C08	Salivary glands, NOS	20	-	-	-	-	0.6	-	1.0	-	0.4	0.4	1.0	1.1	3.3	-	1.3	2.3	-	1.5	0.7	0.6	0.4	0.05
C09	Tonsil	21	-	-	-	-	-	-	-	-	-	1.3	2.0	0.5	2.6	1.3	1.9	0.8	3.0	-	0.7	0.5	0.4	0.05
C10	Oropharynx	3	-	-	-	-	-	-	-	-	-	-	0.5	0.5	-	-	0.6	-	-	-	0.1	0.1	0.1	0.01
C11	Nasopharynx	5	-	-	-	-	-	-	0.5	0.5	-	-	0.5	-	-	-	1.3	-	-	-	0.2	0.1	0.1	0.01
C12	Pyramidal sinus	7	-	-	-	-	-	-	-	-	-	0.4	1.0	1.1	0.7	-	-	0.8	-	-	0.2	0.2	0.2	0.02
C13	Hypopharynx	5	-	-	-	-	-	-	-	-	-	-	-	0.5	0.7	-	-	0.8	2.0	-	0.2	0.1	0.1	0.01
C14	Lip, oral cavity and pharynx, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	127	-	-	-	-	-	-	-	-	0.8	1.3	3.5	6.3	11.1	9.4	13.5	13.0	21.0	17.7	4.1	2.8	1.9	0.23
C16	Stomach	335	-	-	-	-	-	0.6	-	0.9	0.8	4.4	7.9	8.9	13.7	20.1	29.5	49.7	56.0	98.6	10.9	6.5	4.2	0.43
C17	Small intestine	48	-	-	-	-	-	0.6	-	0.5	0.4	1.3	2.5	1.6	2.0	1.9	4.5	6.9	10.0	2.9	1.6	1.0	0.7	0.08
C18	Colon	1,392	-	-	0.6	1.8	0.6	1.7	4.0	1.8	10.5	16.4	22.3	41.6	67.1	105.4	153.8	186.7	239.1	282.5	45.4	27.8	18.5	2.11
C19	Rectosigmoid junction	110	-	-	-	-	-	-	0.5	-	0.4	2.7	3.0	4.7	5.2	10.7	10.3	11.5	17.0	20.6	3.6	2.3	1.6	0.19
C20	Rectum	496	-	-	-	-	-	0.6	1.0	1.4	4.6	8.0	17.3	24.7	30.0	41.4	46.2	59.7	65.0	76.5	16.2	10.9	7.5	0.87
C21	Anus and anal canal	37	-	-	-	-	-	-	-	1.4	0.8	0.4	1.5	3.2	1.3	2.5	1.9	2.3	3.0	10.3	1.2	0.9	0.6	0.07
C22	Liver and intrahepatic bile ducts	89	-	-	-	-	0.6	0.6	0.5	-	0.8	0.9	1.5	5.8	5.9	8.2	9.0	10.7	11.0	10.3	2.9	2.0	1.4	0.17
C23	Gallbladder	45	-	-	-	-	-	-	-	-	0.4	-	1.0	1.1	0.7	5.0	5.8	6.1	9.0	7.4	1.5	0.9	0.6	0.07
C24	Biliary tract, NOS	62	-	-	-	-	-	-	-	0.5	-	0.9	1.0	1.1	3.9	5.6	7.7	10.7	8.0	8.8	2.0	1.3	0.8	0.10
C25	Pancreas	309	-	-	0.6	0.6	-	-	1.5	-	2.5	4.0	7.4	13.2	18.3	28.9	37.2	43.6	38.0	32.4	10.1	6.7	4.6	0.57
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.8	-	1.5	0.1	0.0	0.0	0.00
C30	Nasal cavity and middle ear	13	-	-	-	-	0.6	-	-	0.9	-	-	-	-	2.6	0.6	1.9	1.5	-	-	0.4	0.3	0.3	0.03
C31	Accessory sinuses	12	-	-	-	-	-	-	0.5	-	0.4	-	0.5	1.1	1.3	-	-	-	3.0	2.9	0.4	0.3	0.2	0.02
C32	Larynx	35	-	-	-	-	-	-	-	1.4	0.4	-	3.0	4.2	2.0	0.6	3.2	3.8	3.0	-	1.1	0.9	0.6	0.07
C33	Trachea	3	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	1.0	1.5	0.1	0.1	0.0	0.00
C34	Bronchus and lung	855	-	-	-	-	0.6	0.6	1.0	3.2	8.8	23.9	49.5	50.0	63.2	75.9	76.9	99.5	81.0	36.8	27.9	20.8	14.7	1.75
C37	Thymus	5	-	-	-	-	-	-	-	-	-	-	0.5	1.1	0.7	0.6	-	-	-	-	0.2	0.2	0.1	0.01
C38	Heart, mediastinum and pleura	4	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.6	-	1.0	1.5	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	29	-	-	4.6	0.6	0.6	1.1	1.0	0.9	1.7	1.8	-	1.6	-	0.6	-	0.8	-	-	0.9	1.0	1.0	0.07
C41	Bone and articular cartilage, NOS	22	-	1.2	1.1	-	0.6	-	-	-	0.4	-	1.0	-	-	1.9	3.2	3.8	1.0	-	0.7	0.6	0.5	0.05
C43	Malignant melanoma of skin	553	1.3	0.6	0.6	1.2	9.4	10.5	16.6	24.8	19.2	23.5	22.8	21.0	30.6	30.1	30.8	30.6	37.0	26.5	18.1	15.3	12.4	1.21
C44	Malignant neoplasms of skin	722	-	-	1.7	-	1.1	0.6	1.5	1.4	2.5	7.1	8.4	13.2	26.1	47.7	60.9	88.0	151.1	248.7	23.6	13.3	8.6	0.86
C45	Mesothelioma	35	-	-	-	1.2	-	-	-	-	-	0.4	0.5	2.1	2.0	3.8	7.1	3.8	2.0	-	1.1	0.8	0.6	0.08

Flemish Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	2	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.1	0.0	0.0	0.00
C47,C49	Soft tissues	114	2.0	0.6	0.6	1.2	1.7	2.8	2.0	5.0	3.8	6.2	4.5	5.3	4.6	4.4	3.8	9.2	8.0	2.9	3.7	3.3	2.8	0.24
C48	Retroperitoneum and peritoneum	25	-	-	-	0.6	-	1.1	-	-	0.8	0.9	1.0	1.1	2.0	0.6	1.9	3.1	1.0	2.9	0.8	0.7	0.5	0.05
C50	Breast	5,524	-	-	-	-	1.7	14.3	40.3	74.3	159.7	280.2	345.8	354.1	383.9	397.2	339.7	385.7	390.2	320.8	180.3	145.5	107.5	11.27
C51	Vulva	100	-	-	-	-	-	-	1.0	0.5	1.7	2.2	2.0	5.8	3.9	6.3	8.3	11.5	17.0	17.7	3.3	2.1	1.5	0.16
C52	Vagina	26	-	-	-	-	-	-	-	-	0.4	1.3	0.5	-	2.6	1.9	2.6	3.1	1.0	7.4	0.8	0.6	0.4	0.05
C53	Cervix uteri	407	-	-	-	-	2.2	5.0	17.1	20.3	25.5	23.5	20.8	23.7	15.6	17.6	15.4	10.7	13.0	16.2	13.3	11.9	9.5	0.93
C54	Corpus uteri	828	-	-	-	-	-	0.6	1.0	0.9	5.9	8.9	29.2	50.0	71.0	98.5	77.6	99.5	90.0	41.2	27.0	19.4	13.5	1.70
C55	Uterus	31	-	-	-	-	-	-	-	0.5	1.3	0.9	0.5	1.6	2.0	2.5	3.2	4.6	3.0	-	1.0	0.7	0.5	0.06
C56	Ovary	563	-	-	1.1	1.2	1.7	2.2	4.5	7.2	8.8	20.0	26.2	31.6	22.2	43.3	43.6	66.6	52.0	55.9	18.4	13.6	9.8	1.06
C57	Female genital organs, NOS	19	-	-	-	-	-	-	-	-	0.8	0.4	1.0	1.1	0.7	1.3	0.6	3.8	2.0	1.5	0.6	0.4	0.3	0.03
C58	Placenta	1	-	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C64	Kidney	333	1.3	1.2	-	-	-	-	-	3.6	2.1	7.5	10.9	16.8	22.2	30.1	35.9	38.3	44.0	19.1	10.9	7.7	5.5	0.66
C65	Renal pelvis	43	-	-	-	-	-	-	-	-	0.4	-	0.5	0.5	2.6	4.4	5.1	9.2	7.0	2.9	1.4	0.8	0.6	0.07
C66	Ureter	12	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.6	1.3	3.1	4.0	-	0.4	0.2	0.1	0.01
C67	Bladder	268	-	-	-	-	-	-	0.5	-	-	2.2	6.4	4.2	12.4	23.2	30.8	31.4	58.0	55.9	8.7	5.1	3.3	0.40
C68	Urinary organs, NOS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.6	0.8	-	1.5	0.2	0.1	0.1	0.01
C69	Eye and adnexa	21	1.3	-	-	-	-	-	0.5	-	0.4	0.9	1.0	1.1	0.7	1.3	2.6	2.3	-	1.5	0.7	0.6	0.5	0.05
C70	Meninges	8	-	-	-	-	-	-	-	0.5	0.4	0.4	0.5	0.5	-	0.6	1.3	-	-	-	0.3	0.2	0.2	0.02
C71	Brain	165	2.0	1.9	1.1	2.4	-	3.3	3.5	2.7	4.6	4.9	4.9	7.9	11.7	13.8	14.1	9.9	11.0	1.5	5.4	4.6	3.8	0.39
C72	Spinal cord, cranial nerves and CNS, NOS	6	1.3	-	0.6	-	-	-	0.5	-	-	-	-	0.5	-	-	-	0.8	-	-	0.2	0.2	0.3	0.01
C73	Thyroid gland	229	-	-	-	1.2	3.9	7.7	4.5	9.9	12.5	12.0	11.9	9.5	8.5	7.5	13.5	6.1	16.0	8.8	7.5	6.5	5.4	0.51
C74	Adrenal gland	8	2.0	0.6	-	-	-	0.6	-	-	0.4	-	0.5	-	-	-	0.6	-	-	-	0.3	0.3	0.4	0.02
C75	Endocrine glands, NOS	2	-	-	-	-	-	-	-	-	-	-	0.5	0.5	-	-	-	-	-	-	0.1	0.1	0.0	0.01
C81	Hodgkin's disease	77	-	-	1.1	6.5	7.2	5.0	2.0	2.7	1.3	2.7	2.5	1.6	1.3	1.9	1.3	3.8	3.0	-	2.5	2.5	2.6	0.18
C82-C85	Non-Hodgkin-lymphoma	480	-	-	-	1.8	2.8	1.1	4.5	2.7	6.3	8.0	14.3	18.9	30.0	38.3	52.6	62.7	55.0	45.6	15.7	10.9	7.8	0.90
C88	Malignant immunoproliferative diseases	18	-	-	-	-	-	-	-	-	0.8	-	0.5	0.5	2.0	1.3	0.6	0.8	2.0	7.4	0.6	0.4	0.3	0.03
C90	Multiple myeloma	190	-	-	-	-	-	-	-	0.9	-	1.8	5.4	11.6	9.1	18.2	19.9	25.3	26.0	26.5	6.2	4.1	2.7	0.33
C91	Lymphoid leukaemia	179	4.6	1.2	3.4	2.4	-	1.1	0.5	1.4	0.8	5.8	2.5	4.7	9.8	16.9	19.2	19.1	16.0	17.7	5.8	4.5	3.8	0.37
C92	Myeloid leukaemia	155	0.7	0.6	-	1.2	1.1	1.7	2.5	4.5	3.3	5.3	4.0	5.8	6.5	10.0	11.5	15.3	13.0	22.1	5.1	3.8	3.0	0.29
C93	Monocytic leukaemia	6	-	-	-	-	-	-	-	0.5	-	-	-	0.5	0.7	-	-	1.5	1.0	-	0.2	0.1	0.1	0.01
C94-C95	Leukaemia other	12	0.7	-	-	-	-	-	0.5	0.9	-	-	-	0.5	2.0	0.6	-	0.8	1.0	1.5	0.4	0.3	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	5	0.7	-	-	-	0.6	-	-	-	-	-	-	-	1.3	-	-	-	1.0	-	0.2	0.2	0.2	0.01
C76	Other and ill-defined sites	5	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.4	0.2	0.2	0.2	0.01
C80	Unknown primary site	285	-	-	-	-	-	0.6	0.5	0.5	1.3	3.1	7.9	7.4	16.3	22.0	31.4	36.0	51.0	51.5	9.3	5.8	3.9	0.45
MPD	Myeloproliferative Disorders	113	-	-	-	0.6	0.6	0.6	-	1.8	2.1	4.0	4.0	4.7	5.9	2.5	13.5	13.8	18.0	7.4	3.7	2.6	1.8	0.20
MDS	Myelodysplastic syndromes	130	-	-	-	-	-	-	1.5	0.9	1.3	1.3	1.0	2.1	4.6	6.9	16.0	22.2	23.0	26.5	4.2	2.5	1.6	0.18
Total		15,966	19.2	8.1	17.1	24.2	38.8	65.0	117.8	182.8	304.7	508.1	679.8	796.2	965.4	1,189.1	1,293.6	1,551.1	1,700.9	1,680.3	521.2	385.0	280.4	26.69
Total excl. non-melanoma		15,244	19.2	8.1	15.4	24.2	37.7	64.5	116.3	181.4	302.2	501.0	671.4	783.0	939.3	1,141.4	1,232.7	1,463.1	1,549.8	1,431.6	497.6	371.8	271.8	26.06
Total excl. non-melanoma and MDS-MPD		15,001	19.2	8.1	15.4	23.6	37.1	63.9	114.8	178.7	298.9	495.7	666.4	776.2	928.9	1,132.0	1,203.2	1,427.1	1,508.8	1,397.8	489.7	366.7	268.3	25.78

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Males, number of invasive tumours by primary site and age group in 2005

Brussels Capital Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	8	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-	-	-
C02	Tongue	16	-	-	-	-	-	-	-	1	-	1	8	-	-	1	2	1	-	2
C03	Gum	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
C04	Floor of mouth	5	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-
C05	Palate	5	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-
C06	Mouth, NOS	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-
C07	Parotid gland	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
C09	Tonsil	18	-	-	-	-	-	-	1	-	-	-	4	4	3	-	3	-	2	1
C10	Oropharynx	12	-	-	-	-	-	-	-	2	-	1	3	2	-	1	1	2	-	-
C11	Nasopharynx	8	-	-	-	-	1	-	1	1	1	2	1	-	-	1	-	-	-	-
C12	Pyrimiform sinus	15	-	-	-	-	-	-	-	-	-	-	3	3	5	1	2	1	-	-
C13	Hypopharynx	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
C15	Oesophagus	48	-	-	-	-	-	1	-	-	1	1	5	6	7	7	8	6	4	2
C16	Stomach	66	-	-	-	-	-	-	5	2	3	1	3	3	6	6	7	13	11	6
C17	Small intestine	11	-	-	-	-	-	-	-	-	-	2	2	1	-	-	2	1	2	1
C18	Colon	238	-	-	-	1	-	1	3	3	2	6	11	23	23	30	51	31	39	14
C19	Rectosigmoid junction	18	-	-	-	-	-	-	-	-	-	1	1	2	4	4	3	2	-	1
C20	Rectum	70	-	-	-	-	-	-	-	1	2	2	8	5	2	13	10	10	14	3
C21	Anus and anal canal	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	1
C22	Liver and intrahepatic bile ducts	28	-	-	-	-	-	1	1	-	-	1	1	3	3	3	8	2	5	-
C23	Gallbladder	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
C24	Biliary tract, NOS	9	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	2	1	1
C25	Pancreas	34	-	-	-	-	-	-	-	-	-	2	-	3	2	6	7	12	2	-
C26	Other ill-defined digestive organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
C30	Nasal cavity and middle ear	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C31	Accessory sinuses	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1
C32	Larynx	51	-	-	-	-	-	-	-	-	1	6	1	11	12	5	7	6	2	-
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C34	Bronchus and lung	395	-	-	-	-	-	-	2	3	9	17	30	49	65	63	62	47	38	10
C37	Thymus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
C38	Heart, mediastinum and pleura	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
C41	Bone and articular cartilage, NOS	5	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
C43	Malignant melanoma of skin	64	-	-	1	-	-	-	2	5	5	-	5	4	3	7	9	14	7	2
C44	Malignant neoplasms of skin	164	-	-	1	-	1	-	4	-	2	2	7	5	5	20	21	27	43	26
C45	Mesothelioma	10	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	4	1	-

Brussels Capital Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	10	-	-	-	-	-	-	2	3	-	-	2	2	1	-	-	-	-	-
C47,C49	Soft tissues	28	2	-	-	1	1	-	-	4	2	2	3	4	-	-	3	3	1	2
C48	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C50	Breast	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	2
C60	Penis	12	-	-	-	-	1	-	-	1	1	1	-	-	1	1	1	3	-	2
C61	Prostate	669	-	-	-	-	-	-	-	-	2	7	27	67	57	121	126	119	94	49
C62	Testis	27	-	-	-	1	3	3	6	5	1	1	2	2	-	1	2	-	-	-
C63	Male genital organs, NOS	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C64	Kidney	66	-	-	-	-	-	-	-	-	5	4	3	9	7	11	10	8	6	3
C65	Renal pelvis	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	1	-
C66	Ureter	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-
C67	Bladder	145	-	-	-	-	-	1	-	-	2	1	5	6	12	16	20	34	33	15
C68	Urinary organs, NOS	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-
C69	Eye and adnexa	5	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-
C70	Meninges	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C71	Brain	39	-	-	1	1	1	3	2	3	4	3	1	4	4	4	5	1	2	-
C72	Spinal cord, cranial nerves and CNS, NOS	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
C73	Thyroid gland	17	-	-	-	-	-	-	1	2	1	2	5	4	1	1	-	-	-	-
C74	Adrenal gland	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	20	-	1	1	1	1	3	4	1	2	2	-	1	1	-	-	2	-	-
C82-C85	Non-Hodgkin-lymphoma	97	-	1	-	-	3	4	7	4	3	2	5	10	4	12	17	12	9	4
C88	Malignant immunoproliferative diseases	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
C90	Multiple myeloma	39	-	-	-	-	-	-	-	-	1	3	-	3	5	8	3	10	3	3
C91	Lymphoid leukaemia	46	7	3	-	2	1	1	-	-	1	3	2	4	7	3	3	4	3	2
C92	Myeloid leukaemia	24	1	-	-	1	-	4	-	1	1	1	-	3	2	2	4	1	2	1
C93	Monocytic leukaemia	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
C94-C95	Leukaemia other	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C80	Unknown primary site	68	-	-	-	-	-	1	2	-	1	2	11	10	3	8	4	14	7	5
MPD	Myeloproliferative Disorders	6	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-	-
MDS	Myelodysplastic syndromes	15	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	3	2
Total		2,715	12	6	4	11	13	24	44	47	62	89	165	268	266	368	427	407	341	161
Total excl. non-melanoma		2,551	12	6	3	11	12	24	40	47	60	87	158	263	261	348	406	380	298	135
Total excl. non-melanoma and MDS-MPD		2,530	12	6	3	11	12	24	40	46	60	87	158	262	259	344	401	377	295	133

Brussels Capital Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Brussels Capital Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	8	-	-	-	-	-	-	-	-	2.7	3.1	3.5	3.9	15.3	5.8	-	-	-	-	1.7	1.9	1.5	0.17
C02	Tongue	16	-	-	-	-	-	-	-	2.4	-	3.1	28.1	-	-	5.8	12.9	7.9	-	43.5	3.3	3.6	2.5	0.26
C03	Gum	4	-	-	-	-	-	-	-	-	-	-	-	3.9	5.1	5.8	6.5	-	-	-	0.8	0.9	0.7	0.11
C04	Floor of mouth	5	-	-	-	-	-	-	-	-	5.4	3.1	-	-	-	5.8	-	-	10.7	-	1.0	0.9	0.7	0.07
C05	Palate	5	-	-	-	-	-	-	-	-	-	3.1	-	3.9	10.2	-	-	7.9	-	-	1.0	1.1	0.8	0.09
C06	Mouth, NOS	5	-	-	-	-	-	-	-	2.4	-	-	-	3.9	5.1	-	-	7.9	10.7	-	1.0	0.9	0.6	0.06
C07	Parotid gland	3	-	-	-	-	-	-	-	-	-	-	-	3.9	-	5.8	6.5	-	-	-	0.6	0.7	0.5	0.08
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	2.7	-	-	3.9	-	-	6.5	-	-	-	0.6	0.6	0.4	0.07
C09	Tonsil	18	-	-	-	-	-	-	2.2	-	-	-	14.0	15.6	15.3	-	19.4	-	21.4	21.7	3.7	3.9	2.7	0.33
C10	Oropharynx	12	-	-	-	-	-	-	-	4.8	-	3.1	10.5	7.8	-	5.8	6.5	15.9	-	-	2.5	2.5	1.8	0.19
C11	Nasopharynx	8	-	-	-	-	3.1	-	2.2	2.4	2.7	6.3	3.5	-	-	5.8	-	-	-	-	1.7	1.7	1.4	0.13
C12	Pyrimiform sinus	15	-	-	-	-	-	-	-	-	-	-	10.5	11.7	25.4	5.8	12.9	7.9	-	-	3.1	3.5	2.5	0.33
C13	Hypopharynx	4	-	-	-	-	-	-	-	-	-	6.3	-	3.9	-	-	6.5	-	-	-	0.8	0.9	0.7	0.08
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	3.5	3.9	-	-	-	-	-	-	0.4	0.5	0.3	0.04
C15	Oesophagus	48	-	-	-	-	-	2.4	-	-	2.7	3.1	17.5	23.4	35.6	40.7	51.7	47.6	42.7	43.5	9.9	10.0	6.9	0.88
C16	Stomach	66	-	-	-	-	-	-	11.2	4.8	8.2	3.1	10.5	11.7	30.5	34.8	45.3	103.2	117.5	130.4	13.6	12.2	8.1	0.80
C17	Small intestine	11	-	-	-	-	-	-	-	-	-	6.3	7.0	3.9	-	-	12.9	7.9	21.4	21.7	2.3	2.1	1.4	0.15
C18	Colon	238	-	-	-	3.6	-	2.4	6.7	7.3	5.4	18.9	38.6	89.9	117.0	174.2	329.8	246.0	416.4	304.3	49.2	46.0	30.9	3.89
C19	Rectosigmoid junction	18	-	-	-	-	-	-	-	-	-	3.1	3.5	7.8	20.4	23.2	19.4	15.9	-	21.7	3.7	4.0	2.8	0.39
C20	Rectum	70	-	-	-	-	-	-	-	2.4	5.4	6.3	28.1	19.5	10.2	75.5	64.7	79.4	149.5	65.2	14.5	13.3	8.9	1.05
C21	Anus and anal canal	6	-	-	-	-	-	-	-	2.4	-	3.1	-	-	-	-	15.9	10.7	21.7	-	1.2	1.0	0.7	0.03
C22	Liver and intrahepatic bile ducts	28	-	-	-	-	-	2.4	2.2	-	-	3.1	3.5	11.7	15.3	17.4	51.7	15.9	53.4	-	5.8	5.4	3.8	0.54
C23	Gallbladder	2	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	6.5	-	-	-	0.4	0.4	0.3	0.06
C24	Biliary tract, NOS	9	-	-	-	-	-	-	-	-	2.7	-	-	3.9	5.1	-	12.9	15.9	10.7	21.7	1.9	1.7	1.1	0.12
C25	Pancreas	34	-	-	-	-	-	-	-	-	-	6.3	-	11.7	10.2	34.8	45.3	95.2	21.4	-	7.0	6.5	4.3	0.54
C26	Other ill-defined digestive organs	1	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	-	-	0.2	0.2	0.2	0.02
C30	Nasal cavity and middle ear	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C31	Accessory sinuses	3	-	-	-	-	-	-	-	-	-	3.1	-	-	-	-	-	7.9	-	21.7	0.6	0.6	0.4	0.02
C32	Larynx	51	-	-	-	-	-	-	-	-	2.7	18.9	3.5	43.0	61.1	29.0	45.3	47.6	21.4	-	10.5	11.1	8.0	1.01
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	-	-	0.2	0.3	0.2	0.03
C34	Bronchus and lung	395	-	-	-	-	-	-	4.5	7.3	24.5	53.4	105.3	191.5	330.7	365.9	400.9	373.0	405.8	217.3	81.7	82.0	57.4	7.15
C37	Thymus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	7.9	-	-	0.4	0.4	0.2	0.03
C38	Heart, mediastinum and pleura	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	-	0.2	0.2	0.1	0.03
C39	Respiratory system and intrathoracic organs, NOS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	-	-	-	7.2	-	-	-	-	2.7	3.1	-	-	-	-	-	-	-	-	0.8	0.9	1.0	0.07
C41	Bone and articular cartilage, NOS	5	2.8	-	-	-	-	2.4	-	2.4	5.4	-	-	-	-	-	-	-	-	-	1.0	0.9	1.0	0.07
C43	Malignant melanoma of skin	64	-	-	3.5	-	-	-	4.5	12.1	13.6	-	17.5	15.6	15.3	40.7	58.2	111.1	74.7	43.5	13.2	12.1	8.3	0.90
C44	Malignant neoplasms of skin	164	-	-	3.5	-	3.1	-	8.9	-	5.4	6.3	24.6	19.5	25.4	116.1	135.8	214.3	459.2	565.1	33.9	29.3	18.3	1.73
C45	Mesothelioma	10	-	-	-	-	-	-	-	-	-	-	-	-	20.4	-	6.5	31.7	10.7	-	2.1	2.0	1.3	0.13

Brussels Capital Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	10	-	-	-	-	-	-	4.5	7.3	-	-	7.0	7.8	5.1	-	-	-	-	-	2.1	2.0	1.6	0.16
C47,C49	Soft tissues	28	5.7	-	-	3.6	3.1	-	-	9.7	5.4	6.3	10.5	15.6	-	-	19.4	23.8	10.7	43.5	5.8	5.7	4.6	0.40
C48	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5.8	-	-	-	-	0.2	0.2	0.2	0.03
C50	Breast	9	-	-	-	-	-	-	-	-	-	-	-	-	-	11.6	19.4	7.9	10.7	43.5	1.9	1.7	1.1	0.15
C60	Penis	12	-	-	-	-	3.1	-	-	2.4	2.7	3.1	-	-	5.1	5.8	6.5	23.8	-	43.5	2.5	2.4	1.7	0.14
C61	Prostate	669	-	-	-	-	-	-	-	5.4	22.0	94.7	261.8	290.0	702.7	814.7	944.4	1,003.7	1,065.0	138.3	130.9	85.6	10.38	
C62	Testis	27	-	-	-	3.6	9.4	7.2	13.4	12.1	2.7	3.1	7.0	7.8	-	5.8	12.9	-	-	-	5.6	5.2	4.6	0.42
C63	Male genital organs, NOS	2	-	-	-	3.6	-	-	-	-	-	-	-	-	-	-	6.5	-	-	-	0.4	0.4	0.5	0.05
C64	Kidney	66	-	-	-	-	-	-	-	-	13.6	12.6	10.5	35.2	35.6	63.9	64.7	63.5	64.1	65.2	13.6	13.5	9.4	1.17
C65	Renal pelvis	8	-	-	-	-	-	-	-	-	-	-	-	3.9	10.2	-	25.9	-	10.7	-	1.7	1.6	1.1	0.20
C66	Ureter	5	-	-	-	-	-	-	-	-	-	-	3.5	3.9	-	-	6.5	-	21.4	-	1.0	0.9	0.6	0.07
C67	Bladder	145	-	-	-	-	-	2.4	-	5.4	3.1	17.5	23.4	61.1	92.9	129.3	269.8	352.4	326.0	30.0	26.2	16.4	1.66	
C68	Urinary organs, NOS	5	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	6.5	23.8	-	-	1.0	0.9	0.6	0.06
C69	Eye and adnexa	5	-	-	-	-	-	-	-	-	-	-	3.5	11.7	-	-	-	7.9	-	-	1.0	1.1	0.7	0.08
C70	Meninges	1	-	-	-	-	-	-	-	2.4	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.1	0.01
C71	Brain	39	-	-	3.5	3.6	3.1	7.2	4.5	7.3	10.9	9.4	3.5	15.6	20.4	23.2	32.3	7.9	21.4	-	8.1	7.9	6.5	0.72
C72	Spinal cord, cranial nerves and CNS, NOS	2	-	-	-	-	-	-	2.2	-	-	3.1	-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C73	Thyroid gland	17	-	-	-	-	-	-	2.2	4.8	2.7	6.3	17.5	15.6	5.1	5.8	-	-	-	-	3.5	3.8	2.8	0.30
C74	Adrenal gland	3	2.8	3.3	-	-	-	-	-	-	-	3.1	-	-	-	-	-	-	-	-	0.6	0.7	0.9	0.05
C75	Endocrine glands, NOS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	20	-	3.3	3.5	3.6	3.1	7.2	8.9	2.4	5.4	6.3	-	3.9	5.1	-	-	15.9	-	-	4.1	3.9	3.7	0.26
C82-C85	Non-Hodgkin-lymphoma	97	-	3.3	-	-	9.4	9.6	15.6	9.7	8.2	6.3	17.5	39.1	20.4	69.7	109.9	95.2	96.1	86.9	20.1	18.8	13.6	1.58
C88	Malignant immunoproliferative diseases	2	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	6.5	-	-	-	0.4	0.4	0.3	0.05
C90	Multiple myeloma	39	-	-	-	-	-	-	-	-	2.7	9.4	-	11.7	25.4	46.5	19.4	79.4	32.0	65.2	8.1	7.8	5.3	0.57
C91	Lymphoid leukaemia	46	19.9	9.9	-	7.2	3.1	2.4	-	2.7	9.4	7.0	15.6	35.6	17.4	19.4	31.7	32.0	43.5	9.5	9.9	9.2	0.75	
C92	Myeloid leukaemia	24	2.8	-	-	3.6	-	9.6	-	2.4	2.7	3.1	-	11.7	10.2	11.6	25.9	7.9	21.4	21.7	5.0	4.8	4.0	0.42
C93	Monocytic leukaemia	2	-	-	-	-	-	-	-	-	2.7	-	-	-	5.1	-	-	-	-	-	0.4	0.4	0.4	0.04
C94-C95	Leukaemia other	2	-	-	-	-	-	-	-	-	-	-	-	-	-	5.8	-	7.9	-	-	0.4	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	1	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	-	-	0.2	0.3	0.2	0.03
C80	Unknown primary site	68	-	-	-	-	-	2.4	4.5	-	2.7	6.3	38.6	39.1	15.3	46.5	25.9	111.1	74.7	108.7	14.1	13.6	9.0	0.90
MPD	Myeloproliferative Disorders	6	-	-	-	-	-	-	-	2.4	-	-	-	3.9	5.1	-	12.9	7.9	-	-	1.2	1.2	0.8	0.12
MDS	Myelodysplastic syndromes	15	-	-	-	-	-	-	-	-	-	-	-	-	5.1	23.2	19.4	15.9	32.0	43.5	3.1	2.8	1.8	0.24
Total		2,715	34.2	19.9	13.8	39.4	40.5	57.5	98.3	113.8	168.9	279.7	578.9	1,047.3	1,353.3	2,137.0	2,761.1	3,230.2	3,641.2	3,499.2	561.4	536.3	370.7	35.41
Total excl. non-melanoma		2,551	34.2	19.9	10.4	39.4	37.4	57.5	89.3	113.8	163.4	273.4	554.4	1,027.7	1,327.8	2,020.9	2,625.3	3,015.9	3,182.1	2,934.1	527.5	507.0	352.4	34.28
Total excl. non-melanoma and MDS-MPD		2,530	34.2	19.9	10.4	39.4	37.4	57.5	89.3	111.4	163.4	273.4	554.4	1,023.8	1,317.7	1,997.7	2,593.0	2,992.1	3,150.0	2,890.7	523.2	502.9	349.7	34.04

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Females, number of invasive tumours by primary site and age group in 2005

Brussels Capital Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C01	Base of tongue	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C02	Tongue	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-
C03	Gum	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
C04	Floor of mouth	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C05	Palate	6	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	-	-
C06	Mouth, NOS	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-
C07	Parotid gland	5	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	1
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1
C09	Tonsil	13	-	-	-	-	-	-	-	1	-	-	4	1	-	5	-	2	-	-
C10	Oropharynx	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
C11	Nasopharynx	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12	Pyrimiform sinus	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-
C13	Hypopharynx	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
C14	Lip, oral cavity and pharynx, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
C15	Oesophagus	22	-	-	-	-	-	-	-	1	-	1	-	3	4	3	1	3	2	4
C16	Stomach	43	-	-	-	-	-	1	1	2	2	1	1	2	2	7	9	3	7	5
C17	Small intestine	6	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	-	1
C18	Colon	263	-	-	1	1	3	-	1	2	4	5	14	19	15	13	28	56	50	51
C19	Rectosigmoid junction	10	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	2	1
C20	Rectum	62	-	-	-	-	-	-	1	-	-	1	4	4	6	9	10	7	15	5
C21	Anus and anal canal	10	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	1	2	-
C22	Liver and intrahepatic bile ducts	23	1	-	-	-	-	-	-	-	-	2	1	3	1	3	3	4	2	3
C23	Gallbladder	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-
C24	Biliary tract, NOS	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	5	-
C25	Pancreas	35	-	-	-	-	-	-	-	-	-	-	1	3	6	7	4	6	4	4
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
C30	Nasal cavity and middle ear	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C31	Accessory sinuses	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
C32	Larynx	11	-	-	-	-	-	-	-	-	-	1	2	2	1	2	1	1	1	-
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	164	-	-	-	-	-	-	1	2	2	11	15	21	29	24	14	23	16	6
C37	Thymus	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
C41	Bone and articular cartilage, NOS	5	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	2	-
C43	Malignant melanoma of skin	86	-	-	-	1	-	5	6	5	5	7	8	11	7	6	4	10	6	5
C44	Malignant neoplasms of skin	121	-	-	-	1	-	-	-	1	-	2	7	7	8	9	14	18	28	26
C45	Mesothelioma	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-

Brussels Capital Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
C47,C49	Soft tissues	23	1	-	-	1	-	2	-	-	5	1	1	1	5	1	1	3	-	1
C48	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
C50	Breast	886	-	-	-	-	-	2	14	38	90	81	103	107	78	82	88	87	68	48
C51	Vulva	12	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	1	2	3
C52	Vagina	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	1
C53	Cervix uteri	62	-	-	-	-	-	1	6	5	9	12	6	2	3	5	1	6	5	1
C54	Corpus uteri	104	-	-	-	-	-	-	-	1	1	4	4	9	13	14	16	20	12	10
C55	Uterus	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1
C56	Ovary	85	-	-	1	-	-	-	-	1	4	4	9	5	8	9	16	11	12	5
C57	Female genital organs, NOS	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	34	1	-	-	-	-	-	-	1	2	5	2	5	1	7	3	3	4	-
C65	Renal pelvis	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1
C66	Ureter	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
C67	Bladder	46	-	-	-	-	-	-	-	-	-	1	3	3	3	4	8	10	7	7
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
C69	Eye and adnexa	8	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
C70	Meninges	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C71	Brain	20	1	-	-	1	1	-	-	-	2	3	1	3	3	-	3	2	-	-
C72	Spinal cord, cranial nerves and CNS, NOS	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
C73	Thyroid gland	56	-	-	-	-	2	2	2	7	6	7	7	5	6	4	2	4	1	1
C74	Adrenal gland	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	8	-	-	-	2	-	3	1	-	-	-	-	1	-	-	-	1	-	-
C82-C85	Non-Hodgkin-lymphoma	102	-	-	-	2	-	-	3	1	5	8	6	4	8	10	9	20	13	13
C88	Malignant immunoproliferative diseases	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1
C90	Multiple myeloma	28	-	-	-	-	-	-	-	2	1	1	2	1	3	2	5	9	1	1
C91	Lymphoid leukaemia	24	2	3	1	1	-	-	-	-	-	1	-	2	1	2	6	2	3	-
C92	Myeloid leukaemia	28	2	1	-	-	1	1	-	4	2	2	1	1	2	2	4	-	3	2
C93	Monocytic leukaemia	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
C80	Unknown primary site	51	-	-	-	-	-	-	-	1	1	2	2	3	4	8	8	9	9	4
MPD	Myeloproliferative Disorders	10	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	3	2	1
MDS	Myelodysplastic syndromes	12	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	4	3
Total		2,575	13	4	4	12	9	18	37	80	149	171	214	242	232	254	273	343	298	222
Total excl. non-melanoma		2,454	13	4	4	11	9	18	37	79	149	169	207	235	224	245	259	325	270	196
Total excl. non-melanoma and MDS-MPD		2,432	13	4	4	11	9	18	37	78	149	168	206	233	220	245	259	322	264	192

Brussels Capital Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Brussels Capital Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.9	-	-	0.2	0.1	0.0	-
C01	Base of tongue	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4.8	-	-	-	-	0.2	0.2	0.1	0.02
C02	Tongue	5	-	-	-	-	-	-	-	-	-	-	3.3	3.6	-	-	4.7	9.7	-	-	1.0	0.8	0.5	0.06
C03	Gum	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	4.9	-	-	0.4	0.2	0.1	0.02
C04	Floor of mouth	1	-	-	-	-	-	-	-	-	-	-	-	-	4.5	-	-	-	-	-	0.2	0.2	0.2	0.02
C05	Palate	6	-	-	-	-	2.8	-	-	-	-	-	3.3	3.6	-	4.8	9.3	-	-	-	1.1	1.1	0.9	0.12
C06	Mouth, NOS	6	-	-	-	-	-	-	-	-	-	-	-	3.6	4.5	4.8	4.7	4.9	5.3	-	1.1	0.9	0.6	0.09
C07	Parotid gland	5	-	-	-	-	-	-	-	2.6	5.7	-	-	-	-	-	-	4.9	-	6.9	1.0	0.7	0.6	0.04
C08	Salivary glands, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	-	4.8	4.7	-	-	6.9	0.6	0.4	0.3	0.05
C09	Tonsil	13	-	-	-	-	-	-	-	2.6	-	-	13.2	3.6	-	23.8	-	9.7	-	-	2.5	2.5	1.8	0.22
C10	Oropharynx	2	-	-	-	-	-	-	-	-	-	-	-	-	4.5	-	-	-	5.3	-	0.4	0.3	0.2	0.02
C11	Nasopharynx	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12	Pyrimiform sinus	4	-	-	-	-	-	-	-	-	-	3.1	-	3.6	-	-	4.7	4.9	-	-	0.8	0.7	0.5	0.06
C13	Hypopharynx	2	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	5.3	-	0.4	0.3	0.2	0.02
C14	Lip, oral cavity and pharynx, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	4.5	-	4.7	4.9	-	-	0.6	0.5	0.3	0.05
C15	Oesophagus	22	-	-	-	-	-	-	-	2.6	-	3.1	-	10.8	18.1	14.3	4.7	14.6	10.6	27.7	4.2	3.3	2.4	0.27
C16	Stomach	43	-	-	-	-	-	2.3	2.3	5.2	5.7	3.1	3.3	7.2	9.0	33.4	42.1	14.6	37.3	34.6	8.2	6.0	4.3	0.57
C17	Small intestine	6	-	-	-	-	-	-	-	-	2.8	3.1	-	-	4.5	-	-	9.7	-	6.9	1.1	0.9	0.7	0.05
C18	Colon	263	-	-	3.7	3.6	8.4	-	2.3	5.2	11.3	15.3	46.1	68.2	67.8	61.9	130.8	271.6	266.1	352.6	50.3	32.2	21.4	2.10
C19	Rectosigmoid junction	10	-	-	-	-	-	-	-	-	-	6.1	-	3.6	-	4.8	4.7	9.7	10.6	6.9	1.9	1.3	0.9	0.10
C20	Rectum	62	-	-	-	-	-	-	2.3	-	-	3.1	13.2	14.4	27.1	42.9	46.7	34.0	79.8	34.6	11.9	8.5	5.8	0.75
C21	Anus and anal canal	10	-	-	-	-	-	-	-	-	-	6.1	3.3	7.2	4.5	4.8	-	4.9	10.6	-	1.9	1.7	1.2	0.13
C22	Liver and intrahepatic bile ducts	23	2.9	-	-	-	-	-	-	-	-	6.1	3.3	10.8	4.5	14.3	14.0	19.4	10.6	20.7	4.4	3.5	2.6	0.28
C23	Gallbladder	6	-	-	-	-	-	-	-	-	2.8	-	-	-	4.5	4.8	-	9.7	5.3	-	1.1	0.9	0.6	0.06
C24	Biliary tract, NOS	8	-	-	-	-	-	2.3	-	-	-	-	-	-	-	-	4.7	4.9	26.6	-	1.5	0.7	0.5	0.03
C25	Pancreas	35	-	-	-	-	-	-	-	-	-	-	3.3	10.8	27.1	33.4	18.7	29.1	21.3	27.7	6.7	5.2	3.6	0.47
C26	Other ill-defined digestive organs	3	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	5.3	6.9	0.6	0.3	0.2	0.02
C30	Nasal cavity and middle ear	1	-	-	-	-	-	-	-	-	-	-	-	-	4.5	-	-	-	-	-	0.2	0.2	0.2	0.02
C31	Accessory sinuses	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	0.2	0.1	0.0	-
C32	Larynx	11	-	-	-	-	-	-	-	-	-	3.1	6.6	7.2	4.5	9.5	4.7	4.9	5.3	-	2.1	2.0	1.4	0.18
C33	Trachea	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C34	Bronchus and lung	164	-	-	-	-	-	-	2.3	5.2	5.7	33.6	49.4	75.4	131.1	114.4	65.4	111.6	85.2	41.5	31.3	27.8	20.0	2.38
C37	Thymus	1	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	-	-	0.2	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	4	-	-	3.7	3.6	2.8	-	-	-	-	-	3.3	-	-	-	-	-	-	-	0.8	0.9	1.0	0.07
C41	Bone and articular cartilage, NOS	5	-	-	-	3.6	-	-	-	-	-	-	-	-	4.5	4.8	-	-	10.6	-	1.0	0.8	0.7	0.06
C43	Malignant melanoma of skin	86	-	-	-	3.6	-	11.3	14.1	13.1	14.1	21.4	26.4	39.5	31.6	28.6	18.7	48.5	31.9	34.6	16.4	14.6	11.2	1.11
C44	Malignant neoplasms of skin	121	-	-	-	3.6	-	-	-	2.6	-	6.1	23.1	25.1	36.2	42.9	65.4	87.3	149.0	179.7	23.1	14.5	9.6	1.02
C45	Mesothelioma	3	-	-	-	-	-	-	-	-	-	-	3.3	-	-	4.8	4.7	-	-	-	0.6	0.6	0.4	0.06

Brussels Capital Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	2	-	-	-	-	-	-	-	5.2	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C47,C49	Soft tissues	23	2.9	-	-	3.6	-	4.5	-	-	14.1	3.1	3.3	3.6	22.6	4.8	4.7	14.6	-	6.9	4.4	4.3	3.7	0.34
C48	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	-	-	2.8	-	-	-	-	-	-	-	-	-	0.2	0.2	0.2	0.01
C50	Breast	886	-	-	-	-	-	4.5	32.8	99.6	254.5	247.1	339.3	384.2	352.6	390.7	411.2	422.0	361.9	331.8	169.4	152.5	112.5	11.82
C51	Vulva	12	-	-	-	-	-	-	-	-	2.8	-	6.6	3.6	-	-	9.3	4.9	10.6	20.7	2.3	1.6	1.0	0.11
C52	Vagina	6	-	-	-	-	-	-	-	-	2.8	3.1	-	-	-	4.8	4.7	4.9	-	6.9	1.1	0.9	0.7	0.08
C53	Cervix uteri	62	-	-	-	-	-	2.3	14.1	13.1	25.4	36.6	19.8	7.2	13.6	23.8	4.7	29.1	26.6	6.9	11.9	10.9	8.6	0.80
C54	Corpus uteri	104	-	-	-	-	-	-	-	2.6	2.8	12.2	13.2	32.3	58.8	66.7	74.8	97.0	63.9	69.1	19.9	15.2	10.5	1.31
C55	Uterus	3	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	4.7	-	-	6.9	0.6	0.4	0.3	0.04
C56	Ovary	85	-	-	3.7	-	-	-	-	2.6	11.3	12.2	29.6	18.0	36.2	42.9	74.8	53.4	63.9	34.6	16.2	13.1	9.4	1.15
C57	Female genital organs, NOS	2	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	-	-	-	6.9	0.4	0.3	0.2	0.02
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	34	2.9	-	-	-	-	-	-	2.6	5.7	15.3	6.6	18.0	4.5	33.4	14.0	14.6	21.3	-	6.5	5.9	4.5	0.51
C65	Renal pelvis	6	-	-	-	-	-	-	-	-	-	-	-	-	-	14.3	-	4.9	5.3	6.9	1.1	0.8	0.5	0.07
C66	Ureter	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.6	6.9	0.6	0.2	0.1	-
C67	Bladder	46	-	-	-	-	-	-	-	-	-	3.1	9.9	10.8	13.6	19.1	37.4	48.5	37.3	48.4	8.8	5.9	3.9	0.47
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	-	-	-	-	0.2	0.2	0.2	0.02
C69	Eye and adnexa	8	11.8	-	-	-	-	-	-	-	-	-	-	-	9.0	4.8	-	-	-	6.9	1.5	1.7	2.0	0.13
C70	Meninges	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C71	Brain	20	2.9	-	-	3.6	2.8	-	-	-	5.7	9.2	3.3	10.8	13.6	-	14.0	9.7	-	-	3.8	3.9	3.3	0.33
C72	Spinal cord, cranial nerves and CNS, NOS	2	-	-	-	-	-	-	2.3	-	2.8	-	-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C73	Thyroid gland	56	-	-	-	-	5.6	4.5	4.7	18.3	17.0	21.4	23.1	18.0	27.1	19.1	9.3	19.4	5.3	6.9	10.7	10.6	8.5	0.84
C74	Adrenal gland	2	2.9	-	-	-	-	-	-	-	-	-	-	-	-	4.8	-	-	-	-	0.4	0.4	0.5	0.04
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	8	-	-	-	7.3	-	6.8	2.3	-	-	-	-	3.6	-	-	-	4.9	-	-	1.5	1.5	1.5	0.10
C82-C85	Non-Hodgkin-lymphoma	102	-	-	-	7.3	-	-	7.0	2.6	14.1	24.4	19.8	14.4	36.2	47.6	42.1	97.0	69.2	89.9	19.5	14.6	10.6	1.07
C88	Malignant immunoproliferative diseases	3	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	-	4.9	-	6.9	0.6	0.4	0.2	0.02
C90	Multiple myeloma	28	-	-	-	-	-	-	-	5.2	2.8	3.1	6.6	3.6	13.6	9.5	23.4	43.7	5.3	6.9	5.4	4.2	2.9	0.34
C91	Lymphoid leukaemia	24	5.9	10.4	3.7	3.6	-	-	-	-	-	3.1	-	7.2	4.5	9.5	28.0	9.7	16.0	-	4.6	4.2	4.1	0.38
C92	Myeloid leukaemia	28	5.9	3.5	-	-	2.8	2.3	-	10.5	5.7	6.1	3.3	3.6	9.0	9.5	18.7	-	16.0	13.8	5.4	4.8	4.3	0.40
C93	Monocytic leukaemia	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.9	0.2	0.1	0.0	-
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4.8	-	-	5.3	-	0.4	0.2	0.2	0.02
C80	Unknown primary site	51	-	-	-	-	-	-	-	2.6	2.8	6.1	6.6	10.8	18.1	38.1	37.4	43.7	47.9	27.7	9.7	7.1	4.9	0.61
MPD	Myeloproliferative Disorders	10	-	-	-	-	-	-	-	2.6	-	3.1	-	3.6	4.5	-	-	14.6	10.6	6.9	1.9	1.3	0.9	0.07
MDS	Myelodysplastic syndromes	12	-	-	-	-	-	-	-	-	-	-	3.3	3.6	13.6	-	-	-	21.3	20.7	2.3	1.5	1.1	0.10
Total		2,575	38.3	13.9	14.6	43.6	25.2	40.7	86.7	209.6	421.3	521.7	704.9	869.0	1,048.9	1,210.2	1,275.6	1,663.8	1,586.0	1,534.7	492.2	404.6	296.9	27.83
Total excl. non-melanoma		2,454	38.3	13.9	14.6	40.0	25.2	40.7	86.7	207.0	421.3	515.6	681.9	843.9	1,012.7	1,167.3	1,210.2	1,576.4	1,437.0	1,355.0	469.1	390.1	287.3	27.09
Total excl. non-melanoma and MDS-MPD		2,432	38.3	13.9	14.6	40.0	25.2	40.7	86.7	204.4	421.3	512.6	678.6	836.7	994.6	1,167.3	1,210.2	1,561.9	1,405.1	1,327.3	464.9	387.2	285.4	26.97

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Walloon Region: Males, number of invasive tumours by primary site and age group in 2005

Walloon Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	16	-	-	-	-	-	-	-	-	2	-	2	1	1	1	4	3	2	-
C01	Base of tongue	23	-	-	-	-	-	-	-	-	2	2	6	6	1	1	2	2	-	1
C02	Tongue	55	-	-	-	-	-	-	-	-	2	5	13	17	7	4	4	1	2	-
C03	Gum	18	-	-	-	-	-	-	-	-	2	1	4	2	6	1	-	-	-	2
C04	Floor of mouth	63	-	-	-	-	-	-	-	1	3	13	15	11	8	5	5	2	-	-
C05	Palate	35	-	-	-	-	-	-	-	-	2	2	7	13	6	1	1	-	2	1
C06	Mouth, NOS	20	-	-	-	-	1	-	-	-	1	2	3	4	3	1	3	-	2	-
C07	Parotid gland	15	-	-	-	-	1	-	1	-	2	-	-	1	2	-	3	2	-	3
C08	Salivary glands, NOS	9	-	-	-	-	1	-	-	-	1	1	-	1	1	1	1	1	1	-
C09	Tonsil	60	-	-	-	-	-	-	-	-	1	5	17	12	8	6	6	5	-	-
C10	Oropharynx	50	-	-	-	-	-	-	-	-	1	9	13	12	5	4	2	2	1	1
C11	Nasopharynx	13	-	-	-	-	-	1	-	1	1	1	1	3	1	2	1	-	1	-
C12	Pyrimiform sinus	48	-	-	-	-	-	-	-	-	-	8	7	6	6	8	6	6	1	-
C13	Hypopharynx	13	-	-	-	-	-	-	-	-	-	1	3	5	3	-	-	1	-	-
C14	Lip, oral cavity and pharynx, NOS	29	-	-	-	-	-	-	-	-	-	4	9	7	2	4	2	1	-	-
C15	Oesophagus	223	-	-	-	-	-	-	-	-	6	20	24	43	29	31	30	24	14	2
C16	Stomach	262	-	-	-	-	-	1	3	2	9	13	20	24	34	38	31	51	25	11
C17	Small intestine	32	-	-	-	-	-	1	-	2	-	1	2	4	1	6	7	5	3	-
C18	Colon	747	-	-	1	2	2	-	2	5	7	22	50	54	66	107	130	162	100	37
C19	Rectosigmoid junction	69	-	-	-	-	-	-	-	1	-	3	5	9	6	11	9	10	12	3
C20	Rectum	333	-	-	-	-	-	-	-	3	3	11	12	45	33	46	60	55	47	18
C21	Anus and anal canal	11	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	1	1	1
C22	Liver and intrahepatic bile ducts	93	-	-	-	-	-	-	-	1	1	5	5	12	14	9	22	11	12	1
C23	Gallbladder	9	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	-	1	-
C24	Biliary tract, NOS	33	-	-	-	-	-	-	-	2	-	-	-	2	3	8	4	8	5	1
C25	Pancreas	169	-	-	-	-	-	-	-	1	4	11	13	22	18	22	37	28	11	2
C26	Other ill-defined digestive organs	8	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	2	-	-
C30	Nasal cavity and middle ear	7	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	1	-
C31	Accessory sinuses	21	-	-	-	-	-	-	-	-	-	1	1	6	1	2	5	-	5	-
C32	Larynx	185	-	-	-	-	-	-	-	1	3	15	26	25	25	28	30	25	3	4
C33	Trachea	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	-
C34	Bronchus and lung	1,704	-	-	-	-	1	1	2	4	25	56	112	205	233	270	305	286	152	52
C37	Thymus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
C38	Heart, mediastinum and pleura	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	7	-	-	3	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-
C41	Bone and articular cartilage, NOS	10	-	1	1	2	3	1	-	-	-	-	-	-	2	-	-	-	-	-
C43	Malignant melanoma of skin	193	-	1	-	2	3	8	2	4	14	17	11	13	17	28	24	21	20	8
C44	Malignant neoplasms of skin	500	-	-	-	-	-	1	-	3	4	13	18	33	35	50	82	95	106	60
C45	Mesothelioma	56	-	-	-	-	-	-	-	1	-	1	-	5	3	12	13	14	5	2

Walloon Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-
C47,C49	Soft tissues	54	1	1	-	-	1	2	3	4	2	3	3	6	5	8	5	4	6	-
C48	Retroperitoneum and peritoneum	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
C50	Breast	22	-	-	-	-	-	-	-	-	-	-	1	-	4	4	3	6	4	-
C60	Penis	19	-	-	-	-	-	-	-	1	1	4	1	4	1	2	1	4	-	-
C61	Prostate	2,732	-	-	-	-	-	-	-	-	2	29	143	320	330	554	540	479	241	94
C62	Testis	98	-	-	-	2	14	16	25	14	13	3	3	5	2	1	-	-	-	-
C63	Male genital organs, NOS	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1
C64	Kidney	224	1	-	-	1	-	1	-	2	11	8	15	37	26	37	29	36	17	3
C65	Renal pelvis	32	-	-	-	-	-	-	-	1	-	2	1	3	-	11	2	6	5	1
C66	Ureter	26	-	-	-	-	-	-	-	-	1	-	1	2	3	5	6	3	3	2
C67	Bladder	487	-	-	-	-	-	-	-	3	4	8	22	44	51	73	94	87	74	27
C68	Urinary organs, NOS	11	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	4	1	-
C69	Eye and adnexa	9	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1
C70	Meninges	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
C71	Brain	129	5	1	2	3	4	3	3	8	8	10	10	13	10	14	14	10	9	2
C72	Spinal cord, cranial nerves and CNS, NOS	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid gland	76	-	-	1	-	2	2	2	7	6	11	12	6	10	9	4	3	1	-
C74	Adrenal gland	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
C75	Endocrine glands, NOS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	44	-	1	3	2	8	3	3	3	4	-	4	3	5	1	-	2	1	1
C82-C85	Non-Hodgkin-lymphoma	307	1	2	2	3	4	3	2	9	9	19	24	34	39	39	31	41	36	9
C88	Malignant immunoproliferative diseases	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	-	-
C90	Multiple myeloma	76	-	-	-	-	-	-	-	-	4	3	4	9	8	9	10	18	8	3
C91	Lymphoid leukaemia	71	4	3	-	-	-	-	-	1	5	3	3	8	6	9	12	7	8	2
C92	Myeloid leukaemia	85	2	-	1	1	1	1	1	4	5	5	7	5	9	13	12	11	6	1
C93	Monocytic leukaemia	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	7	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	-	-
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	7	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	1	-	-
C80	Unknown primary site	234	-	-	-	-	-	2	-	4	3	10	23	20	22	29	42	36	29	14
MPD	Myeloproliferative Disorders	20	-	-	-	-	-	-	-	-	1	1	2	2	1	2	6	3	2	-
MDS	Myelodysplastic syndromes	43	-	-	-	-	-	-	-	-	1	2	2	2	2	4	7	14	7	2
Total		9,991	23	11	14	19	47	47	52	95	177	371	687	1,139	1,123	1,545	1,662	1,607	999	373
Total excl. non-melanoma		9,491	23	11	14	19	47	46	52	92	173	358	669	1,106	1,088	1,495	1,580	1,512	893	313
Total excl. non-melanoma and MDS-MPD		9,428	23	11	14	19	47	46	52	92	171	355	665	1,102	1,085	1,489	1,567	1,495	884	311

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Walloon Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI	
C00	Lip	16	-	-	-	-	-	-	-	-	1.6	-	1.7	0.9	1.4	1.5	6.2	6.0	6.3	-	1.0	0.8	0.5	0.07	
C01	Base of tongue	23	-	-	-	-	-	-	-	-	1.6	1.6	5.2	5.5	1.4	1.5	3.1	4.0	-	7.9	1.4	1.3	0.9	0.10	
C02	Tongue	55	-	-	-	-	-	-	-	-	1.6	4.0	11.2	15.7	9.8	5.8	6.2	2.0	6.3	-	3.3	3.1	2.3	0.27	
C03	Gum	18	-	-	-	-	-	-	-	-	1.6	0.8	3.4	1.8	8.4	1.5	-	-	-	15.9	1.1	1.2	0.8	0.09	
C04	Floor of mouth	63	-	-	-	-	-	-	-	0.8	2.3	10.4	12.9	10.1	11.2	7.3	7.8	4.0	-	-	3.8	3.6	2.7	0.31	
C05	Palate	35	-	-	-	-	-	-	-	-	1.6	1.6	6.0	12.0	8.4	1.5	1.6	-	6.3	7.9	2.1	2.0	1.5	0.16	
C06	Mouth, NOS	20	-	-	-	-	1.0	-	-	-	0.8	1.6	2.6	3.7	4.2	1.5	4.7	-	6.3	-	1.2	1.1	0.8	0.10	
C07	Parotid gland	15	-	-	-	-	1.0	-	0.9	-	1.6	-	-	0.9	2.8	-	4.7	4.0	-	23.8	0.9	0.9	0.6	0.06	
C08	Salivary glands, NOS	9	-	-	-	-	1.0	-	-	-	0.8	0.8	-	0.9	1.4	1.5	1.6	2.0	3.2	-	0.5	0.5	0.4	0.04	
C09	Tonsil	60	-	-	-	-	-	-	-	-	0.8	4.0	14.6	11.1	11.2	8.7	9.4	10.0	-	-	3.6	3.4	2.5	0.30	
C10	Oropharynx	50	-	-	-	-	-	-	-	-	0.8	7.2	11.2	11.1	7.0	5.8	3.1	4.0	3.2	7.9	3.0	2.9	2.1	0.23	
C11	Nasopharynx	13	-	-	-	-	-	1.0	-	0.8	0.8	0.8	0.9	2.8	1.4	2.9	1.6	-	3.2	-	0.8	0.7	0.6	0.06	
C12	Pyramidal sinus	48	-	-	-	-	-	-	-	-	-	6.4	6.0	5.5	8.4	11.6	9.4	12.0	3.2	-	2.9	2.6	1.9	0.24	
C13	Hypopharynx	13	-	-	-	-	-	-	-	-	-	0.8	2.6	4.6	4.2	-	-	2.0	-	-	0.8	0.8	0.5	0.06	
C14	Lip, oral cavity and pharynx, NOS	29	-	-	-	-	-	-	-	-	-	3.2	7.7	6.5	2.8	5.8	3.1	2.0	-	-	1.8	1.7	1.2	0.15	
C15	Oesophagus	223	-	-	-	-	-	-	-	-	4.7	16.1	20.6	39.7	40.5	45.1	46.8	48.1	44.2	15.9	13.5	12.1	8.6	1.06	
C16	Stomach	262	-	-	-	-	-	1.0	2.6	1.6	7.0	10.4	17.2	22.1	47.5	55.3	48.3	102.2	78.9	87.3	15.9	13.9	9.5	1.06	
C17	Small intestine	32	-	-	-	-	-	1.0	-	1.6	-	0.8	1.7	3.7	1.4	8.7	10.9	10.0	9.5	-	1.9	1.6	1.1	0.15	
C18	Colon	747	-	-	0.9	1.8	1.9	-	1.7	4.1	5.4	17.7	42.9	49.8	92.3	155.7	202.6	324.5	315.5	293.6	45.3	37.8	25.0	2.84	
C19	Rectosigmoid junction	69	-	-	-	-	-	-	-	0.8	-	2.4	4.3	8.3	8.4	16.0	14.0	20.0	37.9	23.8	4.2	3.5	2.3	0.27	
C20	Rectum	333	-	-	-	-	-	-	-	-	2.5	2.3	8.8	10.3	41.5	46.1	67.0	93.5	110.2	148.3	142.8	20.2	17.1	11.3	1.35
C21	Anus and anal canal	11	-	-	-	-	-	-	-	-	-	0.8	0.9	2.8	1.4	1.5	1.6	2.0	3.2	7.9	0.7	0.6	0.4	0.04	
C22	Liver and intrahepatic bile ducts	93	-	-	-	-	-	-	-	0.8	0.8	4.0	4.3	11.1	19.6	13.1	34.3	22.0	37.9	7.9	5.6	4.8	3.3	0.44	
C23	Gallbladder	9	-	-	-	-	-	-	-	-	-	0.8	0.9	-	2.8	4.4	1.6	-	3.2	-	0.5	0.5	0.4	0.05	
C24	Biliary tract, NOS	33	-	-	-	-	-	-	-	1.6	-	-	-	1.8	4.2	11.6	6.2	16.0	15.8	7.9	2.0	1.6	1.1	0.13	
C25	Pancreas	169	-	-	-	-	-	-	-	0.8	3.1	8.8	11.2	20.3	25.2	32.0	57.7	56.1	34.7	15.9	10.3	8.8	6.1	0.79	
C26	Other ill-defined digestive organs	8	-	-	-	-	1.0	-	-	-	-	-	1.7	0.9	1.4	-	1.6	4.0	-	-	0.5	0.4	0.3	0.03	
C30	Nasal cavity and middle ear	7	-	-	-	-	-	-	-	-	-	0.8	0.9	2.8	-	-	1.6	-	3.2	-	0.4	0.4	0.2	0.03	
C31	Accessory sinuses	21	-	-	-	-	-	-	-	-	-	0.8	0.9	5.5	1.4	2.9	7.8	-	15.8	-	1.3	1.0	0.7	0.10	
C32	Larynx	185	-	-	-	-	-	-	-	0.8	2.3	12.1	22.3	23.1	35.0	40.8	46.8	50.1	9.5	31.7	11.2	10.2	7.2	0.91	
C33	Trachea	6	-	-	-	-	-	-	-	-	-	0.8	-	-	-	1.5	1.6	-	9.5	-	0.4	0.3	0.2	0.02	
C34	Bronchus and lung	1,704	-	-	-	-	1.0	1.0	1.7	3.3	19.4	45.0	96.1	189.1	325.8	393.0	475.4	572.9	479.6	412.6	103.4	89.7	61.2	7.46	
C37	Thymus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	2.0	-	-	0.1	0.1	0.1	0.01	
C38	Heart, mediastinum and pleura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C39	Respiratory system and intrathoracic organs, NOS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C40	Bone and articular cartilage of limbs	7	-	-	2.7	0.9	-	-	0.9	-	-	-	-	0.9	-	-	1.6	-	-	-	0.4	0.4	0.4	0.03	
C41	Bone and articular cartilage, NOS	10	-	1.0	0.9	1.8	2.9	1.0	-	-	-	-	-	-	2.8	-	-	-	-	-	0.6	0.7	0.8	0.05	
C43	Malignant melanoma of skin	193	-	1.0	-	1.8	2.9	7.8	1.7	3.3	10.9	13.7	9.4	12.0	23.8	40.8	37.4	42.1	63.1	63.5	11.7	10.4	7.8	0.83	
C44	Malignant neoplasms of skin	500	-	-	-	-	-	1.0	-	2.5	3.1	10.4	15.5	30.4	48.9	72.8	127.8	190.3	334.5	476.1	30.3	25.2	15.7	1.55	
C45	Mesothelioma	56	-	-	-	-	-	-	-	0.8	-	0.8	-	4.6	4.2	17.5	20.3	28.0	15.8	15.9	3.4	2.8	1.8	0.24	

Walloon Region: Males 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	5	-	-	-	-	-	-	-	-	-	0.8	-	-	1.4	-	3.1	-	3.2	-	0.3	0.3	0.2	0.03
C47,C49	Soft tissues	54	1.0	1.0	-	-	1.0	1.9	2.6	3.3	1.6	2.4	2.6	5.5	7.0	11.6	7.8	8.0	18.9	-	3.3	2.9	2.3	0.25
C48	Retroperitoneum and peritoneum	3	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	2.0	-	-	0.2	0.2	0.1	0.01
C50	Breast	22	-	-	-	-	-	-	-	-	-	-	0.9	-	5.6	5.8	4.7	12.0	12.6	-	1.3	1.1	0.7	0.08
C60	Penis	19	-	-	-	-	-	-	-	0.8	0.8	3.2	0.9	3.7	1.4	2.9	1.6	8.0	-	-	1.2	1.0	0.7	0.08
C61	Prostate	2,732	-	-	-	-	-	-	-	-	1.6	23.3	122.8	295.2	461.4	806.3	841.8	959.5	760.4	745.9	165.8	142.9	96.0	11.98
C62	Testis	98	-	-	-	1.8	13.3	15.6	21.5	11.5	10.1	2.4	2.6	4.6	2.8	1.5	-	-	-	-	5.9	6.0	5.7	0.44
C63	Male genital organs, NOS	4	-	-	-	-	-	-	-	-	-	0.8	-	0.9	-	1.5	-	-	-	7.9	0.2	0.2	0.2	0.02
C64	Kidney	224	1.0	-	-	0.9	-	1.0	-	1.6	8.5	6.4	12.9	34.1	36.4	53.9	45.2	72.1	53.6	23.8	13.6	11.9	8.4	1.00
C65	Renal pelvis	32	-	-	-	-	-	-	-	0.8	-	1.6	0.9	2.8	-	16.0	3.1	12.0	15.8	7.9	1.9	1.6	1.1	0.13
C66	Ureter	26	-	-	-	-	-	-	-	-	0.8	-	0.9	1.8	4.2	7.3	9.4	6.0	9.5	15.9	1.6	1.4	0.9	0.12
C67	Bladder	487	-	-	-	-	-	-	-	2.5	3.1	6.4	18.9	40.6	71.3	106.3	146.5	174.3	233.5	214.3	29.6	24.8	16.2	1.96
C68	Urinary organs, NOS	11	-	-	-	-	-	-	-	0.8	-	-	-	0.9	-	-	6.2	8.0	3.2	-	0.7	0.5	0.3	0.04
C69	Eye and adnexa	9	5.0	-	-	-	-	-	-	-	-	-	-	-	1.4	-	1.6	2.0	-	7.9	0.5	0.6	0.7	0.04
C70	Meninges	4	-	1.0	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	6.3	-	0.2	0.2	0.2	0.01
C71	Brain	129	5.0	1.0	1.8	2.7	3.8	2.9	2.6	6.6	6.2	8.0	8.6	12.0	14.0	20.4	21.8	20.0	28.4	15.9	7.8	7.2	6.0	0.58
C72	Spinal cord, cranial nerves and CNS, NOS	1	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.00
C73	Thyroid gland	76	-	-	0.9	-	1.9	1.9	1.7	5.7	4.7	8.8	10.3	5.5	14.0	13.1	6.2	6.0	3.2	-	4.6	4.4	3.5	0.37
C74	Adrenal gland	5	3.0	-	-	-	-	-	-	0.8	-	-	-	-	-	-	1.6	-	-	-	0.3	0.3	0.4	0.03
C75	Endocrine glands, NOS	1	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.00
C81	Hodgkin's disease	44	-	1.0	2.7	1.8	7.6	2.9	2.6	2.5	3.1	-	3.4	2.8	7.0	1.5	-	4.0	3.2	7.9	2.7	2.7	2.5	0.19
C82-C85	Non-Hodgkin-lymphoma	307	1.0	1.9	1.8	2.7	3.8	2.9	1.7	7.4	7.0	15.3	20.6	31.4	54.5	56.8	48.3	82.1	113.6	71.4	18.6	16.5	12.0	1.28
C88	Malignant immunoproliferative diseases	8	-	-	-	-	-	-	-	-	-	-	0.9	-	1.4	1.5	1.6	8.0	-	-	0.5	0.4	0.3	0.03
C90	Multiple myeloma	76	-	-	-	-	-	-	-	-	3.1	2.4	3.4	8.3	11.2	13.1	15.6	36.1	25.2	23.8	4.6	3.9	2.6	0.29
C91	Lymphoid leukaemia	71	4.0	2.9	-	-	-	-	-	0.8	3.9	2.4	2.6	7.4	8.4	13.1	18.7	14.0	25.2	15.9	4.3	3.8	3.1	0.32
C92	Myeloid leukaemia	85	2.0	-	0.9	0.9	1.0	1.0	0.9	3.3	3.9	4.0	6.0	4.6	12.6	18.9	18.7	22.0	18.9	7.9	5.2	4.6	3.6	0.39
C93	Monocytic leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	7	-	-	-	-	-	-	-	-	0.8	-	-	0.9	1.4	4.4	-	2.0	-	-	0.4	0.4	0.3	0.04
C96	Lymphoid, haematopoietic and related tissue, NOS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	7	-	-	-	-	-	-	-	-	-	0.8	0.9	-	1.4	4.4	-	2.0	-	-	0.4	0.4	0.3	0.04
C80	Unknown primary site	234	-	-	-	-	-	1.9	-	3.3	2.3	8.0	19.7	18.5	30.8	42.2	65.5	72.1	91.5	111.1	14.2	12.2	8.2	0.96
MPD	Myeloproliferative Disorders	20	-	-	-	-	-	-	-	-	0.8	0.8	1.7	1.8	1.4	2.9	9.4	6.0	6.3	-	1.2	1.0	0.7	0.09
MDS	Myelodysplastic syndromes	43	-	-	-	-	-	-	-	-	0.8	1.6	1.7	1.8	2.8	5.8	10.9	28.0	22.1	15.9	2.6	2.0	1.3	0.13
Total		9,991	22.9	10.7	12.6	17.1	44.7	45.8	44.7	78.0	137.3	298.2	589.8	1,050.8	1,570.2	2,248.7	2,590.8	3,219.0	3,152.2	2,959.8	606.3	526.1	363.6	35.47
Total excl. non-melanoma		9,491	22.9	10.7	12.6	17.1	44.7	44.8	44.7	75.6	134.2	287.7	574.3	1,020.4	1,521.3	2,176.0	2,462.9	3,028.7	2,817.7	2,483.7	575.9	500.9	347.9	34.46
Total excl. non-melanoma and MDS-MPD		9,428	22.9	10.7	12.6	17.1	44.7	44.8	44.7	75.6	132.7	285.3	570.9	1,016.7	1,517.1	2,167.2	2,442.7	2,994.6	2,789.3	2,467.9	572.1	497.9	345.9	34.31

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Females, number of invasive tumours by primary site and age group in 2005

Walloon Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C00	Lip	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	-
C01	Base of tongue	6	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-
C02	Tongue	20	-	-	-	-	-	-	1	-	2	2	2	2	3	2	2	2	1	1
C03	Gum	11	-	-	-	-	-	-	-	-	1	-	-	3	2	-	2	1	2	-
C04	Floor of mouth	6	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	-	-
C05	Palate	10	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-	-	-	-
C06	Mouth, NOS	14	-	-	-	-	-	-	-	-	4	-	2	1	2	1	-	2	1	1
C07	Parotid gland	16	-	-	-	1	-	-	-	-	1	1	1	1	1	1	3	3	1	2
C08	Salivary glands, NOS	3	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
C09	Tonsil	19	-	-	-	-	-	-	-	-	1	5	3	5	2	1	-	1	1	-
C10	Oropharynx	12	-	-	-	-	-	-	-	-	-	-	4	3	1	2	1	-	-	1
C11	Nasopharynx	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
C12	Pyrimiform sinus	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
C13	Hypopharynx	8	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	1	-
C14	Lip, oral cavity and pharynx, NOS	8	-	-	-	-	-	-	-	-	-	-	1	5	1	-	-	1	-	-
C15	Oesophagus	75	-	-	-	-	-	-	-	-	1	1	11	7	7	9	8	15	9	7
C16	Stomach	138	-	-	-	-	-	-	3	-	5	3	6	8	11	11	18	21	37	15
C17	Small intestine	30	-	-	-	-	-	-	-	-	-	2	1	4	3	1	10	4	3	2
C18	Colon	720	-	-	2	1	3	1	3	2	12	13	33	62	44	83	117	124	120	100
C19	Rectosigmoid junction	64	-	-	-	-	-	-	-	-	2	4	4	5	6	6	12	12	10	3
C20	Rectum	291	-	-	-	1	-	-	2	6	5	12	22	29	28	31	37	50	40	28
C21	Anus and anal canal	27	-	-	-	-	-	-	1	-	1	-	2	1	2	6	3	5	5	1
C22	Liver and intrahepatic bile ducts	49	2	-	-	1	-	1	-	1	-	6	5	2	5	4	7	10	4	1
C23	Gallbladder	12	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	4	2	-
C24	Biliary tract, NOS	25	-	-	-	-	-	-	-	1	1	-	1	-	3	3	7	2	6	1
C25	Pancreas	170	-	-	-	-	1	1	1	1	4	4	8	17	16	23	31	34	16	13
C26	Other ill-defined digestive organs	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	2
C30	Nasal cavity and middle ear	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
C31	Accessory sinuses	7	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	2	1
C32	Larynx	39	-	-	-	-	-	-	-	-	-	2	9	3	6	9	4	5	-	1
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
C34	Bronchus and lung	521	-	-	-	-	1	-	-	6	13	37	67	73	88	64	62	58	39	13
C37	Thymus	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
C38	Heart, mediastinum and pleura	5	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	6	-	-	1	1	-	1	-	-	-	-	-	1	-	1	-	-	1	-
C41	Bone and articular cartilage, NOS	7	-	-	1	2	-	-	-	1	-	-	-	-	-	2	1	-	-	-
C43	Malignant melanoma of skin	300	-	1	-	3	10	15	15	23	21	30	32	36	25	16	24	18	18	13
C44	Malignant neoplasms of skin	389	-	2	-	1	-	2	2	2	1	6	16	18	20	39	42	62	82	94
C45	Mesothelioma	9	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	1	1	-

Walloon Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
C46	Kaposi's sarcoma	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1
C47,C49	Soft tissues	40	1	-	-	2	-	2	1	4	3	3	4	1	1	4	6	3	3	2
C48	Retroperitoneum and peritoneum	14	1	-	-	1	-	-	-	-	-	-	-	4	1	1	-	2	3	1
C50	Breast	2,995	-	-	-	-	1	10	40	86	234	318	374	406	336	292	290	257	220	131
C51	Vulva	50	-	-	-	-	-	-	1	1	-	2	2	4	5	3	10	5	10	7
C52	Vagina	13	-	-	-	-	-	-	-	1	1	-	1	1	-	3	-	2	2	2
C53	Cervix uteri	182	-	-	-	-	-	1	14	30	23	25	11	16	17	10	10	11	7	7
C54	Corpus uteri	412	-	-	-	-	-	-	-	2	4	13	21	60	61	60	70	51	43	27
C55	Uterus	33	-	-	-	-	-	-	-	1	1	4	1	2	4	5	3	6	5	1
C56	Ovary	260	-	-	1	1	1	2	3	6	12	17	13	31	27	37	37	30	28	14
C57	Female genital organs, NOS	14	1	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	3	1
C58	Placenta	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	154	5	-	-	-	1	-	-	5	5	7	11	13	14	22	24	26	15	6
C65	Renal pelvis	21	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	6	6	2
C66	Ureter	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1
C67	Bladder	127	-	-	-	-	-	-	-	2	-	8	6	6	8	10	19	26	24	18
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C69	Eye and adnexa	6	1	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-
C70	Meninges	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-
C71	Brain	99	1	3	1	3	1	5	3	4	11	10	6	8	9	11	6	10	5	2
C72	Spinal cord, cranial nerves and CNS, NOS	4	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
C73	Thyroid gland	199	-	1	-	-	5	10	10	13	29	28	22	26	15	14	12	8	4	2
C74	Adrenal gland	9	4	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	39	-	1	3	4	3	8	3	1	4	4	1	1	1	2	2	-	-	1
C82-C85	Non-Hodgkin-lymphoma	239	-	1	2	1	2	2	3	4	9	11	22	19	27	23	33	40	26	14
C88	Malignant immunoproliferative diseases	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
C90	Multiple myeloma	61	-	-	-	-	-	-	1	-	1	7	2	6	5	11	7	5	10	6
C91	Lymphoid leukaemia	46	3	-	2	1	-	-	1	1	1	4	3	7	6	4	3	4	5	1
C92	Myeloid leukaemia	51	-	2	1	2	-	1	2	2	1	3	3	3	6	9	3	7	3	3
C93	Monocytic leukaemia	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
C94-C95	Leukaemia other	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
C96	Lymphoid, haematopoietic and related tissue, NOS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1
C80	Unknown primary site	187	-	-	-	-	-	-	4	1	5	11	13	17	16	23	22	30	29	16
MPD	Myeloproliferative Disorders	22	-	-	-	-	-	-	-	1	-	-	2	3	2	1	6	3	3	1
MDS	Myelodysplastic syndromes	33	-	-	-	-	-	-	1	1	-	1	3	1	-	11	2	5	7	1
Total		8,392	21	14	14	26	30	64	119	212	422	612	762	941	861	887	977	988	873	569
Total excl. non-melanoma		8,003	21	12	14	25	30	62	117	210	421	606	746	923	841	848	935	926	791	475
Total excl. non-melanoma and MDS-MPD		7,948	21	12	14	25	30	62	116	208	421	605	741	919	839	836	927	918	781	473

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2005 (n/100,000 person years)

Walloon Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI	
C00	Lip	9	-	-	-	-	-	-	-	-	-	-	-	0.9	1.3	1.2	1.2	1.3	6.4	-	0.5	0.3	0.2	0.02	
C01	Base of tongue	6	-	-	-	-	-	-	-	0.8	-	0.8	0.8	0.9	2.6	-	-	-	-	-	-	0.3	0.4	0.3	0.03
C02	Tongue	20	-	-	-	-	-	-	0.9	-	1.6	1.6	1.7	1.8	3.9	2.5	2.4	2.6	1.6	2.5	1.1	1.0	0.7	0.08	
C03	Gum	11	-	-	-	-	-	-	-	-	0.8	-	-	2.7	2.6	-	2.4	1.3	3.2	-	0.6	0.5	0.3	0.04	
C04	Floor of mouth	6	-	-	-	-	-	-	-	-	-	-	0.8	-	3.9	-	1.2	1.3	-	-	0.3	0.3	0.2	0.03	
C05	Palate	10	-	-	-	-	-	-	-	-	-	0.8	2.5	4.5	1.3	-	-	-	-	-	0.6	0.6	0.4	0.05	
C06	Mouth, NOS	14	-	-	-	-	-	-	-	-	3.1	-	1.7	0.9	2.6	1.2	-	2.6	1.6	2.5	0.8	0.7	0.5	0.05	
C07	Parotid gland	16	-	-	-	0.9	-	-	-	-	0.8	0.8	0.8	0.9	1.3	1.2	3.6	3.9	1.6	5.1	0.9	0.7	0.5	0.05	
C08	Salivary glands, NOS	3	-	-	-	-	-	1.0	-	-	-	-	0.8	0.9	-	-	-	-	-	-	0.2	0.2	0.2	0.01	
C09	Tonsil	19	-	-	-	-	-	-	-	-	0.8	4.0	2.5	4.5	2.6	1.2	-	1.3	1.6	-	1.1	1.0	0.8	0.08	
C10	Oropharynx	12	-	-	-	-	-	-	-	-	-	-	3.4	2.7	1.3	2.5	1.2	-	-	2.5	0.7	0.6	0.4	0.06	
C11	Nasopharynx	3	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	1.2	-	1.6	-	0.2	0.1	0.1	0.01	
C12	Pyrimiform sinus	3	-	-	-	-	-	-	-	-	0.8	0.8	0.8	-	-	-	-	-	-	-	0.2	0.2	0.1	0.01	
C13	Hypopharynx	8	-	-	-	-	-	-	-	-	-	0.8	0.8	1.8	1.3	2.5	-	-	1.6	-	0.5	0.4	0.3	0.04	
C14	Lip, oral cavity and pharynx, NOS	8	-	-	-	-	-	-	-	-	-	-	0.8	4.5	1.3	-	-	1.3	-	-	0.5	0.4	0.3	0.03	
C15	Oesophagus	75	-	-	-	-	-	-	-	-	0.8	0.8	9.3	6.3	9.1	11.2	9.6	19.4	14.5	17.8	4.3	3.0	2.1	0.23	
C16	Stomach	138	-	-	-	-	-	-	2.6	-	3.9	2.4	5.1	7.2	14.3	13.6	21.5	27.2	59.6	38.1	7.9	4.8	3.2	0.35	
C17	Small intestine	30	-	-	-	-	-	-	-	-	-	1.6	0.8	3.6	3.9	1.2	11.9	5.2	4.8	5.1	1.7	1.2	0.8	0.12	
C18	Colon	720	-	-	1.9	0.9	2.9	1.0	2.6	1.7	9.3	10.3	28.0	55.9	57.0	102.9	139.7	160.7	193.4	253.9	41.2	26.3	17.6	2.05	
C19	Rectosigmoid junction	64	-	-	-	-	-	-	-	-	1.6	3.2	3.4	4.5	7.8	7.4	14.3	15.6	16.1	7.6	3.7	2.5	1.7	0.21	
C20	Rectum	291	-	-	-	0.9	-	-	1.7	5.0	3.9	9.5	18.7	26.1	36.3	38.4	44.2	64.8	64.5	71.1	16.6	11.7	8.1	0.92	
C21	Anus and anal canal	27	-	-	-	-	-	-	0.9	-	0.8	-	1.7	0.9	2.6	7.4	3.6	6.5	8.1	2.5	1.5	1.1	0.7	0.09	
C22	Liver and intrahepatic bile ducts	49	2.1	-	-	0.9	-	1.0	-	0.8	-	4.8	4.2	1.8	6.5	5.0	8.4	13.0	6.4	2.5	2.8	2.2	1.8	0.18	
C23	Gallbladder	12	-	-	-	-	-	-	-	-	-	-	-	-	3.9	2.5	1.2	5.2	3.2	-	0.7	0.5	0.3	0.04	
C24	Biliary tract, NOS	25	-	-	-	-	-	-	-	0.8	0.8	-	0.8	-	3.9	3.7	8.4	2.6	9.7	2.5	1.4	0.9	0.7	0.09	
C25	Pancreas	170	-	-	-	-	1.0	1.0	0.9	0.8	3.1	3.2	6.8	15.3	20.7	28.5	37.0	44.1	25.8	33.0	9.7	6.8	4.7	0.59	
C26	Other ill-defined digestive organs	8	-	-	-	-	-	-	-	-	-	-	-	-	2.6	1.2	2.4	1.3	-	5.1	0.5	0.3	0.2	0.03	
C30	Nasal cavity and middle ear	2	-	-	-	-	-	-	-	-	-	-	0.8	-	-	1.2	-	-	-	-	0.1	0.1	0.1	0.01	
C31	Accessory sinuses	7	-	-	-	-	-	1.0	-	-	0.8	-	-	0.9	-	1.2	-	-	3.2	2.5	0.4	0.3	0.2	0.02	
C32	Larynx	39	-	-	-	-	-	-	-	-	-	1.6	7.6	2.7	7.8	11.2	4.8	6.5	-	2.5	2.2	1.9	1.4	0.18	
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	0.1	0.0	0.0	0.01	
C34	Bronchus and lung	521	-	-	-	-	1.0	-	-	5.0	10.1	29.4	56.9	65.8	114.0	79.3	74.0	75.2	62.9	33.0	29.8	24.7	17.9	2.15	
C37	Thymus	2	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	1.3	-	-	0.1	0.1	0.1	0.01	
C38	Heart, mediastinum and pleura	5	-	1.0	-	-	-	-	0.9	-	-	-	-	0.9	1.3	-	-	1.3	-	-	0.3	0.3	0.3	0.02	
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C40	Bone and articular cartilage of limbs	6	-	-	0.9	0.9	-	1.0	-	-	-	-	-	0.9	-	1.2	-	-	1.6	-	0.3	0.3	0.3	0.03	
C41	Bone and articular cartilage, NOS	7	-	-	0.9	1.9	-	-	-	0.8	-	-	-	-	-	2.5	1.2	-	-	-	0.4	0.4	0.4	0.04	
C43	Malignant melanoma of skin	300	-	1.0	-	2.8	9.8	15.0	13.1	19.0	16.3	23.8	27.2	32.4	32.4	19.8	28.7	23.3	29.0	33.0	17.2	15.3	12.3	1.20	
C44	Malignant neoplasms of skin	389	-	2.0	-	0.9	-	2.0	1.7	1.7	0.8	4.8	13.6	16.2	25.9	48.3	50.2	80.3	132.2	238.6	22.3	12.9	8.5	0.84	
C45	Mesothelioma	9	-	-	-	-	-	-	-	-	-	0.8	-	-	3.9	1.2	2.4	1.3	1.6	-	0.5	0.4	0.3	0.04	

Walloon Region: Females 2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	4	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	2.4	-	-	2.5	0.2	0.2	0.1	0.02
C47,C49	Soft tissues	40	1.0	-	-	1.9	-	2.0	0.9	3.3	2.3	2.4	3.4	0.9	1.3	5.0	7.2	3.9	4.8	5.1	2.3	1.9	1.6	0.16
C48	Retroperitoneum and peritoneum	14	1.0	-	-	0.9	-	-	-	-	-	-	-	3.6	1.3	1.2	-	2.6	4.8	2.5	0.8	0.6	0.5	0.04
C50	Breast	2,995	-	-	-	-	1.0	10.0	34.9	71.0	181.9	252.8	317.5	365.8	435.3	361.9	346.3	333.0	354.6	332.6	171.3	142.9	105.8	11.21
C51	Vulva	50	-	-	-	-	-	-	0.9	0.8	-	1.6	1.7	3.6	6.5	3.7	11.9	6.5	16.1	17.8	2.9	1.9	1.3	0.15
C52	Vagina	13	-	-	-	-	-	-	-	0.8	0.8	-	0.8	0.9	-	3.7	-	2.6	3.2	5.1	0.7	0.5	0.4	0.04
C53	Cervix uteri	182	-	-	-	-	-	1.0	12.2	24.8	17.9	19.9	9.3	14.4	22.0	12.4	11.9	14.3	11.3	17.8	10.4	9.4	7.4	0.73
C54	Corpus uteri	412	-	-	-	-	-	-	-	1.7	3.1	10.3	17.8	54.1	79.0	74.4	83.6	66.1	69.3	68.5	23.6	17.7	12.4	1.61
C55	Uterus	33	-	-	-	-	-	-	-	0.8	0.8	3.2	0.8	1.8	5.2	6.2	3.6	7.8	8.1	2.5	1.9	1.4	1.0	0.11
C56	Ovary	260	-	-	0.9	0.9	1.0	2.0	2.6	5.0	9.3	13.5	11.0	27.9	35.0	45.9	44.2	38.9	45.1	35.5	14.9	11.4	8.4	0.99
C57	Female genital organs, NOS	14	1.0	-	-	-	-	-	-	-	-	0.8	-	0.9	1.3	3.7	2.4	1.3	4.8	2.5	0.8	0.6	0.5	0.05
C58	Placenta	2	-	-	-	-	1.0	-	0.9	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C64	Kidney	154	5.2	-	-	-	1.0	-	-	4.1	3.9	5.6	9.3	11.7	18.1	27.3	28.7	33.7	24.2	15.2	8.8	6.7	5.1	0.57
C65	Renal pelvis	21	-	-	-	-	-	-	-	-	-	-	-	1.8	-	1.2	4.8	7.8	9.7	5.1	1.2	0.6	0.4	0.04
C66	Ureter	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	2.4	-	4.8	2.5	0.4	0.2	0.1	0.02
C67	Bladder	127	-	-	-	-	-	-	-	1.7	-	6.4	5.1	5.4	10.4	12.4	22.7	33.7	38.7	45.7	7.3	4.5	3.0	0.32
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	0.1	0.0	0.0	-
C69	Eye and adnexa	6	1.0	-	-	-	-	-	0.9	-	-	-	-	-	2.6	1.2	-	1.3	-	-	0.3	0.3	0.3	0.03
C70	Meninges	5	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	2.6	1.6	-	0.3	0.2	0.1	0.01
C71	Brain	99	1.0	3.0	0.9	2.8	1.0	5.0	2.6	3.3	8.6	7.9	5.1	7.2	11.7	13.6	7.2	13.0	8.1	5.1	5.7	5.1	4.3	0.40
C72	Spinal cord, cranial nerves and CNS, NOS	4	-	2.0	-	-	-	-	-	-	0.8	-	0.8	-	-	-	-	-	-	-	0.2	0.3	0.3	0.02
C73	Thyroid gland	199	-	1.0	-	-	4.9	10.0	8.7	10.7	22.5	22.3	18.7	23.4	19.4	17.3	14.3	10.4	6.4	5.1	11.4	10.7	8.8	0.86
C74	Adrenal gland	9	4.2	-	-	-	-	-	-	-	-	1.6	-	0.9	1.3	-	-	1.3	-	-	0.5	0.6	0.7	0.04
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	39	-	1.0	2.8	3.8	2.9	8.0	2.6	0.8	3.1	3.2	0.8	0.9	1.3	2.5	2.4	-	-	2.5	2.2	2.4	2.4	0.18
C82-C85	Non-Hodgkin-lymphoma	239	-	1.0	1.9	0.9	2.0	2.0	2.6	3.3	7.0	8.7	18.7	17.1	35.0	28.5	39.4	51.8	41.9	35.5	13.7	10.3	7.5	0.84
C88	Malignant immunoproliferative diseases	3	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	1.2	1.3	-	-	0.2	0.1	0.1	0.01
C90	Multiple myeloma	61	-	-	-	-	-	-	0.9	-	0.8	5.6	1.7	5.4	6.5	13.6	8.4	6.5	16.1	15.2	3.5	2.5	1.8	0.21
C91	Lymphoid leukaemia	46	3.1	-	1.9	0.9	-	-	0.9	0.8	0.8	3.2	2.5	6.3	7.8	5.0	3.6	5.2	8.1	2.5	2.6	2.3	2.0	0.18
C92	Myeloid leukaemia	51	-	2.0	0.9	1.9	-	1.0	1.7	1.7	0.8	2.4	2.5	2.7	7.8	11.2	3.6	9.1	4.8	7.6	2.9	2.5	2.0	0.20
C93	Monocytic leukaemia	3	-	-	-	-	-	-	-	0.8	-	-	0.8	-	-	-	-	1.3	-	-	0.2	0.1	0.1	0.01
C94-C95	Leukaemia other	3	-	-	-	-	-	-	-	-	-	-	-	0.9	-	1.2	-	1.3	-	-	0.2	0.1	0.1	0.01
C96	Lymphoid, haematopoietic and related tissue, NOS	1	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.00
C76	Other and ill-defined sites	8	2.1	-	-	-	-	-	-	-	-	-	-	0.9	-	-	1.2	2.6	1.6	2.5	0.5	0.3	0.4	0.02
C80	Unknown primary site	187	-	-	-	-	-	-	3.5	0.8	3.9	8.7	11.0	15.3	20.7	28.5	26.3	38.9	46.7	40.6	10.7	7.5	5.2	0.59
MPD	Myeloproliferative Disorders	22	-	-	-	-	-	-	-	0.8	-	-	1.7	2.7	2.6	1.2	7.2	3.9	4.8	2.5	1.3	0.9	0.6	0.08
MDS	Myelodysplastic syndromes	33	-	-	-	-	-	-	0.9	0.8	-	0.8	2.5	0.9	-	13.6	2.4	6.5	11.3	2.5	1.9	1.3	0.9	0.11
Total		8,392	21.9	14.2	13.2	24.5	29.3	64.0	103.8	175.1	328.1	486.5	646.8	847.7	1,115.4	1,099.2	1,166.8	1,280.3	1,407.0	1,444.5	480.1	373.5	274.8	26.42
Total excl. non-melanoma		8,003	21.9	12.2	13.2	23.5	29.3	62.0	102.0	173.4	327.3	481.7	633.2	831.5	1,089.5	1,050.9	1,116.6	1,200.0	1,274.8	1,205.9	457.8	360.5	266.3	25.80
Total excl. non-melanoma and MDS-MPD		7,948	21.9	12.2	13.2	23.5	29.3	62.0	101.2	171.8	327.3	480.9	629.0	827.9	1,086.9	1,036.0	1,107.1	1,189.6	1,258.7	1,200.8	454.7	358.3	264.8	25.66

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Belgium: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	124	-	-	-	-	-	-	-	-	0.5	0.3	1.0	1.4	2.1	3.7	7.4	6.1	8.6	9.4	1.2	1.0	0.6	0.08
C01	Base of tongue	111	-	-	-	-	-	-	-	0.1	0.5	2.2	3.6	2.8	3.3	1.9	2.4	2.2	0.5	3.5	1.1	1.0	0.7	0.08
C02	Tongue	357	-	-	-	-	-	0.3	0.1	0.9	2.1	5.3	10.1	11.5	9.2	6.9	8.3	4.8	6.6	5.8	3.5	3.2	2.3	0.27
C03	Gum	57	-	-	-	-	-	-	-	-	0.5	0.6	1.0	1.5	3.1	1.3	1.4	0.3	0.5	2.3	0.6	0.5	0.4	0.05
C04	Floor of mouth	315	-	-	-	-	-	-	-	0.3	1.8	5.3	8.3	11.5	9.6	6.7	5.5	5.4	3.6	1.2	3.1	2.8	2.1	0.24
C05	Palate	117	-	-	-	-	-	-	-	0.1	0.7	1.7	2.6	4.2	4.6	1.9	2.1	1.3	3.6	1.2	1.1	1.1	0.8	0.09
C06	Mouth, NOS	160	-	-	-	-	0.2	-	0.1	0.3	0.5	1.6	4.7	4.2	4.4	3.4	3.3	5.1	4.6	4.7	1.6	1.4	1.0	0.11
C07	Parotid gland	99	-	-	0.5	-	0.3	0.2	0.3	0.4	0.4	0.4	0.6	1.9	1.7	2.1	4.3	3.2	4.1	14.0	1.0	0.9	0.6	0.06
C08	Salivary glands, NOS	48	-	-	-	-	0.2	0.3	-	-	0.4	0.3	0.4	0.6	1.3	1.3	1.9	1.3	3.6	2.3	0.5	0.4	0.3	0.03
C09	Tonsil	320	-	-	-	-	-	-	0.1	0.1	2.1	5.1	9.2	10.7	8.8	6.2	5.0	6.7	6.6	2.3	3.1	2.9	2.1	0.24
C10	Oropharynx	192	-	-	-	-	-	0.2	-	0.3	1.0	3.4	6.0	7.1	5.4	3.7	2.6	2.9	0.5	3.5	1.9	1.8	1.3	0.15
C11	Nasopharynx	77	-	-	-	-	0.3	1.1	0.3	0.5	0.6	1.3	1.4	0.9	1.7	1.9	1.4	0.6	1.5	3.5	0.8	0.7	0.6	0.06
C12	Pyrimiform sinus	261	-	-	-	-	-	-	-	-	1.3	3.0	6.4	9.1	9.0	7.9	4.3	6.1	2.5	1.2	2.6	2.4	1.7	0.21
C13	Hypopharynx	103	-	-	-	-	-	-	-	-	0.4	1.0	3.0	4.2	3.1	2.8	2.1	1.6	1.0	-	1.0	0.9	0.7	0.08
C14	Lip, oral cavity and pharynx, NOS	96	-	0.2	-	-	-	-	-	0.1	0.2	1.2	3.7	2.9	2.5	2.4	1.9	1.9	-	1.2	0.9	0.9	0.6	0.08
C15	Oesophagus	1,294	-	-	-	-	-	0.2	0.4	0.8	3.3	11.0	19.9	31.9	35.9	38.9	48.7	50.0	36.1	46.8	12.7	11.0	7.7	0.95
C16	Stomach	1,725	-	-	-	-	0.3	0.5	1.8	3.0	3.5	7.8	16.8	18.4	35.1	51.1	67.7	96.3	120.0	149.8	16.9	13.9	9.2	1.02
C17	Small intestine	192	-	-	-	-	-	0.2	0.3	0.5	0.7	1.6	2.1	3.4	4.0	7.1	6.7	8.3	8.6	8.2	1.9	1.6	1.1	0.13
C18	Colon	5,209	-	0.2	0.6	1.4	1.1	0.6	2.0	4.7	8.9	16.0	31.0	61.6	100.6	166.5	235.9	320.0	373.8	387.3	51.1	41.1	27.0	3.11
C19	Rectosigmoid junction	528	-	-	-	-	-	-	0.1	0.6	0.2	1.6	4.7	8.1	11.1	18.3	25.7	30.3	28.5	30.4	5.2	4.2	2.8	0.35
C20	Rectum	2,464	-	-	0.2	-	0.2	0.3	0.5	1.9	5.6	11.7	19.8	39.5	59.5	86.1	107.2	120.2	137.3	148.6	24.2	20.1	13.5	1.65
C21	Anus and anal canal	101	-	-	-	-	-	-	-	0.3	0.4	1.6	1.1	2.5	3.1	1.7	2.4	3.5	5.6	5.8	1.0	0.9	0.6	0.07
C22	Liver and intrahepatic bile ducts	535	0.2	-	-	-	0.2	0.6	0.4	0.6	0.9	2.7	6.1	9.0	14.4	17.4	28.0	21.7	25.4	7.0	5.2	4.4	3.1	0.40
C23	Gallbladder	63	-	-	-	-	-	-	-	-	-	0.3	0.1	0.5	1.3	2.1	2.6	4.8	6.6	2.3	0.6	0.5	0.3	0.03
C24	Biliary tract, NOS	221	-	-	-	-	-	0.2	0.1	0.4	0.2	1.6	1.4	3.9	4.6	6.9	6.4	16.3	13.2	10.5	2.2	1.8	1.2	0.13
C25	Pancreas	1,103	-	-	-	-	-	-	0.3	1.0	4.0	5.5	10.2	18.0	27.3	32.9	57.5	58.6	43.7	39.8	10.8	9.0	6.1	0.78
C26	Other ill-defined digestive organs	23	-	-	-	-	0.2	-	-	-	0.2	-	0.4	0.3	0.4	-	1.2	2.2	0.5	-	0.2	0.2	0.1	0.01
C30	Nasal cavity and middle ear	45	-	-	-	-	-	-	-	0.1	0.1	0.6	0.7	1.1	0.8	1.1	2.4	1.0	2.0	-	0.4	0.4	0.3	0.03
C31	Accessory sinuses	118	-	-	-	-	-	0.3	0.1	0.1	0.6	0.8	1.8	3.6	2.7	3.0	4.0	2.9	5.1	4.7	1.2	1.0	0.7	0.09
C32	Larynx	1,171	-	-	-	-	-	-	0.1	0.8	2.9	10.9	18.2	29.0	39.7	38.2	37.5	37.6	34.1	35.1	11.5	10.1	7.2	0.88
C33	Trachea	22	-	-	-	-	-	-	-	-	-	0.1	-	0.3	0.8	0.9	0.7	0.6	2.5	1.2	0.2	0.2	0.1	0.01
C34	Bronchus and lung	10,723	-	-	-	0.3	0.2	0.3	2.2	4.0	13.9	40.2	100.4	170.8	292.5	372.0	505.6	587.7	519.3	363.9	105.1	86.8	58.8	7.24
C37	Thymus	37	-	-	-	-	-	-	-	0.4	0.2	0.4	-	1.1	0.6	1.5	1.2	1.3	1.0	1.2	0.4	0.3	0.2	0.03
C38	Heart, mediastinum and pleura	16	-	-	-	-	0.2	-	-	0.3	0.2	0.1	0.1	0.3	0.8	-	0.5	-	-	1.2	0.2	0.2	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	0.0	0.0	0.0	0.00
C40	Bone and articular cartilage of limbs	78	-	0.2	1.4	2.4	1.2	0.9	0.5	0.8	0.4	0.5	0.4	0.8	0.8	0.4	1.2	1.0	-	-	0.8	0.8	0.8	0.06
C41	Bone and articular cartilage, NOS	75	0.2	0.5	0.6	1.1	0.6	0.9	0.8	0.8	0.6	0.4	0.6	0.6	1.0	0.6	1.0	0.6	2.5	3.5	0.7	0.7	0.7	0.05
C43	Malignant melanoma of skin	1,241	0.2	0.3	0.3	1.1	3.5	5.2	6.3	9.0	13.8	14.3	13.7	17.7	20.2	33.9	30.4	37.9	42.2	43.3	12.2	10.7	8.1	0.85
C44	Malignant neoplasms of skin	3,326	-	0.2	0.3	0.2	0.6	0.3	1.6	1.6	3.7	6.2	13.5	21.8	45.7	78.6	132.3	225.0	353.5	507.8	32.6	25.8	15.9	1.52
C45	Mesothelioma	410	-	-	-	-	0.2	-	0.1	0.4	0.4	0.9	2.6	4.6	13.8	12.9	21.6	21.4	23.4	19.9	4.0	3.3	2.2	0.29

Belgium: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	48	-	-	-	-	-	0.3	0.7	0.8	0.7	0.6	0.4	0.8	0.6	0.4	1.2	1.3	0.5	1.2	0.5	0.4	0.3	0.03
C47,C49	Soft tissues	408	1.2	0.5	0.9	0.6	1.7	1.2	1.6	3.4	2.7	3.8	5.3	6.5	6.7	6.2	10.9	12.7	18.8	18.7	4.0	3.5	2.8	0.27
C48	Retroperitoneum and peritoneum	47	0.2	-	-	-	-	0.2	0.3	0.1	0.1	0.1	0.7	1.1	1.0	1.5	1.4	1.9	0.5	3.5	0.5	0.4	0.3	0.03
C50	Breast	167	-	-	-	-	-	-	0.1	0.3	0.5	0.9	1.1	1.5	4.6	6.4	6.2	8.9	9.2	12.9	1.6	1.4	0.9	0.11
C60	Penis	134	-	-	-	-	0.2	-	-	0.3	0.5	1.6	1.1	1.5	2.5	4.1	3.1	7.6	9.7	11.7	1.3	1.1	0.7	0.07
C61	Prostate	19,129	-	-	-	-	-	-	-	0.1	3.0	25.8	116.2	304.0	515.6	804.2	955.7	1,015.2	970.4	930.1	187.6	154.3	103.2	12.74
C62	Testis	526	-	-	0.3	3.5	10.6	14.3	14.0	10.2	7.0	3.8	2.8	2.3	2.1	1.3	2.6	1.0	1.0	2.3	5.2	5.1	4.9	0.37
C63	Male genital organs, NOS	21	0.2	-	-	0.2	0.2	-	-	0.3	-	0.3	-	0.5	0.2	0.4	0.7	1.0	-	2.3	0.2	0.2	0.2	0.01
C64	Kidney	1,611	2.9	0.8	-	0.2	-	0.3	0.7	3.4	7.2	10.6	17.2	31.4	40.5	55.0	65.3	69.2	59.0	36.3	15.8	13.5	9.6	1.17
C65	Renal pelvis	206	-	-	-	-	-	-	-	0.3	-	0.5	0.4	2.9	2.5	6.9	11.6	14.7	15.8	9.4	2.0	1.6	1.0	0.13
C66	Ureter	153	-	-	-	-	-	-	-	-	0.2	0.3	0.9	2.0	3.1	5.4	9.5	9.2	8.6	4.7	1.5	1.2	0.8	0.11
C67	Bladder	3,265	0.2	-	-	-	-	0.2	0.4	0.8	3.9	7.0	19.3	35.2	62.0	96.0	144.2	213.2	259.9	320.6	32.0	25.7	16.4	1.83
C68	Urinary organs, NOS	47	-	-	-	-	-	-	-	0.1	-	-	0.6	0.3	1.0	1.3	1.9	3.8	1.5	7.0	0.5	0.4	0.2	0.03
C69	Eye and adnexa	64	1.4	-	-	-	-	-	0.3	-	0.4	0.5	0.1	1.7	0.8	1.3	1.7	3.5	2.5	2.3	0.6	0.6	0.5	0.04
C70	Meninges	20	-	0.2	-	0.2	-	-	0.1	0.1	0.1	0.4	0.3	0.3	-	0.2	0.5	0.3	2.0	-	0.2	0.2	0.1	0.01
C71	Brain	855	2.7	2.0	1.9	2.9	4.0	3.3	2.6	5.6	7.9	7.9	9.1	13.3	19.8	22.1	23.0	23.3	18.3	7.0	8.4	7.6	6.2	0.64
C72	Spinal cord, cranial nerves and CNS, NOS	41	0.7	-	0.2	0.3	0.3	0.3	0.1	0.1	0.6	0.4	0.4	0.2	0.8	1.1	0.7	1.0	0.5	-	0.4	0.4	0.4	0.03
C73	Thyroid gland	316	-	-	0.2	0.3	0.9	1.2	2.3	2.9	3.5	4.7	5.0	7.1	5.2	6.9	6.7	4.8	4.6	4.7	3.1	2.8	2.2	0.23
C74	Adrenal gland	34	2.4	0.3	0.2	-	-	-	-	0.3	0.2	0.5	0.3	-	0.8	-	0.5	-	0.5	-	0.3	0.4	0.5	0.03
C75	Endocrine glands, NOS	15	-	0.2	0.3	0.2	-	0.2	0.3	0.1	0.2	-	0.1	-	0.4	0.2	-	0.3	-	-	0.1	0.1	0.1	0.01
C81	Hodgkin's disease	332	0.3	1.0	2.8	3.5	6.0	4.1	4.2	2.9	3.5	2.5	3.1	3.7	4.0	3.4	2.6	4.8	3.1	3.5	3.3	3.2	3.0	0.24
C82-C85	Non-Hodgkin-lymphoma	2,009	0.9	2.2	1.7	3.2	3.5	3.8	5.0	7.4	8.2	14.1	23.2	31.3	41.1	52.8	72.7	81.9	99.7	85.4	19.7	16.9	12.3	1.35
C88	Malignant immunoproliferative diseases	76	-	-	-	-	-	-	-	0.3	0.1	0.5	1.3	1.2	1.5	2.1	1.2	6.1	3.6	4.7	0.7	0.6	0.4	0.04
C90	Multiple myeloma	676	-	-	-	-	0.2	0.2	0.1	0.4	2.0	3.2	4.8	11.9	12.3	21.9	29.7	42.1	38.1	29.2	6.6	5.4	3.6	0.43
C91	Lymphoid leukaemia	749	7.3	3.7	1.4	1.8	0.6	0.8	0.7	1.4	2.9	4.5	6.5	9.4	15.9	20.8	25.9	34.7	31.0	24.6	7.3	6.5	5.3	0.52
C92	Myeloid leukaemia	559	1.5	0.5	0.3	1.3	0.9	2.0	1.8	2.3	2.7	3.9	5.0	6.7	11.5	17.2	18.1	22.3	28.0	24.6	5.5	4.7	3.6	0.38
C93	Monocytic leukaemia	20	-	-	-	-	-	0.2	-	0.4	0.2	0.1	-	0.6	0.4	0.4	0.5	0.3	1.0	-	0.2	0.2	0.1	0.01
C94-C95	Leukaemia other	45	0.3	-	-	-	-	-	-	0.1	0.4	0.1	0.4	0.3	0.8	1.7	1.4	2.9	2.0	2.3	0.4	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	10	0.7	-	-	-	-	-	-	0.1	-	0.1	-	0.2	0.2	0.2	0.2	-	-	-	0.1	0.1	0.1	0.01
C76	Other and ill-defined sites	40	0.3	-	-	-	-	-	-	0.1	-	0.4	0.9	0.8	0.8	1.7	0.5	1.3	1.5	2.3	0.4	0.4	0.3	0.03
C80	Unknown primary site	1,342	0.2	-	-	0.2	0.2	0.8	1.1	1.3	1.8	8.3	14.4	20.0	28.2	39.7	50.8	73.3	85.4	87.7	13.2	10.9	7.3	0.83
MPD	Myeloproliferative Disorders	294	-	-	0.2	0.3	0.3	0.5	0.3	0.6	1.3	2.5	3.1	4.3	6.3	6.0	11.2	15.0	16.8	16.4	2.9	2.4	1.7	0.18
MDS	Myelodysplastic syndromes	431	0.2	0.2	0.2	-	0.3	-	0.4	0.5	0.9	0.9	1.1	2.8	7.3	11.8	15.9	32.2	40.7	48.0	4.2	3.3	2.1	0.21
Total		66,848	24.1	12.9	14.2	25.0	39.2	45.9	56.0	81.8	140.7	280.3	573.1	1,029.1	1,587.5	2,227.2	2,860.5	3,408.2	3,567.3	3,577.8	655.5	546.4	375.2	36.23
Total excl. non-melanoma		63,522	24.1	12.8	13.9	24.8	38.5	45.5	54.4	80.1	137.1	274.0	559.6	1,007.2	1,541.8	2,148.6	2,728.2	3,183.2	3,213.8	3,070.0	622.9	520.6	359.3	35.24
Total excl. non-melanoma and MDS-MPD		62,797	23.9	12.6	13.6	24.5	37.9	45.1	53.7	79.0	134.9	270.7	555.3	1,000.1	1,528.2	2,130.8	2,701.1	3,136.0	3,156.3	3,005.7	615.7	514.8	355.5	34.99

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Belgium: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Belgium: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	43	-	-	-	-	-	-	-	-	-	-	0.1	0.6	0.2	1.9	0.8	0.7	3.7	2.9	0.4	0.2	0.2	0.02
C01	Base of tongue	31	-	-	-	-	-	-	-	0.1	-	0.3	1.0	0.8	1.6	0.8	0.6	-	0.3	-	0.3	0.3	0.2	0.03
C02	Tongue	134	-	-	-	-	-	0.5	0.1	0.3	1.1	2.0	2.3	3.2	3.0	2.3	2.9	2.8	0.6	4.1	1.3	1.1	0.8	0.09
C03	Gum	51	-	-	-	-	-	-	-	-	0.4	0.3	0.4	1.8	1.2	0.8	1.3	1.1	1.4	1.7	0.5	0.4	0.3	0.03
C04	Floor of mouth	81	-	-	-	-	-	-	0.1	-	0.4	1.1	1.4	1.2	3.6	2.3	1.1	2.2	0.3	1.7	0.8	0.7	0.5	0.06
C05	Palate	65	-	-	-	0.3	0.3	-	0.3	0.1	0.1	0.5	1.7	1.5	2.0	1.3	1.1	1.1	0.6	0.4	0.6	0.6	0.4	0.05
C06	Mouth, NOS	95	-	-	-	-	-	-	-	0.3	0.7	0.7	1.9	1.4	1.8	2.3	1.3	3.1	2.3	4.1	0.9	0.7	0.5	0.05
C07	Parotid gland	80	-	-	-	0.2	0.2	0.2	0.4	0.6	0.7	0.8	0.3	0.9	0.6	1.1	3.1	2.4	1.7	2.9	0.8	0.6	0.4	0.05
C08	Salivary glands, NOS	43	-	-	-	0.2	0.2	0.2	0.4	0.3	0.2	0.3	0.6	0.5	1.2	0.8	0.8	1.1	0.6	1.2	0.4	0.3	0.3	0.03
C09	Tonsil	113	-	-	-	-	0.2	-	-	0.1	0.2	2.4	3.0	1.8	3.2	2.3	2.1	2.2	2.0	0.8	1.1	0.9	0.7	0.08
C10	Oropharynx	42	-	-	-	-	-	-	-	-	0.1	0.4	1.1	1.4	0.6	1.0	1.1	0.4	0.6	1.2	0.4	0.3	0.2	0.03
C11	Nasopharynx	19	-	-	0.2	-	-	-	0.3	0.4	-	0.1	0.4	0.3	0.4	-	0.6	-	0.3	0.4	0.2	0.2	0.1	0.01
C12	Pyramidal sinus	30	-	-	-	-	-	-	-	-	0.1	0.7	0.7	1.4	0.6	0.2	0.4	0.9	-	-	0.3	0.3	0.2	0.02
C13	Hypopharynx	28	-	-	-	-	-	-	-	0.1	0.1	0.5	0.4	0.8	0.6	0.6	0.4	0.4	1.1	-	0.3	0.2	0.2	0.02
C14	Lip, oral cavity and pharynx, NOS	20	-	-	-	-	-	-	-	-	-	-	0.3	0.9	0.6	0.4	0.6	0.4	0.3	0.4	0.2	0.2	0.1	0.01
C15	Oesophagus	458	-	-	-	-	-	-	-	0.3	0.7	1.6	4.0	7.7	8.9	11.7	13.5	16.0	16.2	21.9	4.3	2.9	2.0	0.24
C16	Stomach	1,019	-	-	-	-	0.2	0.5	0.8	1.8	3.1	4.5	5.6	7.1	13.7	17.2	28.8	37.0	55.9	72.4	9.6	5.8	3.9	0.42
C17	Small intestine	168	-	-	-	-	-	0.3	0.1	0.5	0.6	1.3	1.1	2.3	3.8	1.9	6.3	5.7	5.4	6.6	1.6	1.1	0.8	0.09
C18	Colon	4,767	-	-	0.6	2.0	1.9	1.4	2.6	3.1	7.8	13.0	26.3	48.7	66.2	98.0	152.3	188.5	243.9	274.0	44.8	27.8	18.5	2.10
C19	Rectosigmoid junction	425	-	-	-	-	-	-	0.1	-	1.1	2.6	3.3	5.4	7.9	8.6	13.4	17.7	18.7	14.5	4.0	2.7	1.8	0.21
C20	Rectum	1,706	-	-	-	0.2	-	0.5	1.0	1.7	4.4	7.2	15.5	22.8	32.2	42.3	46.2	60.2	75.1	70.8	16.0	10.8	7.4	0.87
C21	Anus and anal canal	148	-	-	-	-	-	-	0.1	0.4	0.6	1.4	1.7	3.1	2.6	3.3	2.1	4.6	4.8	7.0	1.4	1.0	0.7	0.08
C22	Liver and intrahepatic bile ducts	273	0.9	-	-	0.2	0.3	0.5	0.3	0.3	0.5	2.1	1.9	4.2	4.4	6.7	8.6	10.5	8.5	7.5	2.6	1.9	1.4	0.15
C23	Gallbladder	133	-	-	-	-	-	-	-	-	0.2	0.8	0.6	0.8	1.4	3.8	3.1	5.7	8.8	6.6	1.2	0.7	0.5	0.05
C24	Biliary tract, NOS	202	-	-	-	-	-	0.2	-	0.4	0.2	0.9	0.9	1.1	3.4	4.8	8.6	7.9	9.1	8.7	1.9	1.2	0.8	0.10
C25	Pancreas	1,011	-	-	0.2	0.2	0.2	0.3	0.6	0.8	2.9	3.7	5.9	12.0	19.1	28.7	34.5	39.2	37.1	36.8	9.5	6.4	4.4	0.54
C26	Other ill-defined digestive organs	23	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	0.2	1.0	0.7	0.6	2.5	0.2	0.1	0.1	0.01
C30	Nasal cavity and middle ear	29	-	-	-	-	0.2	-	-	0.3	0.1	-	0.3	-	1.2	0.8	1.0	0.7	0.6	1.2	0.3	0.2	0.2	0.02
C31	Accessory sinuses	34	-	-	-	-	-	0.2	0.1	-	0.2	0.1	0.3	0.6	1.0	0.8	0.2	-	2.3	2.1	0.3	0.2	0.2	0.02
C32	Larynx	182	-	-	-	-	-	-	0.1	0.6	0.7	1.3	4.5	4.3	4.0	4.2	4.4	4.2	3.1	2.5	1.7	1.4	1.0	0.12
C33	Trachea	7	-	-	-	-	-	-	-	-	0.1	-	-	0.2	-	0.2	0.2	-	0.6	0.4	0.1	0.0	0.0	0.00
C34	Bronchus and lung	3,079	-	-	-	-	0.6	0.6	1.5	3.8	9.3	26.7	52.9	57.1	81.3	80.8	77.7	93.1	73.4	38.1	28.9	22.7	16.2	1.94
C37	Thymus	23	-	-	-	-	-	-	0.1	-	-	-	0.3	1.4	0.6	0.4	0.6	0.4	-	0.4	0.2	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	13	0.2	0.2	-	0.2	-	-	0.1	0.1	-	-	0.1	0.2	0.2	-	0.2	0.2	0.6	0.4	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	69	-	-	1.6	1.3	0.5	0.9	0.6	0.4	0.5	0.8	0.3	1.2	0.6	0.8	0.4	0.7	0.9	-	0.6	0.6	0.6	0.05
C41	Bone and articular cartilage, NOS	62	-	0.5	0.5	1.0	0.8	0.2	-	0.1	0.4	0.1	0.4	0.6	0.6	1.9	1.7	1.5	0.9	-	0.6	0.5	0.5	0.04
C43	Malignant melanoma of skin	1,812	0.4	0.3	0.5	1.5	8.8	14.2	16.0	20.9	19.5	20.2	22.6	25.7	25.8	28.1	28.1	26.5	33.7	30.2	17.0	14.7	11.9	1.16
C44	Malignant neoplasms of skin	2,351	-	0.3	0.5	0.5	0.3	0.6	1.3	1.0	2.5	5.8	12.4	14.5	21.1	41.7	58.0	86.0	142.1	229.3	22.1	12.5	8.0	0.80
C45	Mesothelioma	74	-	-	-	0.3	-	-	-	-	-	0.5	0.3	1.5	1.4	2.1	4.0	2.4	1.4	0.4	0.7	0.5	0.4	0.05

Belgium: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	17	-	-	-	-	0.2	0.2	0.1	0.4	0.1	0.3	0.1	-	0.2	-	0.4	-	0.6	0.8	0.2	0.1	0.1	0.01
C47,C49	Soft tissues	377	1.6	0.3	0.2	1.3	1.4	2.3	2.0	3.4	3.4	4.6	4.3	4.2	6.4	5.6	5.5	9.0	7.1	7.5	3.5	3.0	2.5	0.23
C48	Retroperitoneum and peritoneum	77	0.4	-	-	0.3	-	0.3	0.3	0.3	0.4	0.4	0.9	1.5	1.2	1.5	2.1	1.8	2.6	1.2	0.7	0.6	0.5	0.05
C50	Breast	18,774	-	-	0.2	0.3	1.6	12.3	32.9	77.7	165.7	274.0	338.9	367.4	411.7	404.9	346.3	359.1	367.8	309.2	176.4	146.4	108.3	11.46
C51	Vulva	311	-	-	-	-	-	-	0.6	0.6	1.0	1.3	3.3	3.5	4.4	6.3	7.8	11.4	13.3	17.8	2.9	1.9	1.3	0.14
C52	Vagina	97	-	-	-	-	-	-	-	0.5	0.6	1.2	0.6	0.8	1.0	1.9	3.4	2.8	2.8	5.8	0.9	0.6	0.4	0.05
C53	Cervix uteri	1,302	-	-	-	-	1.1	5.4	14.5	20.5	22.9	19.7	19.0	15.7	18.3	15.9	15.6	14.2	18.4	17.8	12.2	10.8	8.6	0.84
C54	Corpus uteri	2,735	-	-	-	-	0.2	0.3	0.6	1.6	4.6	9.6	24.7	50.2	75.1	92.1	82.6	84.7	83.7	55.5	25.7	18.9	13.2	1.69
C55	Uterus	138	-	-	-	-	-	-	0.1	0.6	0.7	1.7	0.7	2.6	2.4	3.1	3.6	4.4	4.5	3.3	1.3	1.0	0.7	0.08
C56	Ovary	1,803	-	0.2	0.6	0.7	0.9	2.8	3.1	4.7	8.0	15.9	23.0	30.7	35.6	45.6	44.5	55.4	48.5	38.9	16.9	12.9	9.4	1.07
C57	Female genital organs, NOS	63	0.2	-	-	-	-	-	-	0.1	0.6	0.7	0.6	1.1	1.2	1.1	1.0	2.2	2.6	1.7	0.6	0.4	0.3	0.03
C58	Placenta	6	-	-	-	-	0.2	0.2	0.4	0.1	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.00
C64	Kidney	1,051	2.5	0.5	0.2	-	0.6	0.2	0.7	2.9	3.5	8.1	10.3	14.6	21.1	27.4	34.0	34.6	30.9	20.7	9.9	7.3	5.4	0.63
C65	Renal pelvis	140	-	-	-	-	-	-	-	-	0.1	0.1	0.4	0.9	2.6	4.0	4.8	8.3	6.8	3.3	1.3	0.8	0.5	0.06
C66	Ureter	54	-	-	-	-	-	-	-	-	-	0.1	-	0.3	0.8	0.8	1.7	3.3	3.7	2.5	0.5	0.3	0.2	0.02
C67	Bladder	830	-	-	-	-	-	-	0.6	0.4	0.2	2.2	4.7	5.4	11.9	17.6	26.3	32.0	50.8	50.1	7.8	4.6	3.0	0.35
C68	Urinary organs, NOS	13	-	-	-	-	0.2	-	-	-	-	-	0.1	-	0.2	0.4	0.2	0.4	0.9	0.8	0.1	0.1	0.1	0.01
C69	Eye and adnexa	76	1.4	-	-	0.2	-	-	0.4	0.1	0.5	0.8	0.4	1.2	1.6	2.3	1.5	1.1	1.1	2.1	0.7	0.6	0.6	0.05
C70	Meninges	33	0.2	-	-	-	-	-	0.1	0.3	0.2	0.4	0.1	0.6	0.8	0.8	0.6	1.1	0.9	-	0.3	0.3	0.2	0.02
C71	Brain	608	1.6	2.1	1.6	2.0	0.9	3.1	2.6	3.0	5.7	6.2	5.5	8.8	11.1	14.4	14.5	12.5	8.8	5.8	5.7	4.9	4.1	0.41
C72	Spinal cord, cranial nerves and CNS, NOS	33	1.1	0.9	0.2	-	0.2	-	0.6	0.1	0.4	0.3	0.3	0.2	0.2	-	0.6	0.4	-	0.4	0.3	0.3	0.4	0.02
C73	Thyroid gland	937	-	0.2	0.3	1.0	4.9	7.9	8.6	10.4	13.9	14.6	14.5	15.7	12.1	12.3	12.4	10.3	8.8	4.1	8.8	8.1	6.6	0.64
C74	Adrenal gland	35	2.1	0.3	-	0.2	-	0.2	-	0.3	0.1	0.5	0.3	0.5	0.2	0.2	0.6	0.2	-	0.4	0.3	0.4	0.4	0.03
C75	Endocrine glands, NOS	5	-	-	-	-	-	0.2	-	-	-	-	0.1	0.2	0.2	-	0.2	-	-	-	0.0	0.0	0.0	0.00
C81	Hodgkin's disease	255	-	0.5	1.3	5.3	4.1	5.1	3.1	2.3	2.0	2.1	1.3	2.2	1.6	2.5	2.1	2.2	3.7	1.2	2.4	2.4	2.3	0.18
C82-C85	Non-Hodgkin-lymphoma	1,702	0.4	0.7	0.6	2.0	2.0	1.5	4.2	4.4	8.3	10.5	16.1	20.2	29.8	39.1	47.9	60.2	57.0	50.5	16.0	11.5	8.4	0.93
C88	Malignant immunoproliferative diseases	47	-	-	-	-	0.2	-	-	-	0.2	0.1	0.1	0.6	1.6	1.1	0.8	1.5	0.9	4.1	0.4	0.3	0.2	0.02
C90	Multiple myeloma	631	-	-	-	-	-	-	0.3	0.9	1.2	3.3	5.5	9.9	9.7	16.8	18.7	24.7	24.1	21.5	5.9	4.0	2.8	0.33
C91	Lymphoid leukaemia	555	5.5	2.4	2.3	1.7	0.3	0.5	1.0	1.0	1.7	3.9	2.4	6.2	10.9	12.1	15.3	16.2	16.7	14.1	5.2	4.1	3.6	0.34
C92	Myeloid leukaemia	486	0.9	1.0	0.5	0.8	0.9	2.0	2.1	3.1	2.5	4.3	3.3	5.4	8.5	9.4	12.2	11.2	12.8	19.0	4.6	3.5	2.8	0.28
C93	Monocytic leukaemia	15	0.2	-	-	-	-	-	-	0.3	-	0.3	0.1	0.2	0.4	0.2	-	0.9	0.3	-	0.1	0.1	0.1	0.01
C94-C95	Leukaemia other	35	0.2	-	-	-	-	-	0.1	0.4	-	-	0.1	0.5	0.8	0.8	0.8	1.1	1.1	2.1	0.3	0.2	0.2	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	10	0.2	-	-	-	0.2	-	0.3	-	-	0.1	-	-	0.4	-	0.2	0.2	0.3	-	0.1	0.1	0.1	0.01
C76	Other and ill-defined sites	42	0.9	-	-	-	-	0.2	0.1	-	-	0.1	0.1	0.8	0.4	1.0	0.6	1.5	0.9	3.3	0.4	0.3	0.3	0.02
C80	Unknown primary site	1,095	0.4	-	-	0.2	0.2	0.5	0.7	1.2	2.4	5.6	9.3	11.4	16.3	23.4	30.0	42.0	55.6	51.3	10.3	6.7	4.5	0.51
MPD	Myeloproliferative Disorders	286	-	-	-	0.2	0.3	0.2	0.3	1.6	1.0	1.8	2.7	2.8	4.6	2.7	9.9	12.7	13.0	6.6	2.7	1.8	1.3	0.14
MDS	Myelodysplastic syndromes	363	-	-	-	0.2	-	0.3	0.6	0.5	0.4	1.3	2.3	2.0	4.0	7.1	11.3	14.9	21.3	21.1	3.4	2.0	1.4	0.15
Total		53,980	21.1	10.6	12.0	24.3	34.8	66.2	108.1	182.5	312.6	500.8	673.6	829.5	1,032.1	1,180.9	1,272.6	1,466.8	1,631.2	1,601.2	507.2	384.9	281.0	26.88
Total excl. non-melanoma		51,629	21.1	10.2	11.5	23.8	34.5	65.6	106.9	181.4	310.1	495.0	661.2	815.0	1,011.0	1,139.2	1,214.6	1,380.7	1,489.1	1,371.9	485.1	372.4	273.0	26.29
Total excl. non-melanoma and MDS-MPD		50,980	21.1	10.2	11.5	23.4	34.2	65.2	106.0	179.4	308.8	491.9	656.2	810.3	1,002.5	1,129.4	1,193.4	1,353.1	1,454.8	1,344.2	479.0	368.5	270.4	26.08

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Flemish Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Flemish Region: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	90	-	-	-	-	-	-	-	-	0.4	0.4	0.5	1.0	2.3	4.8	8.8	8.5	11.1	13.5	1.5	1.1	0.7	0.09
C01	Base of tongue	56	-	-	-	-	-	-	-	0.2	0.2	2.0	3.4	2.1	3.0	1.4	1.5	2.1	0.9	1.9	0.9	0.9	0.6	0.07
C02	Tongue	196	-	-	-	-	-	0.3	0.2	0.6	2.0	6.1	7.7	9.4	9.1	6.8	8.4	3.7	6.0	3.9	3.3	2.9	2.1	0.25
C03	Gum	18	-	-	-	-	-	-	-	-	-	0.4	0.5	1.0	1.3	1.0	1.2	-	-	-	0.3	0.3	0.2	0.03
C04	Floor of mouth	173	-	-	-	-	-	-	-	0.2	1.0	4.6	7.0	11.0	9.7	6.1	3.8	5.8	5.1	1.9	2.9	2.6	1.9	0.22
C05	Palate	50	-	-	-	-	-	-	-	-	0.8	1.3	1.7	2.1	2.7	1.7	2.3	1.1	3.4	-	0.8	0.7	0.5	0.06
C06	Mouth, NOS	91	-	-	-	-	-	-	0.2	-	0.6	1.5	4.6	3.4	3.7	4.8	2.7	4.8	5.1	1.9	1.5	1.3	0.9	0.11
C07	Parotid gland	67	-	-	0.8	-	0.3	0.3	-	0.6	0.2	0.7	0.5	2.3	1.7	2.7	4.2	4.2	4.3	13.5	1.1	1.0	0.7	0.07
C08	Salivary glands, NOS	25	-	-	-	-	-	0.3	-	-	0.2	-	0.5	0.3	1.3	1.0	1.2	1.1	5.1	3.9	0.4	0.3	0.2	0.02
C09	Tonsil	160	-	-	-	-	-	-	-	0.2	2.7	3.0	6.8	8.1	8.1	5.8	4.2	6.4	6.8	1.9	2.7	2.3	1.7	0.19
C10	Oropharynx	76	-	-	-	-	-	-	-	-	0.6	2.2	2.9	4.7	5.0	2.4	3.1	0.5	-	3.9	1.3	1.2	0.9	0.10
C11	Nasopharynx	35	-	-	-	-	0.3	0.5	-	0.2	0.2	0.7	1.5	0.5	2.0	1.7	1.5	-	0.9	5.8	0.6	0.5	0.4	0.05
C12	Pyramidal sinus	129	-	-	-	-	-	-	-	-	0.4	2.2	6.0	8.1	7.0	6.5	2.3	5.8	3.4	-	2.2	1.9	1.4	0.16
C13	Hypopharynx	66	-	-	-	-	-	-	-	-	0.4	0.9	2.7	5.0	3.4	3.4	1.9	1.6	1.7	-	1.1	1.0	0.7	0.09
C14	Lip, oral cavity and pharynx, NOS	31	-	0.3	-	-	-	-	-	-	-	0.7	1.9	1.3	1.3	1.7	0.4	1.6	-	1.9	0.5	0.5	0.4	0.04
C15	Oesophagus	763	-	-	-	-	-	-	0.7	0.6	3.1	10.4	17.9	30.8	32.2	40.2	46.8	52.0	33.4	55.9	12.8	10.7	7.4	0.91
C16	Stomach	1,055	-	-	-	-	0.3	0.5	1.0	3.0	2.7	6.5	16.7	16.4	31.2	50.1	75.2	93.9	137.8	163.8	17.7	13.8	9.0	1.01
C17	Small intestine	117	-	-	-	-	-	-	0.2	0.2	1.0	1.5	2.4	3.7	5.4	6.5	6.1	6.9	7.7	11.6	2.0	1.6	1.1	0.14
C18	Colon	3,274	-	0.3	0.5	0.8	1.3	0.8	1.5	4.3	10.6	13.9	29.3	60.8	103.7	164.6	249.8	337.4	395.5	429.8	55.1	42.3	27.6	3.16
C19	Rectosigmoid junction	338	-	-	-	-	-	-	0.2	0.9	0.2	1.1	4.8	7.6	10.7	21.1	27.6	31.8	30.0	32.8	5.7	4.4	2.9	0.37
C20	Rectum	1,646	-	-	0.3	-	0.3	0.5	1.0	1.9	6.9	13.1	22.3	40.7	67.5	95.1	116.3	134.2	143.0	161.9	27.7	22.1	14.9	1.81
C21	Anus and anal canal	63	-	-	-	-	-	-	-	0.2	0.4	0.9	1.7	2.6	4.4	1.7	2.7	2.7	5.1	5.8	1.1	0.9	0.6	0.07
C22	Liver and intrahepatic bile ducts	306	0.3	-	-	-	0.3	0.5	0.2	0.9	0.6	3.0	5.8	8.6	13.4	16.7	25.7	21.2	18.8	9.6	5.1	4.2	2.9	0.38
C23	Gallbladder	38	-	-	-	-	-	-	-	-	-	0.2	-	0.5	1.0	2.4	2.3	4.8	7.7	1.9	0.6	0.5	0.3	0.03
C24	Biliary tract, NOS	134	-	-	-	-	-	0.3	-	0.2	0.2	1.7	2.2	3.4	3.4	7.2	6.1	18.0	13.7	7.7	2.3	1.7	1.2	0.12
C25	Pancreas	663	-	-	-	-	-	-	0.2	1.3	4.9	4.6	9.9	17.2	29.9	31.0	55.6	53.0	44.5	52.0	11.1	8.9	6.1	0.77
C26	Other ill-defined digestive organs	6	-	-	-	-	-	-	-	-	0.2	-	-	-	0.3	-	0.8	1.1	-	-	0.1	0.1	0.1	0.01
C30	Nasal cavity and middle ear	25	-	-	-	-	-	-	-	0.2	-	0.7	0.7	0.8	0.7	1.4	1.9	1.1	1.7	-	0.4	0.3	0.2	0.03
C31	Accessory sinuses	82	-	-	-	-	-	0.3	0.2	0.2	0.6	0.4	2.2	4.2	3.7	4.1	4.2	4.2	3.4	5.8	1.4	1.2	0.8	0.10
C32	Larynx	656	-	-	-	-	-	-	-	0.6	2.0	9.1	16.2	26.1	34.9	34.4	33.0	38.2	42.8	40.5	11.0	9.2	6.4	0.78
C33	Trachea	12	-	-	-	-	-	-	-	-	-	-	-	0.5	1.0	1.0	0.4	0.5	0.9	1.9	0.2	0.2	0.1	0.01
C34	Bronchus and lung	6,427	-	-	-	0.6	-	0.3	1.7	4.3	10.2	31.5	92.2	150.5	282.7	354.7	514.6	609.5	564.2	408.6	108.1	84.6	56.8	6.96
C37	Thymus	28	-	-	-	-	-	-	-	0.6	0.4	0.4	-	1.8	0.3	2.0	0.8	1.1	1.7	1.9	0.5	0.4	0.3	0.03
C38	Heart, mediastinum and pleura	12	-	-	-	-	0.3	-	-	0.4	0.4	0.2	0.2	0.5	0.3	-	0.4	-	-	1.9	0.2	0.2	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	1	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.0	0.0	0.0	0.00
C40	Bone and articular cartilage of limbs	51	-	0.3	0.8	2.0	2.1	1.6	0.7	0.9	0.4	0.7	0.5	0.8	0.3	0.7	1.2	1.6	-	-	0.9	0.9	0.9	0.06
C41	Bone and articular cartilage, NOS	42	-	-	0.5	1.4	0.3	0.8	1.2	1.1	0.4	0.4	0.7	0.8	1.0	0.7	0.4	1.1	1.7	1.9	0.7	0.7	0.6	0.05
C43	Malignant melanoma of skin	728	-	0.3	-	0.8	3.2	6.2	7.1	10.3	15.1	15.4	12.1	18.8	19.1	32.4	26.1	31.8	37.7	40.5	12.2	10.5	8.1	0.83
C44	Malignant neoplasms of skin	2,003	-	0.3	0.3	-	0.5	0.3	1.0	2.2	3.5	6.1	11.9	19.6	49.7	80.4	130.1	236.0	333.9	495.3	33.7	25.6	15.8	1.52
C45	Mesothelioma	277	-	-	-	-	0.3	-	0.2	0.4	0.4	1.1	2.9	5.7	16.1	13.6	24.6	21.7	24.8	19.3	4.7	3.7	2.5	0.33

Flemish Region: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	18	-	-	-	-	-	0.5	0.5	0.6	0.8	0.2	-	0.3	-	0.7	0.4	0.5	-	1.9	0.3	0.3	0.2	0.02
C47,C49	Soft tissues	255	1.0	0.3	1.4	0.3	2.1	1.1	2.0	3.2	3.3	3.7	5.8	6.0	7.7	5.5	11.9	11.1	22.3	25.1	4.3	3.7	2.9	0.28
C48	Retroperitoneum and peritoneum	34	0.3	-	-	-	-	0.3	0.2	0.2	0.2	0.2	0.5	1.3	1.3	2.0	1.5	1.6	0.9	5.8	0.6	0.5	0.4	0.04
C50	Breast	106	-	-	-	-	-	-	0.2	-	0.6	1.3	1.5	2.1	4.0	5.8	6.9	10.1	8.6	11.6	1.8	1.4	1.0	0.11
C60	Penis	74	-	-	-	-	-	-	-	0.2	1.3	1.0	1.0	2.3	4.4	2.7	8.0	8.6	13.5	1.2	1.0	0.7	0.06	
C61	Prostate	12,046	-	-	-	-	-	-	0.2	4.1	28.1	118.5	311.2	531.7	810.5	991.1	1,027.4	1,029.9	1,015.7	202.6	159.0	106.2	13.04	
C62	Testis	284	-	-	0.3	4.2	8.6	13.8	13.9	10.1	5.5	3.5	3.1	1.6	2.0	1.4	1.5	1.1	1.7	1.9	4.8	4.8	4.6	0.35
C63	Male genital organs, NOS	12	0.3	-	-	-	0.3	-	-	0.2	-	0.2	-	0.5	0.3	0.3	0.8	0.5	-	1.9	0.2	0.2	0.2	0.01
C64	Kidney	1,018	4.1	1.2	-	-	-	0.3	0.5	3.4	5.5	10.7	17.2	31.3	43.6	55.9	71.0	74.8	64.2	38.5	17.1	14.0	10.1	1.22
C65	Renal pelvis	129	-	-	-	-	-	-	-	-	0.2	0.5	3.4	2.3	5.5	11.1	18.0	17.1	13.5	2.2	1.6	1.0	0.12	
C66	Ureter	88	-	-	-	-	-	-	-	0.2	0.2	0.5	1.6	2.3	5.1	8.8	10.1	10.3	3.9	1.5	1.1	0.7	0.09	
C67	Bladder	1,935	0.3	-	-	-	-	-	0.7	0.6	3.7	6.1	18.9	30.8	58.1	91.3	142.0	209.5	260.3	339.2	32.5	25.0	15.9	1.75
C68	Urinary organs, NOS	24	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	1.4	0.8	1.6	1.7	9.6	0.4	0.4	0.2	0.02	
C69	Eye and adnexa	43	1.0	-	-	-	-	-	0.2	-	0.4	0.7	-	1.8	1.0	2.0	2.3	3.7	3.4	1.9	0.7	0.6	0.5	0.05
C70	Meninges	10	-	-	-	-	-	-	-	-	0.4	0.5	0.5	-	-	0.8	0.5	0.9	-	0.2	0.1	0.1	0.01	
C71	Brain	526	2.9	1.5	2.2	3.7	3.7	2.7	2.4	5.4	8.2	7.2	9.2	13.8	23.2	21.5	25.7	26.0	15.4	3.9	8.8	7.8	6.4	0.66
C72	Spinal cord, cranial nerves and CNS, NOS	19	1.0	-	0.3	0.6	0.3	0.3	-	-	0.8	0.4	0.2	-	0.3	0.3	0.4	0.5	-	-	0.3	0.3	0.4	0.02
C73	Thyroid gland	135	-	-	-	0.6	0.5	0.5	0.7	2.4	2.7	3.0	2.9	5.5	3.4	5.5	5.4	2.7	5.1	7.7	2.3	2.0	1.5	0.16
C74	Adrenal gland	18	1.6	0.3	0.3	-	-	-	-	-	0.2	0.4	0.5	-	1.3	-	0.4	-	0.9	-	0.3	0.3	0.4	0.03
C75	Endocrine glands, NOS	13	-	-	0.5	0.3	-	0.3	0.2	0.2	0.4	-	0.2	-	0.7	0.3	-	0.5	-	-	0.2	0.2	0.2	0.02
C81	Hodgkin's disease	189	0.3	0.9	3.3	4.2	6.1	3.5	3.4	2.4	3.5	2.2	3.1	3.7	2.3	4.8	3.5	4.2	3.4	1.9	3.2	3.1	2.9	0.24
C82-C85	Non-Hodgkin-lymphoma	1,200	1.3	1.5	2.2	3.7	3.5	3.0	5.4	7.8	8.2	13.9	24.4	27.4	39.9	47.7	74.8	81.2	103.6	96.4	20.2	16.7	12.1	1.31
C88	Malignant immunoproliferative diseases	57	-	-	-	-	-	-	-	0.2	0.2	0.9	1.2	1.8	2.0	2.0	1.2	6.9	6.0	7.7	1.0	0.8	0.5	0.05
C90	Multiple myeloma	446	-	-	-	-	-	0.3	-	0.2	2.2	3.7	5.1	13.8	13.1	23.2	33.4	43.0	45.4	27.0	7.5	5.8	3.9	0.47
C91	Lymphoid leukaemia	517	6.0	2.4	2.2	2.0	0.8	0.8	1.0	2.2	2.9	5.4	7.3	9.9	17.8	25.9	29.2	45.6	36.8	27.0	8.7	7.3	5.8	0.58
C92	Myeloid leukaemia	352	1.3	0.6	0.3	1.1	0.8	1.1	2.7	1.7	2.2	4.1	5.6	7.8	11.4	17.0	18.4	24.9	32.5	28.9	5.9	4.9	3.6	0.38
C93	Monocytic leukaemia	14	-	-	-	-	-	0.3	-	0.4	0.2	0.2	-	0.8	0.3	0.3	0.8	-	1.7	-	0.2	0.2	0.2	0.02
C94-C95	Leukaemia other	30	0.6	-	-	-	-	-	-	0.2	0.2	0.2	0.7	0.3	0.7	1.0	1.9	3.2	3.4	1.9	0.5	0.4	0.3	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	5	0.6	-	-	-	-	-	-	0.2	-	0.2	-	-	0.3	-	-	-	-	-	0.1	0.1	0.1	0.01
C76	Other and ill-defined sites	28	0.6	-	-	-	-	-	-	0.2	-	0.4	1.0	1.3	0.3	1.7	0.4	1.6	1.7	3.9	0.5	0.4	0.3	0.03
C80	Unknown primary site	709	-	-	-	0.3	0.3	0.5	1.5	0.9	1.4	7.4	9.7	17.5	25.5	31.7	44.1	65.8	81.3	84.8	11.9	9.4	6.3	0.70
MPD	Myeloproliferative Disorders	234	-	-	0.3	0.6	0.5	0.8	0.5	0.9	1.8	3.0	4.4	5.5	6.7	7.2	13.8	21.2	23.1	27.0	3.9	3.2	2.2	0.23
MDS	Myelodysplastic syndromes	296	-	0.3	0.3	-	0.5	-	0.5	0.9	1.0	1.1	0.7	3.1	8.4	12.9	18.4	36.6	43.7	57.8	5.0	3.8	2.4	0.24
Total		40,874	23.4	10.4	16.6	27.2	37.4	43.6	54.4	81.8	134.6	260.4	545.4	988.2	1,591.2	2,208.3	2,925.4	3,493.4	3,737.9	3,864.3	687.4	547.5	374.3	36.07
Total excl. non-melanoma		38,871	23.4	10.1	16.4	27.2	36.9	43.3	53.4	79.7	131.2	254.3	533.6	968.7	1,541.5	2,127.9	2,795.4	3,257.4	3,404.0	3,369.0	653.7	521.9	358.5	35.09
Total excl. non-melanoma and MDS-MPD		38,341	23.4	9.8	15.8	26.6	35.8	42.5	52.4	77.9	128.3	250.1	528.5	960.1	1,526.4	2,107.8	2,763.1	3,199.5	3,337.2	3,284.2	644.8	515.0	353.9	34.78

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Flemish Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Flemish Region: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	29	-	-	-	-	-	-	-	-	-	-	0.2	0.8	-	2.5	0.6	0.4	4.1	4.5	0.5	0.3	0.2	0.02
C01	Base of tongue	18	-	-	-	-	-	-	-	-	-	0.2	1.0	1.1	1.0	0.9	0.6	-	0.5	-	0.3	0.3	0.2	0.02
C02	Tongue	71	-	-	-	-	-	0.3	-	0.4	1.0	1.6	2.5	3.4	2.3	2.8	2.6	1.5	-	3.7	1.2	1.0	0.7	0.08
C03	Gum	20	-	-	-	-	-	-	-	-	0.2	0.7	0.5	1.0	0.9	1.0	0.8	1.0	0.7	0.3	0.2	0.2	0.02	
C04	Floor of mouth	58	-	-	-	-	-	-	-	0.4	1.3	2.0	1.3	3.6	3.5	1.3	2.7	0.5	2.2	0.9	0.8	0.6	0.07	
C05	Palate	34	-	-	-	0.3	0.3	-	0.2	0.2	0.2	0.2	1.0	0.3	2.3	1.6	1.0	1.9	1.0	0.7	0.6	0.5	0.3	0.04
C06	Mouth, NOS	52	-	-	-	-	-	-	-	0.4	-	0.9	1.7	1.3	1.3	1.6	1.9	3.5	1.5	5.2	0.9	0.6	0.4	0.05
C07	Parotid gland	41	-	-	-	-	0.3	0.3	0.7	0.7	0.6	0.4	-	1.1	0.3	0.6	3.2	1.5	2.1	2.2	0.7	0.5	0.4	0.04
C08	Salivary glands, NOS	26	-	-	-	-	0.3	-	0.7	0.2	0.2	0.4	0.5	0.5	1.6	0.3	1.0	1.2	0.5	0.7	0.4	0.4	0.3	0.03
C09	Tonsil	45	-	-	-	-	0.3	-	-	-	0.2	1.1	1.5	1.1	2.6	1.6	1.9	1.2	2.6	0.7	0.7	0.6	0.4	0.05
C10	Oropharynx	16	-	-	-	-	-	-	-	-	-	0.4	1.0	0.8	-	0.9	0.6	0.4	-	0.7	0.3	0.2	0.2	0.02
C11	Nasopharynx	9	-	-	-	-	-	-	0.2	0.2	-	-	0.5	0.5	0.3	-	0.6	-	-	-	0.1	0.1	0.1	0.01
C12	Pyramidal sinus	15	-	-	-	-	-	-	-	-	-	0.2	0.7	1.1	1.0	-	0.3	1.2	-	-	0.2	0.2	0.2	0.02
C13	Hypopharynx	11	-	-	-	-	-	-	-	0.2	-	0.4	0.2	0.5	0.3	0.3	-	0.4	1.0	-	0.2	0.1	0.1	0.01
C14	Lip, oral cavity and pharynx, NOS	2	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.5	-	0.0	0.0	0.0	0.00
C15	Oesophagus	252	-	-	-	-	-	-	-	0.2	1.0	1.6	2.5	5.8	7.9	10.7	12.8	14.2	18.5	26.7	4.1	2.7	1.8	0.21
C16	Stomach	663	-	-	-	-	-	0.6	0.2	1.8	2.5	5.2	5.2	7.4	13.1	18.2	33.7	44.2	64.3	92.8	10.8	6.4	4.2	0.44
C17	Small intestine	92	-	-	-	-	-	0.3	-	0.2	0.4	1.3	1.5	2.1	3.3	2.2	5.5	6.2	6.2	4.5	1.5	1.0	0.7	0.08
C18	Colon	2,793	-	-	0.3	2.1	1.4	1.7	3.2	2.0	8.4	13.9	26.0	44.8	66.5	102.6	154.4	195.0	252.4	273.1	45.7	28.0	18.6	2.11
C19	Rectosigmoid junction	257	-	-	-	-	-	-	0.2	-	0.8	2.5	3.5	5.3	7.2	9.1	13.2	18.5	21.6	18.6	4.2	2.7	1.8	0.21
C20	Rectum	1,016	-	-	-	-	-	0.8	0.5	1.1	4.6	7.6	16.2	25.2	31.1	41.4	47.5	62.7	76.1	77.2	16.6	11.1	7.5	0.88
C21	Anus and anal canal	67	-	-	-	-	-	-	-	0.7	0.4	1.1	1.5	2.9	1.3	1.9	1.3	3.5	3.6	7.4	1.1	0.8	0.5	0.06
C22	Liver and intrahepatic bile ducts	165	0.3	-	-	-	0.6	0.6	0.5	0.2	0.8	1.1	1.7	5.6	4.9	7.2	8.7	8.8	9.3	10.4	2.7	1.9	1.4	0.16
C23	Gallbladder	91	-	-	-	-	-	-	-	-	0.2	0.9	1.0	0.8	1.0	3.5	4.8	6.5	9.8	10.4	1.5	0.9	0.6	0.06
C24	Biliary tract, NOS	132	-	-	-	-	-	-	-	0.4	0.2	0.9	1.2	1.3	4.3	5.3	8.3	10.0	9.3	11.1	2.2	1.4	0.9	0.11
C25	Pancreas	596	-	-	0.3	0.3	-	-	0.7	0.4	2.5	3.8	6.2	11.4	17.0	29.5	34.0	41.5	41.1	38.6	9.8	6.4	4.3	0.53
C26	Other ill-defined digestive organs	6	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.6	0.4	0.5	0.7	0.1	0.1	0.0	0.00
C30	Nasal cavity and middle ear	20	-	-	-	-	0.3	-	-	0.4	-	-	0.2	-	1.3	0.9	1.3	1.2	0.5	0.7	0.3	0.2	0.2	0.02
C31	Accessory sinuses	20	-	-	-	-	-	-	0.2	-	0.2	0.2	0.5	0.8	1.6	0.3	-	-	2.1	1.5	0.3	0.3	0.2	0.02
C32	Larynx	80	-	-	-	-	-	-	0.2	0.9	0.4	0.9	3.0	3.4	2.9	2.5	3.9	3.5	2.6	0.7	1.3	1.1	0.8	0.09
C33	Trachea	4	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	0.7	0.1	0.0	0.0	0.00
C34	Bronchus and lung	1,688	-	-	-	-	0.8	0.6	1.5	3.1	8.2	24.4	48.4	49.1	68.1	72.8	79.9	95.4	76.6	37.1	27.6	20.8	14.8	1.77
C37	Thymus	12	-	-	-	-	-	-	-	-	-	-	0.2	1.3	0.7	0.6	0.3	0.4	-	-	0.2	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	7	-	-	-	0.3	-	-	-	0.2	-	-	0.2	-	-	-	0.3	-	1.0	0.7	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	48	-	-	2.3	1.2	0.6	1.1	0.7	0.4	0.8	1.1	0.2	1.9	0.7	0.6	0.3	0.8	0.5	-	0.8	0.8	0.8	0.06
C41	Bone and articular cartilage, NOS	36	-	0.9	0.6	0.6	0.8	-	-	-	0.4	-	0.7	0.5	0.3	0.9	2.6	2.3	0.5	-	0.6	0.5	0.5	0.04
C43	Malignant melanoma of skin	1,043	0.7	0.3	0.6	0.9	9.7	12.7	17.2	23.1	19.9	20.6	21.2	21.8	22.6	28.5	27.9	27.7	35.0	29.7	17.1	14.5	11.7	1.13
C44	Malignant neoplasms of skin	1,389	-	-	0.9	0.3	0.6	0.3	1.5	0.7	2.1	6.5	12.2	15.9	22.3	41.4	59.7	88.1	152.1	233.0	22.7	12.9	8.2	0.82
C45	Mesothelioma	54	-	-	-	0.6	-	-	-	-	-	0.4	0.2	1.9	1.0	2.8	5.5	3.8	1.5	-	0.9	0.6	0.4	0.06

Flemish Region: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	6	-	-	-	-	0.3	0.3	-	-	-	0.2	0.2	-	-	-	-	-	0.5	0.7	0.1	0.1	0.1	0.01
C47,C49	Soft tissues	239	1.7	0.3	0.3	0.9	1.7	2.5	2.5	3.8	3.6	5.4	5.2	5.3	6.2	5.6	4.8	11.5	7.7	5.9	3.9	3.3	2.8	0.25
C48	Retroperitoneum and peritoneum	51	-	-	-	0.3	-	0.6	0.2	0.4	0.4	0.7	1.0	1.6	1.6	1.9	2.6	2.3	1.5	1.5	0.8	0.7	0.5	0.06
C50	Breast	10,869	-	-	-	0.6	1.9	13.6	34.3	76.3	152.7	278.2	342.9	353.0	399.0	393.1	339.4	366.2	381.9	322.1	177.8	144.4	106.8	11.24
C51	Vulva	185	-	-	-	-	-	-	0.7	0.4	1.3	1.6	2.7	4.8	4.3	7.2	7.1	11.9	13.9	16.3	3.0	2.0	1.4	0.15
C52	Vagina	53	-	-	-	-	-	-	-	0.2	0.4	1.3	0.7	0.5	1.6	1.9	3.5	2.3	2.6	4.5	0.9	0.6	0.4	0.05
C53	Cervix uteri	779	-	-	-	-	1.7	5.5	16.2	20.5	25.8	19.5	19.7	17.0	17.0	15.1	17.7	12.7	15.4	18.6	12.7	11.2	8.9	0.87
C54	Corpus uteri	1,686	-	-	-	-	-	0.6	0.7	1.6	4.6	10.1	29.9	50.2	78.0	99.1	82.5	91.9	91.5	51.9	27.6	19.9	13.9	1.77
C55	Uterus	54	-	-	-	-	-	-	-	0.4	0.8	0.7	1.0	2.1	1.3	1.9	1.9	3.5	3.1	1.5	0.9	0.6	0.5	0.05
C56	Ovary	1,132	-	-	0.6	0.9	1.4	2.5	4.2	5.1	7.3	17.5	26.5	33.2	33.4	48.9	46.6	65.0	49.3	45.3	18.5	13.9	10.0	1.13
C57	Female genital organs, NOS	34	-	-	-	-	-	-	-	-	0.6	0.4	0.5	1.3	1.3	0.9	0.6	2.7	2.1	1.5	0.6	0.4	0.3	0.03
C58	Placenta	3	-	-	-	-	-	0.3	0.5	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.1	0.00
C64	Kidney	691	1.3	0.6	0.3	-	0.6	0.3	0.7	2.9	2.9	8.1	11.2	15.1	24.2	29.2	40.1	42.7	36.5	28.9	11.3	8.0	5.8	0.69
C65	Renal pelvis	88	-	-	-	-	-	-	-	-	0.2	0.2	0.7	0.8	2.3	4.7	6.1	8.8	6.2	3.0	1.4	0.9	0.6	0.08
C66	Ureter	29	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.6	2.2	3.5	3.6	2.2	0.5	0.2	0.1	0.02
C67	Bladder	513	-	-	-	-	-	-	0.7	-	0.2	1.6	4.5	5.6	12.8	21.0	25.0	33.8	60.7	54.2	8.4	4.9	3.2	0.36
C68	Urinary organs, NOS	9	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3	0.6	0.3	0.4	0.5	1.5	0.1	0.1	0.1	0.01
C69	Eye and adnexa	45	1.0	-	-	-	-	-	0.5	0.2	0.2	0.9	0.7	1.9	1.3	1.6	2.2	1.2	1.0	2.2	0.7	0.6	0.5	0.05
C70	Meninges	21	0.3	-	-	-	-	-	0.2	0.4	0.4	0.4	0.2	0.5	1.0	0.3	1.0	0.8	0.5	-	0.3	0.3	0.2	0.02
C71	Brain	373	2.0	1.2	2.0	1.5	0.8	3.3	3.0	2.9	5.0	5.8	6.5	9.3	10.5	16.0	16.7	12.7	11.3	7.4	6.1	5.1	4.2	0.43
C72	Spinal cord, cranial nerves and CNS, NOS	17	2.0	0.9	0.3	-	-	-	0.2	-	-	0.4	-	0.3	0.3	-	-	0.8	-	-	0.3	0.3	0.4	0.02
C73	Thyroid gland	399	-	-	0.6	0.6	4.1	8.0	5.5	7.8	9.2	10.1	10.2	9.6	7.5	8.2	10.6	7.7	9.8	5.2	6.5	5.8	4.8	0.46
C74	Adrenal gland	20	2.3	0.6	-	0.3	-	0.3	-	0.4	0.2	-	0.5	0.3	-	-	1.0	-	-	-	0.3	0.4	0.5	0.03
C75	Endocrine glands, NOS	5	-	-	-	-	-	0.3	-	-	-	-	0.2	0.3	0.3	-	0.3	-	-	-	0.1	0.1	0.1	0.01
C81	Hodgkin's disease	154	-	0.6	1.4	5.3	5.0	5.5	3.5	3.1	1.7	2.0	1.7	2.1	1.6	2.2	1.6	2.3	4.1	-	2.5	2.5	2.5	0.19
C82-C85	Non-Hodgkin-lymphoma	981	0.7	0.6	0.3	1.8	1.9	1.4	4.0	3.8	6.9	10.1	14.0	19.1	29.2	41.4	49.8	62.3	60.7	46.8	16.0	11.3	8.1	0.92
C88	Malignant immunoproliferative diseases	32	-	-	-	-	-	-	-	-	0.4	-	0.2	0.8	1.6	1.6	1.0	0.8	1.0	6.7	0.5	0.4	0.2	0.03
C90	Multiple myeloma	407	-	-	-	-	-	-	0.2	0.7	1.5	2.7	4.5	11.9	9.8	18.2	21.8	29.2	26.7	27.5	6.7	4.4	2.9	0.36
C91	Lymphoid leukaemia	391	5.0	2.2	2.9	2.1	0.3	0.6	1.2	1.1	2.3	4.5	2.7	7.2	12.8	16.0	18.9	20.4	21.6	19.3	6.4	4.9	4.1	0.40
C92	Myeloid leukaemia	313	0.7	0.3	-	0.6	1.1	1.4	3.0	2.9	2.9	5.6	4.2	6.9	7.5	8.2	13.8	15.0	15.4	23.0	5.1	3.8	2.9	0.30
C93	Monocytic leukaemia	11	0.3	-	-	-	-	-	-	0.2	-	0.4	-	0.3	0.7	0.3	-	0.8	0.5	-	0.2	0.2	0.1	0.01
C94-C95	Leukaemia other	20	0.3	-	-	-	-	-	0.2	0.7	-	-	0.2	0.5	1.3	0.3	-	1.5	1.0	0.7	0.3	0.3	0.2	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	5	0.3	-	-	-	0.3	-	-	-	-	-	-	-	0.7	-	-	-	0.5	-	0.1	0.1	0.1	0.01
C76	Other and ill-defined sites	22	1.0	-	-	-	-	-	0.2	-	-	0.2	-	0.8	0.3	0.9	0.3	1.9	-	3.0	0.4	0.3	0.3	0.02
C80	Unknown primary site	577	0.3	-	-	0.3	-	0.3	0.2	0.9	1.9	3.6	8.0	9.6	15.1	21.0	27.9	39.6	55.0	49.0	9.4	5.9	4.0	0.44
MPD	Myeloproliferative Disorders	217	-	-	-	0.3	0.6	0.3	0.5	1.6	1.7	2.2	3.5	3.4	6.2	3.8	12.2	16.9	17.0	9.6	3.5	2.4	1.7	0.18
MDS	Myelodysplastic syndromes	253	-	-	-	-	-	0.6	0.7	0.7	0.6	1.3	1.5	2.1	4.6	6.9	16.1	20.0	26.2	24.5	4.1	2.4	1.6	0.18
Total		31,662	20.2	8.7	13.4	21.9	37.5	67.1	113.2	177.4	292.9	497.5	673.7	801.4	993.3	1,179.2	1,299.0	1,544.4	1,730.7	1,681.5	518.0	383.8	279.0	26.64
Total excl. non-melanoma		30,273	20.2	8.7	12.5	21.6	37.0	66.8	111.7	176.8	290.8	491.0	661.5	785.5	971.0	1,137.8	1,239.3	1,456.3	1,578.6	1,448.5	495.2	370.9	270.8	26.04
Total excl. non-melanoma and MDS-MPD		29,803	20.2	8.7	12.5	21.3	36.4	66.0	110.4	174.5	288.5	487.4	656.5	779.9	960.2	1,127.2	1,211.1	1,419.4	1,535.4	1,414.4	487.6	366.1	267.6	25.77

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Brussels Capital Region: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01	Base of tongue	13	-	-	-	-	-	-	-	-	1.4	1.6	5.3	3.9	7.7	2.9	3.2	3.9	-	-	1.3	1.5	1.1	0.13
C02	Tongue	30	-	-	-	-	-	-	-	1.2	2.8	4.8	15.8	7.9	7.7	5.8	6.4	3.9	5.4	22.1	3.1	3.4	2.4	0.26
C03	Gum	6	-	-	-	-	-	-	-	-	-	1.6	-	2.0	5.1	2.9	3.2	-	-	-	0.6	0.7	0.5	0.07
C04	Floor of mouth	21	-	-	-	-	-	-	-	-	4.1	3.2	7.0	5.9	7.7	8.7	3.2	3.9	5.4	-	2.2	2.3	1.7	0.20
C05	Palate	10	-	-	-	-	-	-	-	-	-	3.2	1.8	2.0	12.8	-	-	3.9	-	-	1.0	1.2	0.9	0.10
C06	Mouth, NOS	12	-	-	-	-	-	-	-	1.2	-	1.6	-	3.9	5.1	2.9	3.2	11.8	5.4	-	1.2	1.2	0.8	0.09
C07	Parotid gland	5	-	-	-	-	-	-	-	-	-	-	-	2.0	-	2.9	9.6	-	-	-	0.5	0.5	0.4	0.07
C08	Salivary glands, NOS	6	-	-	-	-	-	-	-	-	1.4	-	-	2.0	2.6	2.9	6.4	-	-	-	0.6	0.7	0.5	0.08
C09	Tonsil	33	-	-	-	-	-	-	1.1	-	1.4	4.8	14.1	13.7	10.3	2.9	9.6	3.9	16.3	11.1	3.4	3.6	2.6	0.29
C10	Oropharynx	23	-	-	-	-	-	1.2	-	2.4	1.4	1.6	8.8	7.9	5.1	8.7	3.2	11.8	-	-	2.4	2.5	1.8	0.20
C11	Nasopharynx	17	-	-	-	-	1.6	3.6	1.1	1.2	2.8	6.3	3.5	-	-	5.8	-	-	5.4	-	1.8	1.7	1.5	0.13
C12	Pyriform sinus	28	-	-	-	-	-	-	-	-	-	1.6	7.0	11.8	25.7	11.6	6.4	3.9	-	-	2.9	3.3	2.5	0.32
C13	Hypopharynx	10	-	-	-	-	-	-	-	-	-	4.8	5.3	3.9	-	-	6.4	-	-	-	1.0	1.1	0.8	0.10
C14	Lip, oral cavity and pharynx, NOS	7	-	-	-	-	-	-	-	-	-	-	3.5	3.9	-	-	6.4	3.9	-	-	0.7	0.8	0.5	0.07
C15	Oesophagus	97	-	-	-	-	-	1.2	-	-	1.4	4.8	10.5	21.6	53.9	31.8	51.4	47.1	38.1	88.5	10.1	10.3	7.1	0.88
C16	Stomach	142	-	-	-	-	1.6	-	6.7	6.1	5.5	9.5	17.6	17.7	33.4	43.3	54.7	90.3	119.8	121.7	14.7	13.6	9.2	0.97
C17	Small intestine	16	-	-	-	-	-	-	-	-	-	3.2	3.5	2.0	-	8.7	9.6	7.9	10.9	11.1	1.7	1.6	1.1	0.13
C18	Colon	448	-	-	-	1.8	-	1.2	3.3	4.8	4.1	19.0	29.9	82.5	125.8	176.3	289.4	259.3	370.2	342.9	46.5	43.8	29.2	3.62
C19	Rectosigmoid junction	42	-	-	-	-	-	-	-	-	1.4	1.6	3.5	7.9	20.5	17.3	22.5	39.3	5.4	22.1	4.4	4.4	3.0	0.37
C20	Rectum	137	-	-	-	-	-	-	-	2.4	6.9	6.3	28.1	29.4	28.2	54.9	48.2	70.7	119.8	110.6	14.2	13.6	9.1	1.02
C21	Anus and anal canal	12	-	-	-	-	-	-	-	1.2	-	6.3	-	2.0	-	-	-	11.8	10.9	11.1	1.2	1.1	0.8	0.05
C22	Liver and intrahepatic bile ducts	49	-	-	-	-	-	1.2	2.2	-	1.4	1.6	7.0	9.8	20.5	17.3	28.9	15.7	43.6	-	5.1	4.9	3.4	0.45
C23	Gallbladder	4	-	-	-	-	-	-	-	-	-	-	-	-	2.6	-	3.2	3.9	-	11.1	0.4	0.4	0.3	0.03
C24	Biliary tract, NOS	13	-	-	-	-	-	-	-	-	1.4	-	-	3.9	2.6	2.9	9.6	7.9	10.9	11.1	1.3	1.2	0.8	0.10
C25	Pancreas	85	-	-	-	-	-	-	-	-	1.4	6.3	5.3	15.7	15.4	49.1	51.4	90.3	38.1	-	8.8	8.3	5.6	0.72
C26	Other ill-defined digestive organs	1	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C30	Nasal cavity and middle ear	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	-	0.1	0.1	0.0	-
C31	Accessory sinuses	5	-	-	-	-	-	-	-	-	-	3.2	-	-	2.6	-	-	3.9	-	11.1	0.5	0.5	0.4	0.03
C32	Larynx	114	-	-	-	-	-	-	-	1.2	2.8	20.6	10.5	43.2	66.7	43.3	51.4	31.4	27.2	-	11.8	12.6	9.2	1.19
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	0.1	0.1	0.1	0.01
C34	Bronchus and lung	808	-	-	-	-	-	-	3.3	3.6	22.0	60.2	117.7	188.5	310.6	349.7	450.1	416.4	413.8	232.3	83.8	83.6	58.1	7.25
C37	Thymus	3	-	-	-	-	-	-	-	-	-	-	-	-	2.6	-	3.2	3.9	-	-	0.3	0.3	0.2	0.03
C38	Heart, mediastinum and pleura	2	-	-	-	-	-	-	-	-	-	-	-	-	2.6	-	3.2	-	-	-	0.2	0.2	0.2	0.03
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	9	-	-	1.7	3.6	-	-	-	2.4	1.4	1.6	1.8	-	2.6	-	-	-	-	-	0.9	1.0	1.0	0.08
C41	Bone and articular cartilage, NOS	13	1.4	-	1.7	-	-	1.2	-	1.2	2.8	1.6	1.8	-	-	-	-	-	16.3	22.1	1.3	1.2	1.0	0.06
C43	Malignant melanoma of skin	120	-	-	1.7	-	3.1	-	6.7	10.9	12.4	4.8	17.6	21.6	20.5	40.5	38.6	82.5	54.4	44.2	12.4	11.7	8.4	0.89
C44	Malignant neoplasms of skin	321	-	-	1.7	1.8	3.1	-	4.5	-	4.1	6.3	15.8	15.7	25.7	80.9	141.5	235.7	473.6	663.6	33.3	28.4	17.2	1.49
C45	Mesothelioma	16	-	-	-	-	-	-	-	-	-	-	-	2.0	10.3	2.9	9.6	15.7	16.3	-	1.7	1.5	1.0	0.12

Brussels Capital Region: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	21	-	-	-	-	-	-	3.3	3.6	1.4	3.2	5.3	5.9	5.1	-	6.4	7.9	-	-	2.2	2.1	1.6	0.17
C47,C49	Soft tissues	49	4.3	1.7	-	3.6	1.6	1.2	-	6.1	5.5	4.8	7.0	15.7	2.6	2.9	12.9	27.5	10.9	22.1	5.1	5.0	4.1	0.35
C48	Retroperitoneum and peritoneum	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2.9	3.2	-	-	-	0.2	0.2	0.2	0.03
C50	Breast	17	-	-	-	-	-	-	-	2.4	1.4	1.6	-	-	5.1	5.8	9.6	7.9	10.9	22.1	1.8	1.6	1.1	0.13
C60	Penis	19	-	-	-	-	1.6	-	-	1.2	1.4	3.2	-	2.0	2.6	2.9	3.2	15.7	21.8	22.1	2.0	1.7	1.2	0.09
C61	Prostate	1,282	-	-	-	-	-	-	-	-	2.8	14.3	80.8	233.6	369.6	629.9	823.1	903.5	980.0	862.7	133.0	125.7	82.8	10.21
C62	Testis	45	-	-	-	1.8	10.9	8.4	8.9	8.5	4.1	3.2	5.3	5.9	-	2.9	9.6	-	-	-	4.7	4.3	4.0	0.35
C63	Male genital organs, NOS	3	-	-	-	1.8	-	-	-	-	-	-	-	-	-	-	3.2	3.9	-	-	0.3	0.3	0.3	0.03
C64	Kidney	121	1.4	-	-	-	-	-	1.1	2.4	9.6	9.5	17.6	27.5	28.2	52.0	64.3	55.0	65.3	55.3	12.6	12.3	8.6	1.06
C65	Renal pelvis	15	-	-	-	-	-	-	-	-	-	-	-	2.0	10.3	-	22.5	7.9	5.4	-	1.6	1.5	1.0	0.17
C66	Ureter	10	-	-	-	-	-	-	-	-	-	-	1.8	3.9	2.6	-	12.9	-	10.9	-	1.0	1.0	0.7	0.11
C67	Bladder	286	-	-	-	-	-	1.2	-	-	2.8	7.9	21.1	33.4	56.5	75.1	160.8	251.4	304.9	342.9	29.7	26.5	16.6	1.78
C68	Urinary organs, NOS	6	-	-	-	-	-	-	-	-	-	-	1.8	-	2.6	-	3.2	11.8	-	-	0.6	0.6	0.4	0.04
C69	Eye and adnexa	7	-	-	-	-	-	-	-	-	-	-	1.8	5.9	-	-	-	7.9	5.4	-	0.7	0.7	0.4	0.04
C70	Meninges	1	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C71	Brain	66	-	3.3	1.7	1.8	3.1	3.6	3.3	6.1	6.9	9.5	5.3	13.7	12.8	17.3	28.9	7.9	21.8	22.1	6.8	6.7	5.5	0.59
C72	Spinal cord, cranial nerves and CNS, NOS	8	-	-	-	-	-	-	1.1	-	-	1.6	-	-	2.6	8.7	3.2	3.9	-	-	0.8	0.8	0.6	0.09
C73	Thyroid gland	40	-	-	-	-	-	1.2	3.3	2.4	5.5	3.2	14.1	17.7	7.7	5.8	9.6	7.9	5.4	-	4.1	4.3	3.2	0.35
C74	Adrenal gland	6	5.8	1.7	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	0.6	0.7	1.0	0.04
C75	Endocrine glands, NOS	1	-	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.01
C81	Hodgkin's disease	42	1.4	3.3	1.7	1.8	3.1	7.2	7.8	4.8	4.1	6.3	1.8	5.9	5.1	-	3.2	11.8	-	11.1	4.4	4.1	3.8	0.29
C82-C85	Non-Hodgkin-lymphoma	181	-	5.0	-	1.8	6.2	10.8	10.0	6.1	4.1	7.9	24.6	31.4	33.4	69.4	80.4	98.2	81.7	110.6	18.8	18.0	13.2	1.44
C88	Malignant immunoproliferative diseases	4	-	-	-	-	-	-	-	1.2	-	-	1.8	-	-	-	3.2	3.9	-	-	0.4	0.4	0.3	0.03
C90	Multiple myeloma	75	-	-	-	-	1.6	-	1.1	-	1.4	4.8	3.5	11.8	18.0	28.9	25.7	86.4	38.1	77.4	7.8	7.3	4.7	0.48
C91	Lymphoid leukaemia	79	14.4	10.0	1.7	5.4	1.6	1.2	-	-	4.1	7.9	8.8	13.7	23.1	20.2	22.5	23.6	27.2	33.2	8.2	8.5	7.8	0.67
C92	Myeloid leukaemia	56	2.9	-	-	1.8	-	7.2	-	2.4	4.1	6.3	3.5	5.9	20.5	14.4	16.1	23.6	38.1	22.1	5.8	5.5	4.4	0.43
C93	Monocytic leukaemia	5	-	-	-	-	-	-	-	1.2	1.4	-	-	2.0	2.6	2.9	-	-	-	-	0.5	0.5	0.4	0.05
C94-C95	Leukaemia other	3	-	-	-	-	-	-	-	-	-	-	-	-	-	5.8	-	3.9	-	-	0.3	0.3	0.2	0.03
C96	Lymphoid, haematopoietic and related tissue, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C76	Other and ill-defined sites	2	-	-	-	-	-	-	-	-	-	-	-	-	2.6	-	-	-	5.4	-	0.2	0.2	0.1	0.01
C80	Unknown primary site	157	1.4	-	-	-	-	1.2	2.2	-	1.4	9.5	24.6	37.3	30.8	63.6	74.0	113.9	103.4	88.5	16.3	15.6	10.5	1.22
MPD	Myeloproliferative Disorders	14	-	-	-	-	-	-	-	1.2	-	-	1.8	3.9	7.7	-	12.9	3.9	10.9	-	1.5	1.4	1.0	0.14
MDS	Myelodysplastic syndromes	36	-	-	-	-	-	-	-	-	-	-	-	2.0	7.7	17.3	19.3	23.6	49.0	55.3	3.7	3.3	2.0	0.23
Total		5,339	33.1	26.6	12.1	27.0	38.9	52.8	71.4	90.8	145.9	297.9	576.4	1,015.0	1,499.0	2,005.4	2,768.3	3,201.5	3,604.1	3,484.1	553.9	530.5	366.2	35.15
Total excl. non-melanoma		5,018	33.1	26.6	10.4	25.2	35.8	52.8	66.9	90.8	141.8	291.5	560.6	999.3	1,473.3	1,924.5	2,626.8	2,965.8	3,130.4	2,820.5	520.6	502.1	349.0	34.16
Total excl. non-melanoma and MDS-MPD		4,968	33.1	26.6	10.4	25.2	35.8	52.8	66.9	89.6	141.8	291.5	558.9	993.4	1,457.9	1,907.2	2,594.7	2,938.3	3,070.6	2,765.2	515.4	497.4	346.0	33.92

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Brussels Capital Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Brussels Capital Region: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	0.1	0.0	0.0	-
C01	Base of tongue	2	-	-	-	-	-	-	-	-	-	-	-	-	2.3	2.4	-	-	-	-	0.2	0.2	0.2	0.02
C02	Tongue	16	-	-	-	-	-	-	-	-	-	3.1	3.3	3.6	6.8	-	6.9	7.2	-	3.4	1.5	1.4	1.0	0.12
C03	Gum	6	-	-	-	-	-	-	-	-	-	-	-	5.4	-	-	2.3	2.4	-	3.4	0.6	0.5	0.3	0.04
C04	Floor of mouth	6	-	-	-	-	-	-	-	-	-	1.5	-	3.6	4.6	-	-	-	-	3.4	0.6	0.6	0.4	0.05
C05	Palate	9	-	-	-	1.8	1.4	-	-	-	-	-	1.7	3.6	2.3	2.4	4.6	-	-	-	0.9	0.9	0.8	0.09
C06	Mouth, NOS	10	-	-	-	-	-	-	-	-	-	-	1.7	1.8	4.6	4.8	2.3	4.8	2.7	-	1.0	0.8	0.6	0.08
C07	Parotid gland	9	-	-	-	-	-	-	-	1.3	2.8	-	1.7	1.8	-	-	2.3	4.8	-	3.4	0.9	0.7	0.5	0.05
C08	Salivary glands, NOS	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	2.3	2.4	-	6.9	0.5	0.3	0.2	0.02
C09	Tonsil	19	-	-	-	-	-	-	-	1.3	-	-	6.6	1.8	4.6	11.9	4.6	9.6	-	-	1.8	1.7	1.2	0.15
C10	Oropharynx	3	-	-	-	-	-	-	-	-	-	-	-	-	2.3	-	-	-	5.4	-	0.3	0.2	0.1	0.01
C11	Nasopharynx	4	-	-	-	-	-	-	1.2	2.6	-	-	1.7	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C12	Pyrimiform sinus	6	-	-	-	-	-	-	-	-	-	1.5	1.7	3.6	-	-	2.3	2.4	-	-	0.6	0.6	0.4	0.05
C13	Hypopharynx	3	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	2.4	2.7	-	0.3	0.2	0.1	0.01
C14	Lip, oral cavity and pharynx, NOS	5	-	-	-	-	-	-	-	-	-	-	-	1.8	2.3	-	4.6	2.4	-	-	0.5	0.4	0.3	0.04
C15	Oesophagus	48	-	-	-	-	-	-	-	1.3	-	1.5	1.7	12.6	18.2	23.8	11.5	21.5	5.4	13.8	4.6	3.9	2.7	0.35
C16	Stomach	77	-	-	-	-	-	1.1	1.2	3.9	5.7	3.1	3.3	3.6	6.8	21.4	36.8	21.5	32.4	44.8	7.4	5.0	3.5	0.43
C17	Small intestine	12	-	-	-	-	-	1.1	-	-	1.4	1.5	-	-	4.6	-	2.3	7.2	2.7	6.9	1.2	0.8	0.6	0.05
C18	Colon	495	-	-	1.8	1.8	4.2	-	1.2	6.6	7.1	15.3	33.1	55.9	63.8	78.6	154.2	241.3	270.2	306.6	47.5	29.9	19.7	2.10
C19	Rectosigmoid junction	30	-	-	-	-	-	-	-	-	1.4	3.1	1.7	7.2	9.1	7.1	9.2	11.9	10.8	6.9	2.9	2.3	1.6	0.19
C20	Rectum	132	-	-	-	-	-	-	1.2	1.3	4.3	6.1	8.3	9.0	31.9	35.7	41.4	40.6	86.5	58.6	12.7	8.5	5.9	0.69
C21	Anus and anal canal	26	-	-	-	-	-	-	-	-	1.4	4.6	1.7	5.4	6.8	7.1	6.9	9.6	5.4	10.3	2.5	2.0	1.5	0.17
C22	Liver and intrahepatic bile ducts	35	1.5	-	-	-	-	-	-	-	-	6.1	1.7	5.4	2.3	9.5	13.8	16.7	13.5	10.3	3.4	2.5	1.8	0.20
C23	Gallbladder	9	-	-	-	-	-	-	-	-	1.4	-	-	1.8	2.3	2.4	-	4.8	8.1	-	0.9	0.6	0.4	0.04
C24	Biliary tract, NOS	17	-	-	-	-	-	1.1	-	-	-	3.1	-	-	-	4.8	11.5	4.8	13.5	-	1.6	1.1	0.8	0.10
C25	Pancreas	76	-	-	-	-	-	1.1	-	-	-	1.5	3.3	7.2	27.3	33.3	25.3	33.4	27.0	24.1	7.3	5.5	3.8	0.49
C26	Other ill-defined digestive organs	4	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	2.4	2.7	3.4	0.4	0.2	0.1	0.01
C30	Nasal cavity and middle ear	1	-	-	-	-	-	-	-	-	-	-	-	-	2.3	-	-	-	-	-	0.1	0.1	0.1	0.01
C31	Accessory sinuses	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	-	0.1	0.0	0.0	-
C32	Larynx	20	-	-	-	-	-	-	-	-	-	1.5	3.3	9.0	4.6	7.1	2.3	7.2	5.4	3.4	1.9	1.7	1.2	0.14
C33	Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	0.1	0.1	0.1	0.01
C34	Bronchus and lung	348	-	-	-	-	-	-	4.7	3.9	8.5	30.6	52.9	82.9	118.4	97.6	94.3	114.7	105.4	55.1	33.4	28.6	20.3	2.44
C37	Thymus	4	-	-	-	-	-	-	-	-	-	-	-	3.6	-	-	2.3	-	-	3.4	0.4	0.3	0.2	0.03
C38	Heart, mediastinum and pleura	1	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	8	-	-	1.8	1.8	1.4	-	-	1.3	-	1.5	1.7	-	-	-	2.3	-	2.7	-	0.8	0.8	0.8	0.06
C41	Bone and articular cartilage, NOS	7	-	-	-	1.8	-	-	-	-	-	-	-	1.8	2.3	2.4	-	2.4	5.4	-	0.7	0.5	0.5	0.04
C43	Malignant melanoma of skin	171	-	-	-	1.8	1.4	10.3	14.1	13.1	19.9	15.3	26.5	36.0	25.1	35.7	34.5	40.6	29.7	31.0	16.4	14.5	11.1	1.16
C44	Malignant neoplasms of skin	207	-	-	-	1.8	-	1.1	1.2	1.3	1.4	7.7	14.9	14.4	25.1	38.1	57.5	78.8	113.5	182.6	19.9	12.0	7.8	0.82
C45	Mesothelioma	4	-	-	-	-	-	-	-	-	-	-	1.7	1.8	-	2.4	2.3	-	-	-	0.4	0.4	0.3	0.04

Brussels Capital Region: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	4	-	-	-	-	-	-	1.2	2.6	-	1.5	-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.03
C47,C49	Soft tissues	42	1.5	-	-	1.8	1.4	3.4	1.2	2.6	7.1	1.5	5.0	3.6	15.9	9.5	6.9	11.9	5.4	3.4	4.0	3.7	3.1	0.31
C48	Retroperitoneum and peritoneum	5	-	-	-	-	-	-	-	1.4	-	1.7	-	-	2.4	2.3	-	2.7	-	0.5	0.4	0.3	0.04	
C50	Breast	1,815	-	-	-	-	-	10.3	30.5	85.4	231.7	272.8	332.5	380.2	441.8	483.4	400.4	420.4	359.4	282.5	174.1	158.5	117.5	12.49
C51	Vulva	28	-	-	-	-	-	-	-	1.4	-	5.0	1.8	2.3	7.1	6.9	11.9	13.5	20.7	2.7	1.7	1.1	0.12	
C52	Vagina	10	-	-	-	-	-	-	-	1.4	1.5	-	-	-	2.4	6.9	4.8	2.7	3.4	1.0	0.7	0.5	0.06	
C53	Cervix uteri	127	-	-	-	-	-	4.6	9.4	10.5	22.7	27.6	31.4	9.0	15.9	31.0	6.9	21.5	37.8	10.3	12.2	11.1	8.7	0.84
C54	Corpus uteri	211	-	-	-	-	-	-	1.2	1.3	2.8	10.7	16.5	41.4	54.7	66.7	71.3	97.9	78.4	48.2	20.2	15.5	10.7	1.32
C55	Uterus	6	-	-	-	-	-	-	-	1.3	-	-	-	3.6	-	-	2.3	-	-	6.9	0.6	0.4	0.3	0.04
C56	Ovary	156	-	1.7	1.8	-	-	2.3	1.2	3.9	8.5	10.7	29.8	23.4	47.8	40.5	52.9	38.2	56.7	20.7	15.0	12.7	9.4	1.12
C57	Female genital organs, NOS	5	-	-	-	-	-	-	-	-	-	1.5	1.7	-	-	-	2.3	2.4	-	3.4	0.5	0.4	0.3	0.03
C58	Placenta	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney	64	4.5	-	-	-	-	-	2.3	2.6	4.3	12.3	3.3	12.6	11.4	23.8	18.4	14.3	16.2	6.9	6.1	5.4	4.3	0.48
C65	Renal pelvis	11	-	-	-	-	-	-	-	-	-	-	-	-	9.1	7.1	-	4.8	2.7	3.4	1.1	0.9	0.7	0.08
C66	Ureter	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	8.1	6.9	0.6	0.2	0.1	-
C67	Bladder	80	-	-	-	-	-	-	-	-	-	1.5	8.3	9.0	13.7	11.9	43.7	28.7	37.8	44.8	7.7	5.1	3.3	0.44
C68	Urinary organs, NOS	1	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C69	Eye and adnexa	14	6.0	-	-	-	-	-	-	-	1.4	1.5	-	-	4.6	7.1	2.3	-	2.7	3.4	1.3	1.3	1.4	0.11
C70	Meninges	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	0.1	0.1	0.1	0.01
C71	Brain	46	1.5	-	1.8	1.8	1.4	-	1.2	-	5.7	9.2	5.0	9.0	15.9	2.4	18.4	14.3	2.7	-	4.4	4.2	3.4	0.37
C72	Spinal cord, cranial nerves and CNS, NOS	3	-	-	-	-	-	-	2.3	-	1.4	-	-	-	-	-	-	-	-	-	0.3	0.3	0.2	0.02
C73	Thyroid gland	135	-	-	-	3.7	5.6	5.7	11.7	15.8	21.3	26.1	28.1	19.8	27.3	28.6	18.4	11.9	10.8	3.4	12.9	12.9	10.4	1.06
C74	Adrenal gland	3	1.5	-	-	-	-	-	-	-	-	1.5	-	-	-	2.4	-	-	-	-	0.3	0.3	0.3	0.03
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	24	-	-	-	3.7	1.4	4.6	4.7	1.3	2.8	-	-	3.6	-	2.4	2.3	4.8	5.4	6.9	2.3	1.9	1.7	0.13
C82-C85	Non-Hodgkin-lymphoma	187	-	1.7	-	7.3	-	2.3	8.2	5.3	15.6	18.4	14.9	18.0	25.1	35.7	52.9	81.2	67.5	65.5	17.9	13.5	9.9	1.02
C88	Malignant immunoproliferative diseases	4	-	-	-	-	-	-	-	-	-	-	-	1.8	2.3	-	-	2.4	-	3.4	0.4	0.3	0.2	0.02
C90	Multiple myeloma	72	-	-	-	-	-	-	-	3.9	1.4	4.6	11.6	9.0	11.4	16.7	29.9	31.1	27.0	17.2	6.9	5.2	3.6	0.44
C91	Lymphoid leukaemia	56	11.9	5.2	3.7	3.7	1.4	1.1	-	-	-	1.5	-	5.4	6.8	4.8	27.6	21.5	18.9	6.9	5.4	4.5	4.4	0.37
C92	Myeloid leukaemia	61	3.0	5.2	-	-	2.8	4.6	-	6.6	4.3	6.1	3.3	3.6	13.7	14.3	16.1	4.8	18.9	20.7	5.9	5.0	4.3	0.42
C93	Monocytic leukaemia	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94-C95	Leukaemia other	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	3.4	0.2	0.1	0.0	-
C96	Lymphoid, haematopoietic and related tissue, NOS	2	-	-	-	-	-	-	1.2	-	-	-	-	-	-	-	2.3	-	-	-	0.2	0.2	0.1	0.02
C76	Other and ill-defined sites	5	-	-	-	-	-	-	-	-	-	-	1.7	-	2.3	2.4	-	-	2.7	3.4	0.5	0.4	0.3	0.03
C80	Unknown primary site	121	1.5	-	-	-	-	-	-	2.6	2.8	9.2	6.6	9.0	18.2	33.3	39.1	59.7	59.4	51.7	11.6	7.9	5.4	0.61
MPD	Myeloproliferative Disorders	17	-	-	-	-	-	-	-	2.6	-	3.1	-	1.8	2.3	-	2.3	11.9	10.8	3.4	1.6	1.1	0.7	0.06
MDS	Myelodysplastic syndromes	27	-	-	-	1.8	-	-	-	-	-	1.5	5.0	3.6	6.8	2.4	-	7.2	21.6	17.2	2.6	1.8	1.3	0.11
Total		5,189	34.3	13.9	11.0	34.8	22.5	54.7	100.9	186.5	393.7	533.3	686.5	857.7	1,129.6	1,273.9	1,373.8	1,610.1	1,626.5	1,450.4	497.6	408.5	299.7	28.49
Total excl. non-melanoma		4,982	34.3	13.9	11.0	33.0	22.5	53.6	99.8	185.2	392.3	525.6	671.6	843.3	1,104.6	1,235.8	1,316.3	1,531.3	1,513.1	1,267.8	477.8	396.5	291.8	27.90
Total excl. non-melanoma and MDS-MPD		4,938	34.3	13.9	11.0	31.2	22.5	53.6	99.8	182.6	392.3	521.0	666.6	837.9	1,095.4	1,233.4	1,314.0	1,512.2	1,480.6	1,247.1	473.6	393.7	289.8	27.78

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Walloon Region: Males, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Walloon Region: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	34	-	-	-	-	-	-	-	-	0.8	-	2.1	2.4	2.1	2.2	6.2	3.0	6.5	4.1	1.0	0.9	0.6	0.08
C01	Base of tongue	42	-	-	-	-	-	-	-	-	0.8	2.8	3.4	3.8	2.8	2.9	3.9	2.0	-	8.1	1.3	1.2	0.9	0.10
C02	Tongue	131	-	-	-	-	-	0.5	-	1.2	1.9	4.0	12.9	16.1	9.8	7.3	8.5	7.0	8.1	4.1	4.0	3.7	2.7	0.31
C03	Gum	33	-	-	-	-	-	-	-	-	1.6	0.8	2.1	2.4	6.3	1.5	1.5	1.0	1.6	8.1	1.0	1.0	0.7	0.08
C04	Floor of mouth	121	-	-	-	-	-	-	-	0.4	2.7	7.3	10.7	13.7	9.8	7.3	9.3	5.0	-	-	3.7	3.5	2.6	0.31
C05	Palate	57	-	-	-	-	-	-	-	0.4	0.8	2.0	4.3	8.5	6.3	2.9	2.3	1.0	4.9	4.1	1.7	1.6	1.2	0.14
C06	Mouth, NOS	57	-	-	-	-	0.5	-	-	0.4	0.4	1.6	6.0	5.7	5.6	0.7	4.6	4.0	3.3	12.2	1.7	1.6	1.2	0.13
C07	Parotid gland	27	-	-	-	-	0.5	-	0.9	-	0.8	-	0.9	0.9	2.1	0.7	3.1	2.0	4.9	20.4	0.8	0.8	0.5	0.05
C08	Salivary glands, NOS	17	-	-	-	-	0.5	0.5	-	-	0.4	0.8	0.4	0.9	0.7	1.5	2.3	2.0	1.6	-	0.5	0.5	0.4	0.04
C09	Tonsil	127	-	-	-	-	-	-	-	-	1.2	8.9	12.5	14.7	9.8	8.0	5.4	8.0	3.3	-	3.9	3.6	2.7	0.30
C10	Oropharynx	93	-	-	-	-	-	-	-	-	1.6	6.1	10.7	11.4	6.3	5.1	1.5	5.0	1.6	4.1	2.8	2.7	2.0	0.21
C11	Nasopharynx	25	-	-	-	-	-	1.0	0.4	0.8	0.8	1.2	0.9	1.9	1.4	1.5	1.5	2.0	1.6	-	0.8	0.7	0.5	0.06
C12	Pyrimiform sinus	104	-	-	-	-	-	-	-	-	3.5	4.8	6.9	10.4	8.4	10.2	7.7	7.0	1.6	4.1	3.2	2.9	2.2	0.26
C13	Hypopharynx	27	-	-	-	-	-	-	-	-	0.4	0.4	3.0	2.8	3.5	2.2	1.5	2.0	-	-	0.8	0.8	0.6	0.07
C14	Lip, oral cavity and pharynx, NOS	58	-	-	-	-	-	-	-	0.4	0.8	2.4	6.9	5.7	5.6	4.4	3.9	2.0	-	-	1.8	1.7	1.2	0.15
C15	Oesophagus	434	-	-	-	-	-	-	-	1.2	4.3	13.7	25.8	36.4	38.7	37.8	51.9	47.1	40.7	12.2	13.2	11.8	8.4	1.04
C16	Stomach	528	-	-	-	-	-	0.5	1.3	2.0	4.7	9.7	16.8	22.2	43.6	55.3	55.7	102.2	86.3	130.4	16.1	14.1	9.5	1.05
C17	Small intestine	59	-	-	-	-	-	0.5	0.4	1.2	0.4	1.2	1.3	3.3	2.1	8.0	7.0	11.0	9.8	-	1.8	1.5	1.1	0.13
C18	Colon	1,487	-	-	0.9	2.3	1.0	-	2.6	5.3	7.0	19.0	34.4	58.2	87.2	168.1	195.1	302.7	333.6	313.7	45.2	38.0	25.1	2.86
C19	Rectosigmoid junction	148	-	-	-	-	-	-	-	0.4	-	2.4	4.7	9.0	9.1	12.4	22.5	25.1	32.5	28.5	4.5	3.8	2.5	0.30
C20	Rectum	681	-	-	-	-	-	-	-	1.6	2.7	10.5	13.3	39.7	51.3	75.0	103.0	106.3	131.8	134.4	20.7	17.8	11.9	1.47
C21	Anus and anal canal	26	-	-	-	-	-	-	-	-	0.4	1.6	0.4	2.4	1.4	2.2	2.3	3.0	4.9	4.1	0.8	0.7	0.5	0.05
C22	Liver and intrahepatic bile ducts	180	-	-	-	-	-	0.5	-	0.4	1.2	2.4	6.4	9.5	14.8	18.9	32.5	24.1	32.5	4.1	5.5	4.7	3.2	0.43
C23	Gallbladder	21	-	-	-	-	-	-	-	-	-	0.4	0.4	0.5	1.4	2.2	3.1	5.0	6.5	-	0.6	0.5	0.3	0.04
C24	Biliary tract, NOS	74	-	-	-	-	-	-	0.4	0.8	-	1.6	0.4	4.7	7.7	7.3	6.2	15.0	13.0	16.3	2.3	2.0	1.3	0.15
C25	Pancreas	355	-	-	-	-	-	-	0.4	0.8	3.1	6.9	12.0	19.9	25.3	32.7	62.7	61.1	43.9	28.5	10.8	9.2	6.3	0.82
C26	Other ill-defined digestive organs	16	-	-	-	-	0.5	-	-	-	0.4	-	0.9	0.9	0.7	-	2.3	5.0	1.6	-	0.5	0.4	0.3	0.03
C30	Nasal cavity and middle ear	19	-	-	-	-	-	-	-	-	0.4	0.8	0.9	1.9	1.4	0.7	3.9	-	3.3	-	0.6	0.5	0.4	0.05
C31	Accessory sinuses	31	-	-	-	-	-	0.5	-	-	0.8	0.8	1.7	3.3	0.7	1.5	4.6	-	9.8	-	0.9	0.8	0.6	0.07
C32	Larynx	401	-	-	-	-	-	-	0.4	0.8	4.7	11.7	23.6	30.7	42.2	45.1	43.4	38.1	19.5	36.7	12.2	11.3	8.0	1.01
C33	Trachea	9	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.7	1.5	1.0	6.5	-	0.3	0.2	0.1	0.01
C34	Bronchus and lung	3,488	-	-	-	-	0.5	0.5	2.6	3.7	18.7	51.3	110.9	203.4	308.0	414.8	501.0	590.4	465.4	317.8	106.1	92.0	62.9	7.76
C37	Thymus	6	-	-	-	-	-	-	-	-	-	0.4	-	-	0.7	0.7	1.5	1.0	-	-	0.2	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	2	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	18	-	-	2.2	2.7	-	-	0.4	-	-	-	-	0.9	1.4	-	1.5	-	-	-	0.5	0.6	0.6	0.05
C41	Bone and articular cartilage, NOS	20	-	1.5	0.4	0.9	1.4	1.0	0.4	-	0.4	-	-	0.5	1.4	0.7	2.3	-	-	-	0.6	0.6	0.7	0.05
C43	Malignant melanoma of skin	393	0.5	0.5	0.4	1.8	4.3	5.3	4.7	5.7	11.7	14.5	15.5	14.7	22.5	35.7	37.2	38.1	47.2	48.9	12.0	10.8	8.2	0.87
C44	Malignant neoplasms of skin	1,002	-	-	-	-	-	0.5	1.7	1.2	3.9	6.5	15.9	27.4	42.9	74.2	134.7	201.5	354.8	476.7	30.5	25.2	15.5	1.53
C45	Mesothelioma	117	-	-	-	-	-	-	-	0.4	0.4	0.8	2.6	3.3	9.8	13.8	18.6	22.1	22.8	28.5	3.6	3.0	2.0	0.25

Walloon Region: Males 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	9	-	-	-	-	-	-	-	-	0.4	0.8	-	0.5	0.7	-	1.5	1.0	1.6	-	0.3	0.2	0.2	0.02
C47,C49	Soft tissues	104	0.5	0.5	0.4	0.5	1.0	1.5	1.7	2.9	0.8	3.6	3.9	5.2	5.6	8.7	8.5	12.0	14.6	4.1	3.2	2.8	2.2	0.23
C48	Retroperitoneum and peritoneum	11	-	-	-	-	-	-	0.4	-	-	-	1.3	0.9	0.7	-	0.8	3.0	-	-	0.3	0.3	0.2	0.02
C50	Breast	44	-	-	-	-	-	-	-	-	-	-	0.9	0.9	5.6	8.0	3.9	7.0	9.8	12.2	1.3	1.2	0.8	0.10
C60	Penis	41	-	-	-	-	-	-	0.4	0.8	1.6	1.7	2.4	2.8	3.6	3.9	5.0	8.1	4.1	1.2	1.1	0.8	0.09	
C61	Prostate	5,801	-	-	-	-	-	-	-	-	1.2	24.6	120.8	308.0	521.8	834.6	916.0	1,020.4	854.4	774.1	176.4	152.4	102.5	12.75
C62	Testis	197	-	-	0.4	2.7	14.3	17.5	16.2	11.0	10.5	4.4	1.7	2.8	2.8	0.7	3.1	1.0	-	4.1	6.0	6.0	5.8	0.44
C63	Male genital organs, NOS	6	-	-	-	-	-	-	0.4	-	0.4	-	0.5	-	0.7	-	1.0	-	4.1	0.2	0.2	0.1	0.01	
C64	Kidney	472	1.5	0.5	-	0.5	-	0.5	0.9	3.7	9.7	10.9	17.2	32.6	37.3	53.8	54.2	62.1	47.2	24.4	14.4	12.7	9.2	1.11
C65	Renal pelvis	62	-	-	-	-	-	-	0.8	-	1.2	0.4	2.4	0.7	11.6	10.1	10.0	16.3	4.1	1.9	1.5	1.0	0.14	
C66	Ureter	55	-	-	-	-	-	-	-	0.4	0.4	1.3	2.4	4.9	7.3	10.1	10.0	4.9	8.1	1.7	1.5	1.0	0.13	
C67	Bladder	1,044	-	-	-	-	-	-	1.2	4.7	8.5	19.8	43.5	71.7	111.3	144.8	210.5	245.7	273.0	31.8	26.8	17.4	2.01	
C68	Urinary organs, NOS	17	-	-	-	-	-	-	0.4	-	-	-	0.5	-	1.5	3.9	6.0	1.6	4.1	0.5	0.4	0.3	0.03	
C69	Eye and adnexa	14	2.5	-	-	-	-	-	0.4	-	0.4	0.4	-	0.5	0.7	-	0.8	2.0	-	4.1	0.4	0.5	0.5	0.03
C70	Meninges	9	-	0.5	-	0.5	-	-	0.4	-	0.4	0.4	-	-	-	0.7	-	-	4.9	-	0.3	0.2	0.2	0.01
C71	Brain	263	3.5	2.4	1.3	1.8	4.8	4.4	2.6	5.7	7.8	8.9	9.9	12.3	14.8	24.7	16.3	22.1	22.8	8.1	8.0	7.5	6.2	0.60
C72	Spinal cord, cranial nerves and CNS, NOS	14	0.5	-	-	-	0.5	0.5	-	0.4	0.4	-	0.9	0.5	1.4	0.7	0.8	1.0	1.6	-	0.4	0.4	0.4	0.03
C73	Thyroid gland	141	-	-	0.4	-	1.9	2.4	4.7	4.1	4.7	8.1	6.4	7.6	8.4	10.2	8.5	8.0	3.3	-	4.3	4.0	3.2	0.34
C74	Adrenal gland	10	2.5	-	-	-	-	-	0.8	0.4	0.4	-	-	-	-	0.8	-	-	-	-	0.3	0.3	0.4	0.02
C75	Endocrine glands, NOS	1	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.00
C81	Hodgkin's disease	101	-	0.5	2.2	2.7	6.7	3.9	4.3	3.3	3.5	2.0	3.4	3.3	7.0	1.5	0.8	4.0	3.3	4.1	3.1	3.1	2.8	0.23
C82-C85	Non-Hodgkin-lymphoma	628	0.5	2.4	1.3	2.7	2.9	2.4	2.6	7.3	9.3	16.2	20.6	38.3	45.7	59.7	66.6	79.2	97.6	53.0	19.1	16.8	12.3	1.38
C88	Malignant immunoproliferative diseases	15	-	-	-	-	-	-	-	-	-	-	1.3	0.5	0.7	2.9	0.8	5.0	-	-	0.5	0.4	0.3	0.03
C90	Multiple myeloma	155	-	-	-	-	-	-	0.8	1.6	2.0	4.7	8.5	9.1	17.5	23.2	29.1	24.4	16.3	4.7	4.0	2.7	0.34	
C91	Lymphoid leukaemia	153	7.0	3.9	-	0.5	-	0.5	0.4	0.4	2.7	2.0	4.7	7.6	9.8	10.2	20.1	17.0	21.2	16.3	4.7	4.3	3.6	0.35
C92	Myeloid leukaemia	151	1.5	0.5	0.4	1.4	1.4	1.5	0.9	3.3	3.1	2.8	4.3	4.7	9.1	18.2	17.8	17.0	16.3	16.3	4.6	4.2	3.2	0.35
C93	Monocytic leukaemia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.0	0.0	0.0	-
C94-C95	Leukaemia other	12	-	-	-	-	-	-	-	0.8	-	-	0.5	1.4	2.2	0.8	2.0	-	4.1	0.4	0.3	0.2	0.03	
C96	Lymphoid, haematopoietic and related tissue, NOS	5	1.0	-	-	-	-	-	-	-	-	-	0.5	-	0.7	0.8	-	-	-	-	0.2	0.2	0.2	0.01
C76	Other and ill-defined sites	10	-	-	-	-	-	-	-	-	0.4	0.9	-	1.4	2.2	0.8	1.0	-	-	-	0.3	0.3	0.2	0.03
C80	Unknown primary site	476	-	-	-	-	-	1.0	-	2.4	2.7	9.7	20.2	20.3	33.1	50.9	58.8	77.2	87.9	93.7	14.5	12.6	8.5	0.99
MPD	Myeloproliferative Disorders	46	-	-	-	-	-	-	-	0.8	2.0	1.3	2.4	4.9	5.1	5.4	6.0	6.5	-	1.4	1.2	0.9	0.11	
MDS	Myelodysplastic syndromes	99	0.5	-	-	-	-	-	0.4	-	0.8	0.8	2.1	2.4	4.9	8.0	10.1	26.1	32.5	24.4	3.0	2.4	1.6	0.15
Total		20,635	21.9	13.1	10.7	20.9	42.3	47.1	53.0	78.6	150.9	312.8	621.5	1,106.5	1,604.1	2,323.5	2,751.8	3,299.9	3,231.9	3,006.6	627.6	546.8	378.1	36.74
Total excl. non-melanoma		19,633	21.9	13.1	10.7	20.9	42.3	46.6	51.3	77.4	147.0	306.3	605.6	1,079.1	1,561.2	2,249.3	2,617.1	3,098.4	2,877.2	2,529.9	597.1	521.6	362.6	35.76
Total excl. non-melanoma and MDS-MPD		19,488	21.4	13.1	10.7	20.9	42.3	46.6	50.8	77.4	145.4	303.5	602.2	1,074.3	1,551.3	2,236.2	2,601.6	3,066.3	2,838.1	2,505.5	592.7	517.9	360.1	35.59

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

Walloon Region: Females, age-specific and age-standardised incidence rates of cancer, by primary site in 2004-2005 (n/100,000 person years)

Walloon Region: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C00	Lip	13	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	1.2	1.2	0.6	4.1	1.3	0.4	0.2	0.1	0.02
C01	Base of tongue	11	-	-	-	-	-	-	-	0.4	-	0.4	1.3	0.5	2.6	-	0.6	-	-	-	0.3	0.3	0.2	0.03
C02	Tongue	47	-	-	-	-	-	1.0	0.4	-	1.6	2.4	1.7	2.8	3.2	1.9	2.4	3.9	1.7	5.1	1.3	1.1	0.8	0.09
C03	Gum	25	-	-	-	-	-	-	-	-	1.2	0.4	-	3.2	1.9	0.6	1.8	1.3	2.5	2.6	0.7	0.6	0.4	0.05
C04	Floor of mouth	17	-	-	-	-	-	-	0.4	-	0.4	0.4	0.9	0.5	3.2	0.6	1.2	1.9	-	-	0.5	0.4	0.3	0.04
C05	Palate	22	-	-	-	-	-	-	0.4	-	-	1.2	3.0	3.2	1.3	0.6	0.6	-	-	-	0.6	0.6	0.5	0.05
C06	Mouth, NOS	33	-	-	-	-	-	-	-	-	2.3	0.4	2.1	1.4	1.9	3.1	-	1.9	3.3	3.9	0.9	0.8	0.6	0.06
C07	Parotid gland	30	-	-	-	0.5	-	-	-	0.4	0.4	1.6	0.4	0.5	1.3	2.5	3.0	3.2	1.7	3.9	0.9	0.6	0.5	0.05
C08	Salivary glands, NOS	12	-	-	-	0.5	-	0.5	-	0.4	0.4	-	0.9	0.5	0.6	1.2	-	0.6	0.8	-	0.3	0.3	0.3	0.02
C09	Tonsil	49	-	-	-	-	-	-	-	-	0.4	5.2	4.7	3.2	3.9	1.2	1.8	1.9	1.7	1.3	1.4	1.3	1.0	0.10
C10	Oropharynx	23	-	-	-	-	-	-	-	-	0.4	0.4	1.7	2.8	1.3	1.2	2.4	0.6	-	2.6	0.7	0.6	0.4	0.05
C11	Nasopharynx	6	-	-	0.5	-	-	-	-	-	-	0.4	-	-	0.6	-	0.6	-	0.8	1.3	0.2	0.1	0.1	0.01
C12	Pyrimiform sinus	9	-	-	-	-	-	-	-	-	0.4	1.2	0.4	1.4	-	0.6	-	-	-	-	0.3	0.2	0.2	0.02
C13	Hypopharynx	14	-	-	-	-	-	-	-	-	0.4	0.8	0.9	0.9	1.3	1.2	1.2	-	0.8	-	0.4	0.4	0.3	0.03
C14	Lip, oral cavity and pharynx, NOS	13	-	-	-	-	-	-	-	-	-	-	0.9	2.3	0.6	1.2	0.6	0.6	-	1.3	0.4	0.3	0.2	0.03
C15	Oesophagus	158	-	-	-	-	-	-	-	-	0.4	1.6	7.3	9.7	8.4	10.5	15.4	17.4	15.7	16.7	4.5	3.2	2.2	0.27
C16	Stomach	279	-	-	-	-	0.5	-	1.7	1.2	3.5	3.6	6.8	7.4	16.9	14.2	17.7	29.1	49.6	47.6	8.0	5.2	3.5	0.37
C17	Small intestine	64	-	-	-	-	-	-	0.4	1.2	0.8	1.2	0.9	3.2	4.5	1.9	8.9	4.5	5.0	10.3	1.8	1.3	0.9	0.11
C18	Colon	1,479	-	-	0.9	1.9	2.0	1.5	2.2	4.1	7.0	10.8	25.2	53.5	66.2	94.0	147.8	163.4	222.2	263.6	42.4	26.7	17.9	2.06
C19	Rectosigmoid junction	138	-	-	-	-	-	-	-	-	1.6	2.8	3.4	5.1	9.1	8.0	14.8	18.1	16.5	10.3	4.0	2.7	1.9	0.22
C20	Rectum	558	-	-	-	0.5	-	-	1.7	2.9	3.9	6.8	16.2	22.1	34.4	45.8	44.9	61.3	70.2	64.3	16.0	11.0	7.6	0.89
C21	Anus and anal canal	55	-	-	-	-	-	-	0.4	-	0.8	1.2	2.1	2.8	3.9	4.9	2.4	5.2	6.6	5.1	1.6	1.2	0.8	0.09
C22	Liver and intrahepatic bile ducts	73	1.6	-	-	0.5	-	0.5	-	0.4	-	2.8	2.1	1.4	3.9	4.9	7.1	11.6	5.8	1.3	2.1	1.6	1.2	0.13
C23	Gallbladder	33	-	-	-	-	-	-	-	-	-	0.8	-	0.5	1.9	4.9	0.6	4.5	7.4	2.6	0.9	0.6	0.4	0.04
C24	Biliary tract, NOS	53	-	-	-	-	-	-	-	0.4	0.4	0.4	0.4	0.9	2.6	3.7	8.3	5.2	7.4	7.7	1.5	1.0	0.6	0.09
C25	Pancreas	339	-	-	-	-	0.5	0.5	0.4	1.6	4.3	4.0	6.0	14.3	20.8	26.0	37.8	36.8	33.9	38.6	9.7	6.7	4.7	0.58
C26	Other ill-defined digestive organs	13	-	-	-	-	-	-	-	-	-	-	-	0.5	1.9	0.6	1.8	0.6	-	5.1	0.4	0.3	0.2	0.02
C30	Nasal cavity and middle ear	8	-	-	-	-	-	-	-	-	0.4	-	0.4	-	0.6	0.6	0.6	-	0.8	2.6	0.2	0.2	0.1	0.01
C31	Accessory sinuses	13	-	-	-	-	-	0.5	-	-	0.4	-	-	0.5	-	1.9	0.6	-	2.5	3.9	0.4	0.2	0.2	0.02
C32	Larynx	82	-	-	-	-	-	-	-	0.4	1.6	2.0	7.3	4.6	5.8	6.8	5.9	4.5	3.3	5.1	2.4	2.0	1.4	0.17
C33	Trachea	2	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.6	-	-	-	0.1	0.0	0.0	0.00
C34	Bronchus and lung	1,043	-	-	-	-	0.5	1.0	0.4	4.9	11.7	29.6	60.6	64.6	96.7	92.2	69.2	83.3	58.6	33.4	29.9	24.7	17.8	2.13
C37	Thymus	7	-	-	-	-	-	-	0.4	-	-	-	0.4	0.9	0.6	-	0.6	0.6	-	-	0.2	0.2	0.1	0.02
C38	Heart, mediastinum and pleura	5	-	0.5	-	-	-	-	0.4	-	-	-	-	0.5	0.6	-	-	0.6	-	-	0.1	0.1	0.1	0.01
C39	Respiratory system and intrathoracic organs, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Bone and articular cartilage of limbs	13	-	-	0.5	1.4	-	1.0	0.4	-	-	-	-	0.5	0.6	1.2	-	0.6	0.8	-	0.4	0.4	0.4	0.03
C41	Bone and articular cartilage, NOS	19	-	-	0.5	1.4	1.0	0.5	-	0.4	0.4	0.4	-	0.5	0.6	3.7	0.6	-	-	-	0.5	0.5	0.5	0.05
C43	Malignant melanoma of skin	598	-	0.5	0.5	2.4	9.8	18.4	14.7	19.3	18.7	20.8	23.9	30.0	32.4	25.4	26.6	20.7	33.0	30.9	17.1	15.3	12.5	1.21
C44	Malignant neoplasms of skin	755	-	1.0	-	0.5	-	1.0	0.9	1.6	3.5	4.0	11.9	12.0	17.5	43.3	55.0	84.6	134.6	240.4	21.6	12.1	7.7	0.76
C45	Mesothelioma	16	-	-	-	-	-	-	-	-	-	0.8	-	0.9	2.6	0.6	1.8	0.6	1.7	1.3	0.5	0.4	0.3	0.03

Walloon Region: Females 2004-2005		Tot	00-	05-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	CR	ESR	WSR	CRI
C46	Kaposi's sarcoma	7	-	-	-	-	-	-	-	0.4	0.4	-	-	-	0.6	-	1.2	-	0.8	1.3	0.2	0.1	0.1	0.01
C47,C49	Soft tissues	96	1.6	0.5	-	1.9	1.0	1.5	1.3	2.9	1.9	4.0	2.6	2.3	3.9	4.3	6.5	3.9	6.6	11.6	2.8	2.3	2.0	0.18
C48	Retroperitoneum and peritoneum	21	1.0	-	-	0.5	-	-	0.4	-	-	-	0.4	1.8	0.6	0.6	1.2	1.3	4.1	1.3	0.6	0.5	0.4	0.03
C50	Breast	6,090	-	-	0.5	-	1.5	11.0	31.2	77.9	171.6	266.9	333.9	389.2	428.3	407.7	345.3	330.6	347.7	297.0	174.6	147.1	109.0	11.60
C51	Vulva	98	-	-	-	-	-	-	0.4	1.2	0.4	1.2	3.8	1.8	5.2	4.3	9.5	10.3	12.4	19.3	2.8	1.8	1.2	0.14
C52	Vagina	34	-	-	-	-	-	-	-	1.2	0.8	0.8	0.4	1.4	-	1.9	2.4	3.2	3.3	9.0	1.0	0.6	0.4	0.04
C53	Cervix uteri	396	-	-	-	-	0.5	5.5	13.4	23.8	17.5	18.0	14.5	15.2	21.4	13.6	14.2	14.9	17.3	19.3	11.4	10.1	8.1	0.79
C54	Corpus uteri	838	-	-	-	-	0.5	-	-	1.6	5.1	8.4	17.9	52.6	75.3	84.8	85.7	69.1	72.7	64.3	24.0	18.0	12.6	1.65
C55	Uterus	78	-	-	-	-	-	-	0.4	0.8	0.8	4.0	0.4	3.2	5.2	6.2	7.1	7.1	8.3	5.1	2.2	1.6	1.2	0.14
C56	Ovary	515	-	-	0.5	0.5	0.5	3.5	1.7	4.1	9.0	14.4	15.4	28.1	36.3	40.2	38.4	43.9	44.6	34.7	14.8	11.4	8.3	0.96
C57	Female genital organs, NOS	24	0.5	-	-	-	-	-	-	0.4	0.8	0.8	0.4	0.9	1.3	1.9	1.2	1.3	4.1	1.3	0.7	0.5	0.4	0.04
C58	Placenta	3	-	-	-	-	0.5	-	0.4	0.4	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.01
C64	Kidney	296	3.7	0.5	-	-	1.0	-	-	2.9	4.3	7.2	10.7	14.3	17.5	24.7	26.6	26.5	26.4	11.6	8.5	6.6	5.0	0.57
C65	Renal pelvis	41	-	-	-	-	-	-	-	-	-	-	-	1.4	1.3	1.9	3.5	8.4	9.1	3.9	1.2	0.6	0.4	0.04
C66	Ureter	19	-	-	-	-	-	-	-	-	-	0.4	-	0.9	1.9	1.2	1.2	3.2	2.5	1.3	0.5	0.4	0.3	0.03
C67	Bladder	237	-	-	-	-	-	-	0.4	1.2	0.4	3.6	4.3	4.2	9.7	12.4	24.2	29.7	38.8	45.0	6.8	4.1	2.7	0.30
C68	Urinary organs, NOS	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	1.7	-	0.1	0.0	0.0	-
C69	Eye and adnexa	17	0.5	-	-	0.5	-	-	0.4	-	0.8	0.4	-	0.5	1.3	2.5	-	1.3	0.8	1.3	0.5	0.4	0.4	0.03
C70	Meninges	11	-	-	-	-	-	-	-	-	-	0.4	-	0.9	0.6	1.2	-	1.9	1.7	-	0.3	0.2	0.2	0.02
C71	Brain	189	1.0	4.1	0.9	2.9	1.0	4.0	2.6	4.1	7.0	6.0	3.8	7.8	11.0	14.2	9.5	11.6	6.6	5.1	5.4	4.9	4.2	0.40
C72	Spinal cord, cranial nerves and CNS, NOS	13	-	1.0	-	-	0.5	-	0.4	0.4	0.8	-	0.9	-	-	-	1.8	-	-	1.3	0.4	0.3	0.3	0.03
C73	Thyroid gland	403	-	0.5	-	1.0	5.9	8.5	13.0	13.5	20.6	19.6	18.3	25.4	16.9	16.1	14.2	14.2	6.6	2.6	11.6	10.9	8.9	0.86
C74	Adrenal gland	12	2.1	-	-	-	-	-	-	-	-	1.2	-	0.9	0.6	-	-	0.6	-	1.3	0.3	0.4	0.4	0.02
C75	Endocrine glands, NOS	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkin's disease	77	-	0.5	1.4	5.7	3.4	4.5	1.7	1.2	2.3	2.8	0.9	1.8	1.9	3.1	3.0	1.3	2.5	1.3	2.2	2.2	2.2	0.17
C82-C85	Non-Hodgkin-lymphoma	534	-	0.5	1.4	1.0	2.9	1.5	3.0	5.3	9.0	9.2	20.0	22.6	32.4	35.3	43.2	51.0	47.9	51.4	15.3	11.5	8.3	0.93
C88	Malignant immunoproliferative diseases	11	-	-	-	-	0.5	-	-	-	-	0.4	-	-	1.3	0.6	0.6	2.6	0.8	-	0.3	0.2	0.2	0.02
C90	Multiple myeloma	152	-	-	-	-	-	-	0.4	0.4	0.8	4.0	5.5	6.5	9.1	14.2	10.1	15.5	19.0	12.9	4.4	3.1	2.2	0.25
C91	Lymphoid leukaemia	108	4.2	2.0	0.9	0.5	-	-	0.9	1.2	1.2	3.6	2.6	4.6	8.4	6.2	5.3	7.7	8.3	7.7	3.1	2.7	2.3	0.21
C92	Myeloid leukaemia	112	0.5	1.0	1.4	1.4	-	2.0	1.3	2.5	1.2	1.6	1.7	3.2	9.1	10.5	8.3	6.5	6.6	11.6	3.2	2.7	2.2	0.23
C93	Monocytic leukaemia	4	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	1.3	-	-	0.1	0.1	0.1	0.00
C94-C95	Leukaemia other	13	-	-	-	-	-	-	-	-	-	-	-	0.5	-	1.9	2.4	0.6	0.8	3.9	0.4	0.2	0.2	0.02
C96	Lymphoid, haematopoietic and related tissue, NOS	3	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	0.6	-	-	0.1	0.1	0.1	0.00
C76	Other and ill-defined sites	15	1.0	-	-	-	-	0.5	-	-	-	-	-	0.9	-	0.6	1.2	1.3	1.7	3.9	0.4	0.3	0.3	0.02
C80	Unknown primary site	397	-	-	-	-	0.5	1.0	1.7	1.2	3.1	8.4	12.4	15.2	18.2	25.4	31.3	41.3	55.3	55.3	11.4	7.7	5.3	0.59
MPD	Myeloproliferative Disorders	52	-	-	-	-	-	-	-	1.2	-	0.8	2.1	1.8	1.9	1.2	7.7	5.8	7.4	2.6	1.5	1.0	0.7	0.08
MDS	Myelodysplastic syndromes	83	-	-	-	-	-	-	0.4	0.4	-	1.2	3.0	1.4	1.9	8.7	5.3	8.4	13.2	16.7	2.4	1.5	1.0	0.11
Total		17,129	17.7	12.7	9.8	25.2	34.2	69.8	101.9	190.5	326.9	498.1	670.0	871.1	1,081.2	1,160.0	1,197.9	1,297.8	1,472.6	1,518.4	491.0	381.7	280.2	26.90
Total excl. non-melanoma		16,374	17.7	11.7	9.8	24.7	34.2	68.8	101.1	188.9	323.4	494.1	658.1	859.1	1,063.7	1,116.7	1,142.9	1,213.2	1,338.0	1,278.0	469.4	369.6	272.5	26.34
Total excl. non-melanoma and MDS-MPD		16,239	17.7	11.7	9.8	24.7	34.2	68.8	100.6	187.3	323.4	492.1	652.9	855.9	1,059.8	1,106.8	1,129.9	1,199.0	1,317.3	1,258.7	465.5	367.1	270.8	26.20

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: leukaemia: C91-C95: underregistration in the Walloon Region

VIII Malignant bone tumours	9	-	-	3	6	8	1	-	1	6	1.7	6.6	18.5	9.3	8.6	8.2	0.013
VIIIa Osteosarcoma	4	-	-	1	3	4	-	-	-	4	-	1.7	10.8	4.4	4.0	3.7	0.006
VIIIb Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIIIc Ewing's sarcoma	4	-	-	2	2	4	1	-	1	2	1.7	5.0	6.2	4.4	4.2	4.1	0.006
VIId Other specified malignant bone tumours	1	-	-	-	1	-	-	-	-	-	-	-	1.5	0.5	0.5	0.4	0.001
VIIE Unspecified malignant bone tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX Soft tissue and other extraosseous sarcomas	8	1	2	2	3	8	1	1	3	3	8.5	8.3	9.3	8.7	8.7	8.7	0.013
IXa Rhabdomyosarcoma and embryonal sarcoma	7	1	2	2	2	2	1	1	-	-	8.5	3.3	3.1	4.9	5.1	5.3	0.007
IXb Fibrosarcoma, neurofibrosarcoma and other fibromatous neoplasms	-	-	-	-	-	2	-	-	1	1	-	1.7	1.5	1.1	1.0	1.0	0.002
IXd Other specified soft tissue sarcomas	1	-	-	-	1	3	-	-	1	2	-	1.7	4.6	2.2	2.0	1.9	0.003
IXe Unspecified soft tissue sarcomas	-	-	-	-	-	1	-	-	1	-	-	1.7	-	0.5	0.5	0.5	0.001
X Germ cell tumours, trophoblastic tumours and neoplasms of gonads	5	-	-	1	4	2	-	-	-	2	-	1.7	9.3	3.8	3.5	3.2	0.005
Xa Intracranial and intraspinal germ cell tumours	4	-	-	1	3	1	-	-	-	1	-	1.7	6.2	2.7	2.5	2.3	0.004
Xb Other and unspecified non gonadal germ cell tumours	-	-	-	-	-	1	-	-	-	1	-	-	1.5	0.5	0.5	0.4	0.001
Xc Gonadal germ cell tumours	1	-	-	-	1	-	-	-	-	-	-	-	1.5	0.5	0.5	0.4	0.001
Xe Other and unspecified gonadal tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI Other malignant epithelial neoplasms and malignant melanomas	9	-	1	2	6	20	-	-	12	8	1.7	23.2	21.6	15.8	14.9	14.4	0.023
XIa Adrenocortical carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIb Thyroid carcinoma	-	-	-	-	-	1	-	-	-	1	-	-	1.5	0.5	0.5	0.4	0.001
XIc Nasopharyngeal carcinomas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIc Malignant melanoma	3	-	1	1	1	2	-	-	1	1	1.7	3.3	3.1	2.7	2.7	2.6	0.004
XIe Skin carcinoma	1	-	-	-	1	13	-	-	11	2	-	18.3	4.6	7.6	7.3	7.2	0.011
XIe Other and unspecified carcinomas	5	-	-	1	4	4	-	-	-	4	-	1.7	12.3	4.9	4.5	4.1	0.007
XII Other and unspecified malignant neoplasms	1	1	-	-	-	-	-	-	-	-	1.7	-	-	0.5	0.6	0.7	0.001
XIIa Other specified malignant tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIIb Other unspecified malignant tumours	1	1	-	-	-	-	-	-	-	-	1.7	-	-	0.5	0.6	0.7	0.001
I-XII Total	168	13	58	51	46	186	21	60	47	58	259.5	162.7	160.5	192.8	197.2	199.5	0.291

CR: crude (all ages) incidence rate (n/1,000,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/1,000,000 person years)

CRi: Cumulative Risk 0-14 years (%)

VIII Malignant bone tumours	1	-	-	1	-	15	-	-	2	13	-	5.2	21.0	9.1	8.3	7.8	0.013
VIIIa Osteosarcoma	-	-	-	-	-	6	-	-	1	5	-	1.7	8.1	3.4	3.1	2.9	0.005
VIIIb Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIIIc Ewing's sarcoma	1	-	-	1	-	9	-	-	1	8	-	3.5	12.9	5.7	5.2	4.9	0.008
VIId Other specified malignant bone tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIIE Unspecified malignant bone tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX Soft tissue and other extraosseous sarcomas	2	-	2	-	-	7	-	4	1	2	10.7	1.7	3.2	5.1	5.5	5.6	0.008
IXa Rhabdomyosarcoma and embryonal sarcoma	1	-	1	-	-	4	-	4	-	-	8.9	-	-	2.8	3.2	3.5	0.004
IXb Fibrosarcoma, neurofibrosarcoma and other fibromatous neoplasms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IXd Other specified soft tissue sarcomas	1	-	1	-	-	3	-	-	1	2	1.8	1.7	3.2	2.3	2.2	2.2	0.003
IXe Unspecified soft tissue sarcomas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X Germ cell tumours, trophoblastic tumours and neoplasms of gonads	3	1	1	1	-	7	2	2	-	3	10.7	1.7	4.8	5.7	6.0	6.1	0.009
Xa Intracranial and intraspinal germ cell tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Xb Other and unspecified non gonadal germ cell tumours	2	1	1	-	-	4	2	2	-	-	10.7	-	-	3.4	3.9	4.1	0.005
Xc Gonadal germ cell tumours	1	-	-	1	-	3	-	-	-	3	-	1.7	4.8	2.3	2.1	2.0	0.003
Xe Other and unspecified gonadal tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI Other malignant epithelial neoplasms and malignant melanomas	10	-	-	1	9	26	1	1	13	11	3.6	24.3	32.3	20.5	19.3	18.6	0.030
XIa Adrenocortical carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIb Thyroid carcinoma	2	-	-	-	2	1	-	-	1	-	-	1.7	3.2	1.7	1.6	1.5	0.002
XIc Nasopharyngeal carcinomas	1	-	-	-	1	-	-	-	-	-	-	-	1.6	0.6	0.5	0.5	0.001
XIc Malignant melanoma	2	-	-	-	2	5	1	1	2	1	3.6	3.5	4.8	4.0	3.9	3.9	0.006
XIe Skin carcinoma	4	-	-	1	3	15	-	-	10	5	-	19.1	12.9	10.8	10.2	9.9	0.016
XIc Other and unspecified carcinomas	1	-	-	-	1	5	-	-	-	5	-	-	9.7	3.4	3.1	2.8	0.005
XII Other and unspecified malignant neoplasms	2	2	-	-	-	1	-	-	1	-	3.6	1.7	-	1.7	1.8	1.9	0.003
XIIa Other specified malignant tumours	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIIb Other unspecified malignant tumours	2	2	-	-	-	1	-	-	1	-	3.6	1.7	-	1.7	1.8	1.9	0.003
I-XII Total	123	13	46	33	31	164	18	50	41	55	226.6	128.3	138.9	163.4	167.4	169.4	0.247

CR: crude (all ages) incidence rate (n/1,000,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/1,000,000 person years)

CRi: Cumulative Risk 0-14 years (%)

Appendix 6a German-speaking Community: Males, number of invasive tumours, age-specific and age-standardised incidence rates by primary site and age group in 2004-2005

		Number of invasive tumours										Age-specific and age-standardised incidence rates								
		2004					2005					2004-2005								
		Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	CR	ESR	WSR	CRI
C02	Tongue	1	-	-	1	-	0	-	-	-	-	1	-	-	3.95	-	1.4	1.0	0.8	0.13
C06	Mouth, NOS	1	-	-	1	-	1	-	-	1	-	2	-	-	7.89	-	2.8	3.0	2.0	0.23
C09	Tonsil	0	-	-	-	-	1	-	-	1	-	1	-	-	3.95	-	1.4	1.2	1.1	0.09
C10	Oropharynx	0	-	-	-	-	1	-	-	1	-	1	-	-	3.95	-	1.4	1.5	1.0	0.13
C12	Pyiform sinus	2	-	-	2	-	2	-	-	2	-	4	-	-	15.78	-	5.6	4.6	3.2	0.55
C13	Hypopharynx	1	-	-	1	-	0	-	-	-	-	1	-	-	3.95	-	1.4	1.0	0.8	0.13
C15	Oesophagus	1	-	-	1	-	1	-	-	-	1	2	-	-	3.95	27.5	2.8	3.6	2.2	0.13
C16	Stomach	5	-	-	2	3	5	-	-	5	-	10	-	-	27.62	82.6	14.0	10.8	7.1	0.99
C17	Small intestine	1	-	-	1	-	0	-	-	-	-	1	-	-	3.95	-	1.4	1.0	0.8	0.13
C18	Colon	16	-	-	12	4	11	-	-	8	3	27	-	-	78.90	192.7	37.7	29.0	19.4	2.72
C19	Rectosigmoid junction	4	-	-	2	2	1	-	-	1	-	5	-	-	11.84	55.1	7.0	5.0	3.3	0.41
C20	Rectum	7	-	-	5	2	3	-	-	2	1	10	-	-	27.62	82.6	14.0	12.4	8.4	0.86
C22	Liver and intrahepatic bile ducts	1	-	-	-	1	2	-	-	2	-	3	-	-	7.89	27.5	4.2	3.7	2.5	0.25
C23	Gallbladder	1	-	-	1	-	0	-	-	-	-	1	-	-	3.95	-	1.4	1.5	1.0	0.13
C24	Biliary tract, NOS	1	-	-	-	1	1	-	-	-	1	2	-	-	-	55.1	2.8	1.9	1.0	-
C25	Pancreas	2	-	-	2	-	3	-	-	3	-	5	-	-	19.73	-	7.0	6.2	4.4	0.68
C26	Other ill-defined digestive organs	0	-	-	-	-	1	-	-	-	1	1	-	-	-	27.5	1.4	1.0	0.5	-
C32	Larynx	4	-	-	4	-	0	-	-	-	-	4	-	-	15.78	-	5.6	5.3	3.7	0.54
C34	Bronchus and lung	26	-	-	17	9	24	-	-	17	7	50	-	-	134.14	440.5	69.8	56.0	37.1	4.55
C40	Bone and articular cartilage of limbs	1	1	-	-	-	0	-	-	-	-	1	7.5	-	-	-	1.4	1.4	1.8	0.10
C43	Malignant melanoma of skin	4	-	2	2	-	9	-	3	4	2	13	-	17.1	23.67	55.1	18.1	16.0	12.9	1.35
C44	Malignant neoplasms of skin	14	-	1	7	6	13	-	-	7	6	27	-	3.4	55.23	330.4	37.7	33.1	20.4	2.09
C45	Mesothelioma	0	-	-	-	-	2	-	-	1	1	2	-	-	3.95	27.5	2.8	2.0	1.3	0.13
C47,C49	Soft tissues	1	-	1	-	-	2	-	2	-	-	3	-	10.3	-	-	4.2	3.8	3.3	0.27
C60	Penis	1	-	-	1	-	0	-	-	-	-	1	-	-	3.95	-	1.4	1.5	1.0	0.10

C61	Prostate	44	-	-	37	7	44	-	-	35	9	88	-	-	284.06	440.5	122.8	102.6	70.4	9.34
C62	Testis	3	-	1	2	-	8	-	5	3	-	11	-	20.5	19.73	-	15.4	15.2	13.6	1.13
C64	Kidney	7	-	1	6	-	3	-	-	2	1	10	-	3.4	31.56	27.5	14.0	11.9	8.4	1.14
C65	Renal pelvis	0	-	-	-	-	1	-	-	-	1	1	-	-	-	27.5	1.4	0.9	0.4	-
C66	Ureter	0	-	-	-	-	2	-	-	2	-	2	-	-	7.89	-	2.8	2.3	1.8	0.26
C67	Bladder	17	-	-	9	8	11	-	-	7	4	28	-	-	63.12	330.4	39.1	33.6	21.5	1.95
C71	Brain	1	-	-	1	-	1	-	-	-	1	2	-	-	3.95	27.5	2.8	2.2	1.5	0.13
C73	Thyroid gland	2	-	1	-	1	0	-	-	-	-	2	-	3.4	-	27.5	2.8	2.1	1.5	0.08
C81	Hodgkin's disease	2	-	2	-	-	1	-	1	-	-	3	-	10.3	-	-	4.2	4.4	4.3	0.32
C82-C85	Non-Hodgkin-lymphoma	6	1	2	3	-	3	-	1	1	1	9	7.5	10.3	15.78	27.5	12.6	11.6	10.2	0.89
C90	Multiple myeloma	2	-	-	2	-	1	-	-	1	-	3	-	-	11.84	-	4.2	4.2	3.1	0.36
C92	Myeloid leukaemia	3	-	1	1	1	0	-	-	-	-	3	-	3.4	3.95	27.5	4.2	3.1	2.1	0.24
C80	Unknown primary site	2	-	1	-	1	1	-	-	1	-	3	-	3.4	3.95	27.5	4.2	3.5	2.5	0.18
MDS	Myelodysplastic syndromes	1	-	-	1	-	0	-	-	-	-	1	-	-	3.95	-	1.4	1.5	1.0	0.13
Total		185	2	13	124	46	159	-	12	107	40	344	14.9	85.5	911.4	2,367.8	480.2	406.5	282.9	28.47
Total excl. non-melanoma		171	2	12	117	40	146	-	12	100	34	317	14.9	82.0	856.1	2,037.4	442.5	373.5	262.5	26.95
Total excl. non-melanoma and MDS-MPD		170	2	12	116	40	146	-	12	100	34	316	14.9	82.0	852.2	2,037.4	441.1	372.0	261.5	26.86

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRI: Cumulative Risk 0-74 years (%)

Note: underregistration must be taken into account

Appendix 6b German-speaking Community: Females, number of invasive tumours, age-specific and age-standardised incidence rates by primary site and age group in 2004-2005

		Number of invasive tumours										Age-specific and age-standardised incidence rates								
		2004					2005					2004-2005								
		Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	Tot	00-14	15-44	45-74	75+	CR	ESR	WSR	CRI
C02	Tongue	0	-	-	-	-	2	-	-	1	1	2	-	-	3.9	14.9	2.7	1.7	1.3	0.09
C04	Floor of mouth	0	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1.4	1.5	1.1	0.11
C09	Tonsil	2	-	-	-	2	0	-	-	-	-	2	-	-	-	29.9	2.7	1.1	0.6	-
C15	Oesophagus	1	-	-	-	1	1	-	-	1	-	2	-	-	3.9	14.9	2.7	2.2	1.4	0.13
C16	Stomach	3	-	-	3	-	5	-	1	2	2	8	-	3.6	19.7	29.9	11.0	7.7	5.7	0.70
C17	Small intestine	1	-	-	-	1	0	-	-	-	-	1	-	-	-	14.9	1.4	0.7	0.3	-
C18	Colon	12	-	1	7	4	20	-	2	7	11	32	-	10.7	55.1	224.0	44.0	28.9	19.2	2.05
C20	Rectum	6	-	1	5	-	7	-	1	4	2	13	-	7.1	35.4	29.9	17.9	12.7	9.2	1.41
C21	Anus and anal canal	1	-	1	-	-	0	-	-	-	-	1	-	3.6	-	-	1.4	1.1	1.0	0.08
C22	Liver and intrahepatic bile ducts	1	-	-	1	-	1	-	-	-	1	2	-	-	3.9	14.9	2.7	2.0	1.4	0.09
C23	Gallbladder	0	-	-	-	-	2	-	-	-	2	2	-	-	-	29.9	2.7	1.3	0.7	-
C25	Pancreas	1	-	-	-	1	4	-	-	3	1	5	-	-	11.8	29.9	6.9	5.2	3.4	0.37
C30	Nasal cavity and middle ear	0	-	-	-	-	1	-	-	1	-	1	-	-	3.9	-	1.4	1.5	1.1	0.11
C32	Larynx	0	-	-	-	-	1	-	-	1	-	1	-	-	3.9	-	1.4	1.0	0.8	0.13
C34	Bronchus and lung	15	-	-	11	4	8	-	2	5	1	23	-	7.1	63.0	74.7	31.6	24.4	18.3	2.05
C40	Bone and articular cartilage of limbs	1	-	1	-	-	0	-	-	-	-	1	-	3.6	-	-	1.4	1.6	2.0	0.11
C43	Malignant melanoma of skin	4	-	-	3	1	4	-	1	1	2	8	-	3.6	15.8	44.8	11.0	8.8	6.9	0.62
C44	Malignant neoplasms of skin	8	-	-	3	5	6	-	-	-	6	14	-	-	11.8	164.3	19.2	9.7	5.4	0.42
C45	Mesothelioma	0	-	-	-	-	1	-	-	1	-	1	-	-	3.9	-	1.4	1.2	1.0	0.12
C47,C49	Soft tissues	0	-	-	-	-	2	-	-	1	1	2	-	-	3.9	14.9	2.7	1.7	1.1	0.13
C50	Breast	52	-	7	36	9	49	-	6	35	8	101	-	46.2	279.6	253.9	138.8	110.0	82.4	9.17
C51	Vulva	2	-	-	-	2	0	-	-	-	-	2	-	-	-	29.9	2.7	1.4	0.7	-
C53	Cervix uteri	1	-	-	1	-	2	-	-	2	-	3	-	-	11.8	-	4.1	3.6	2.6	0.39
C54	Corpus uteri	8	-	-	4	4	8	-	-	8	-	16	-	-	47.3	59.7	22.0	15.5	10.7	1.54
C55	Uterus	2	-	-	2	-	0	-	-	-	-	2	-	-	7.9	-	2.7	2.6	1.8	0.26

C56	Ovary	8	-	-	7	1	9	-	-	9	-	17	-	-	63.0	14.9	23.4	20.4	15.1	1.98
C64	Kidney	2	-	-	1	1	2	-	-	2	-	4	-	-	11.8	14.9	5.5	3.4	2.4	0.40
C65	Renal pelvis	0	-	-	-	-	1	-	-	1	-	1	-	-	3.9	-	1.4	0.9	0.6	0.14
C67	Bladder	2	-	1	-	1	5	-	-	3	2	7	-	3.6	11.8	44.8	9.6	6.4	4.1	0.49
C71	Brain	1	-	-	1	-	1	-	1	-	-	2	-	3.6	3.9	-	2.7	2.0	1.5	0.22
C73	Thyroid gland	10	-	3	6	1	5	-	3	2	-	15	-	21.3	31.5	14.9	20.6	20.1	16.2	1.49
C81	Hodgkin's disease	1	-	-	-	1	0	-	-	-	-	1	-	-	-	14.9	1.4	0.7	0.3	-
C82-C85	Non-Hodgkin-lymphoma	4	1	2	-	1	5	-	1	-	4	9	8.0	10.7	-	74.7	12.4	8.5	6.8	0.38
C90	Multiple myeloma	3	-	-	2	1	0	-	-	-	-	3	-	-	7.9	14.9	4.1	2.5	1.8	0.26
C92	Myeloid leukaemia	2	-	-	2	-	0	-	-	-	-	2	-	-	7.9	-	2.7	2.3	1.8	0.25
C80	Unknown primary site	3	-	-	2	1	5	-	-	3	2	8	-	-	19.7	44.8	11.0	7.4	4.7	0.68
MPD	Myeloproliferative Disorders	2	-	-	2	-	1	-	-	-	1	3	-	-	7.9	14.9	4.1	2.8	2.0	0.24
Total		159	1	17	99	42	159	-	18	94	47	318	8.0	124.4	760.1	1,329.4	437.0	326.7	237.2	23.81
Total excl. non-melanoma		151	1	17	96	37	153	-	18	94	41	304	8.0	124.4	748.3	1,165.0	417.8	317.0	231.8	23.49
Total excl. non-melanoma and MDS-MPD		149	1	17	94	37	152	-	18	94	40	301	8.0	124.4	740.4	1,150.1	413.6	314.2	229.8	23.31

CR: crude (all ages) incidence rate (n/100,000 person years)

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

CRi: Cumulative Risk 0-74 years (%)

Note: underregistration must be taken into account

Flemish Region: Males, number of invasive tumours and age-standardised incidence by primary site and incidence year, 1999-2005

Males		N							ESR							WSR						
		1999	2000	2001	2002	2003	2004	2005	1999	2000	2001	2002	2003	2004	2005	1999	2000	2001	2002	2003	2004	2005
C00	Lip	50	41	39	49	50	43	47	1.5	1.2	1.1	1.3	1.4	1.1	1.2	1.0	0.7	0.7	0.8	0.9	0.7	0.8
C01	Base of tongue	35	20	36	29	34	37	19	1.1	0.6	1.1	0.9	1.0	1.1	0.6	0.8	0.4	0.8	0.7	0.8	0.8	0.4
C02	Tongue	77	88	77	80	63	96	100	2.4	2.8	2.3	2.5	1.9	2.9	2.9	1.8	2.0	1.7	1.8	1.4	2.1	2.2
C03	Gum	9	10	6	10	11	11	7	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.3	0.2	0.2
C04	Floor of mouth	75	74	71	78	77	92	81	2.4	2.4	2.2	2.4	2.3	2.8	2.4	1.8	1.8	1.7	1.8	1.7	2.0	1.8
C05	Palate	30	25	23	25	19	26	24	0.9	0.8	0.7	0.8	0.6	0.7	0.7	0.7	0.6	0.5	0.5	0.4	0.5	0.5
C06	Mouth, NOS	40	51	42	39	40	46	45	1.2	1.6	1.3	1.2	1.2	1.4	1.2	0.9	1.2	1.0	0.8	0.9	1.0	0.9
C07	Parotid gland	28	27	24	39	31	37	30	0.8	0.8	0.7	1.1	0.9	1.1	0.8	0.6	0.5	0.6	0.8	0.6	0.8	0.6
C08	Salivary glands, NOS	14	11	7	8	11	10	15	0.4	0.3	0.2	0.2	0.3	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.3
C09	Tonsil	72	77	76	72	86	87	73	2.3	2.4	2.3	2.2	2.6	2.5	2.2	1.7	1.8	1.7	1.6	1.9	1.8	1.6
C10	Oropharynx	31	34	39	30	34	41	35	1.0	1.1	1.2	0.9	1.0	1.3	1.0	0.7	0.8	0.9	0.6	0.7	0.9	0.8
C11	Nasopharynx	12	14	21	15	23	18	17	0.4	0.4	0.7	0.5	0.6	0.6	0.5	0.3	0.4	0.6	0.4	0.5	0.4	0.4
C12	Pyiform sinus	49	52	49	50	45	74	55	1.6	1.6	1.5	1.6	1.3	2.2	1.6	1.2	1.2	1.1	1.2	1.0	1.6	1.2
C13	Hypopharynx	23	36	25	21	30	38	28	0.7	1.2	0.8	0.6	0.9	1.1	0.8	0.5	0.9	0.6	0.5	0.7	0.8	0.6
C14	Lip, oral cavity and pharynx, NOS	22	26	22	17	11	11	20	0.7	0.8	0.7	0.6	0.3	0.4	0.6	0.5	0.5	0.5	0.4	0.3	0.3	0.4
C15	Oesophagus	272	328	384	366	356	370	393	8.1	9.8	11.4	10.6	10.2	10.5	10.9	5.7	6.8	7.9	7.4	7.1	7.3	7.6
C16	Stomach	484	493	534	534	513	537	518	13.9	14.0	15.0	14.8	13.8	14.1	13.6	9.0	9.0	9.8	9.7	9.0	9.2	8.9
C17	Small intestine	44	45	49	53	75	61	56	1.3	1.3	1.4	1.5	2.0	1.7	1.6	0.9	0.9	0.9	1.0	1.4	1.2	1.1
C18	Colon	1,176	1,322	1,412	1,440	1,503	1,581	1,693	34.2	37.1	39.4	38.8	39.8	41.0	43.7	22.3	24.2	25.8	25.6	26.1	26.8	28.5
C19	Rectosigmoid junction	165	165	170	161	157	215	123	4.6	4.7	4.7	4.4	4.1	5.6	3.3	3.0	3.2	3.1	2.9	2.8	3.7	2.2
C20	Rectum	755	831	712	754	810	826	820	22.1	23.9	20.2	21.0	22.1	22.4	21.7	14.8	15.9	13.6	14.1	14.8	15.2	14.7
C21	Anus and anal canal	25	15	21	24	30	29	34	0.8	0.4	0.6	0.7	0.9	0.8	1.0	0.5	0.3	0.4	0.4	0.6	0.6	0.7
C22	Liver and intrahepatic bile ducts	127	125	121	106	116	140	166	3.8	3.6	3.4	2.9	3.3	3.8	4.5	2.7	2.4	2.3	2.1	2.4	2.7	3.1
C23	Gallbladder	17	17	13	17	10	20	18	0.4	0.5	0.3	0.4	0.3	0.5	0.4	0.3	0.3	0.2	0.3	0.2	0.3	0.3
C24	Biliary tract, NOS	40	33	50	48	59	74	60	1.2	0.9	1.4	1.3	1.5	2.0	1.5	0.8	0.6	1.0	0.9	1.0	1.3	1.0
C25	Pancreas	256	259	264	313	332	346	317	7.4	7.5	7.5	8.7	8.9	9.4	8.4	5.0	5.0	5.1	6.0	6.0	6.5	5.7
C26	Other ill-defined digestive organs	5	13	2	1	7	3	3	0.1	0.4	0.1	0.0	0.2	0.1	0.1	0.1	0.2	0.0	0.0	0.2	0.1	0.1
C30	Nasal cavity and middle ear	10	14	9	9	12	10	15	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.2	0.3	0.2	0.2	0.2	0.2	0.3
C31	Accessory sinuses	41	32	43	41	34	36	46	1.3	1.0	1.3	1.2	1.0	1.0	1.3	0.9	0.8	1.0	0.8	0.7	0.7	0.9
C32	Larynx	312	333	350	341	370	349	307	9.6	9.8	10.3	10.0	10.6	10.0	8.5	6.8	7.0	7.1	7.0	7.5	7.0	5.9
C33	Trachea	8	4	3	11	7	8	4	0.2	0.1	0.1	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1
C34	Bronchus and lung	2,908	3,057	3,053	3,001	3,038	3,258	3,169	84.3	87.1	85.3	82.1	81.3	86.4	82.8	56.9	58.9	57.5	55.1	54.7	57.9	55.7
C37	Thymus	5	7	5	8	4	18	10	0.2	0.2	0.1	0.2	0.1	0.5	0.3	0.1	0.2	0.1	0.2	0.1	0.4	0.2
C38	Heart, mediastinum and pleura	33	14	27	5	7	5	7	1.0	0.4	0.8	0.1	0.2	0.2	0.2	0.7	0.3	0.6	0.1	0.1	0.1	0.2
C39	Respiratory system and intrathoracic organs, NOS	-	1	-	-	1	-	1	-	0.0	-	-	0.0	-	0.0	-	0.0	-	-	0.0	-	0.0
C40	Bone and articular cartilage of limbs	18	25	24	19	21	28	23	0.7	0.9	0.8	0.6	0.7	0.9	0.8	0.7	0.9	0.8	0.6	0.7	1.0	0.8
C41	Bone and articular cartilage, NOS	26	25	22	22	21	21	21	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.7	0.6	0.6	0.6

C43	Malignant melanoma of skin	241	308	254	284	337	364	364	7.5	9.4	7.7	8.3	10.0	10.6	10.4	5.7	7.1	5.8	6.1	7.7	8.2	8.0
C44	Malignant neoplasms of skin	498	681	738	759	871	942	1,061	14.3	19.4	20.3	20.5	22.9	24.7	26.5	9.0	12.0	12.6	12.6	14.4	15.2	16.4
C45	Mesothelioma	99	109	126	98	119	137	140	2.9	3.1	3.6	2.7	3.2	3.6	3.7	2.0	2.1	2.5	1.9	2.2	2.5	2.5
C46	Kaposi's sarcoma	7	-	7	8	19	8	10	0.2	-	0.2	0.2	0.5	0.2	0.3	0.1	-	0.1	0.2	0.4	0.2	0.3
C47,C49	Soft tissues	102	116	103	116	132	136	119	3.3	3.5	3.1	3.4	4.0	4.0	3.4	2.6	2.8	2.5	2.6	3.2	3.2	2.6
C48	Retroperitoneum and peritoneum	18	17	18	12	15	16	18	0.5	0.5	0.5	0.4	0.5	0.5	0.5	0.4	0.3	0.4	0.3	0.4	0.3	0.4
C50	Breast	53	55	54	52	55	56	50	1.6	1.6	1.5	1.4	1.5	1.4	1.4	1.1	1.1	1.0	1.0	1.0	1.0	1.0
C60	Penis	27	37	30	31	36	38	36	0.8	1.1	0.9	0.8	1.0	1.0	0.9	0.5	0.7	0.5	0.6	0.6	0.7	0.6
C61	Prostate	4,487	4,923	5,413	5,016	5,575	5,937	6,109	128.1	138.6	149.3	136.7	149.1	157.8	160.1	84.1	91.7	98.4	90.9	99.8	105.3	107.1
C62	Testis	96	132	133	127	130	126	158	3.1	4.4	4.5	4.3	4.4	4.2	5.3	3.0	4.4	4.5	4.3	4.2	4.1	5.0
C63	Male genital organs, NOS	5	3	6	-	7	6	6	0.2	0.1	0.2	-	0.2	0.2	0.2	0.1	0.1	0.1	-	0.2	0.1	0.2
C64	Kidney	370	458	467	459	513	500	518	11.1	13.6	13.4	13.2	14.4	14.0	14.0	7.8	9.9	9.5	9.4	10.4	10.0	10.1
C65	Renal pelvis	53	70	63	56	77	57	72	1.5	1.9	1.8	1.5	2.1	1.4	1.8	1.0	1.3	1.2	1.0	1.4	0.9	1.1
C66	Ureter	24	39	46	40	36	49	39	0.7	1.1	1.2	1.1	1.0	1.2	1.0	0.5	0.7	0.8	0.7	0.6	0.8	0.6
C67	Bladder	770	930	1,000	917	884	956	979	22.0	26.1	27.3	24.5	23.3	25.1	24.9	14.4	16.9	17.4	15.7	14.9	15.9	15.8
C68	Urinary organs, NOS	5	18	13	12	11	14	10	0.2	0.5	0.3	0.3	0.3	0.5	0.3	0.1	0.4	0.2	0.2	0.2	0.3	0.2
C69	Eye and adnexa	22	31	31	34	24	24	19	0.7	1.0	0.9	1.1	0.9	0.7	0.5	0.5	0.8	0.7	0.9	0.9	0.5	0.5
C70	Meninges	2	3	6	8	7	7	3	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.0
C71	Brain	233	241	221	250	272	257	269	7.4	7.7	6.8	7.6	8.2	7.5	8.0	6.1	6.6	5.7	6.2	6.7	6.1	6.7
C72	Spinal cord, cranial nerves and CNS, NOS	10	7	7	7	7	10	9	0.3	0.3	0.2	0.2	0.2	0.4	0.3	0.3	0.3	0.2	0.3	0.2	0.5	0.2
C73	Thyroid gland	56	57	49	55	55	63	72	1.7	1.8	1.4	1.6	1.7	1.8	2.1	1.3	1.3	1.1	1.3	1.3	1.4	1.6
C74	Adrenal gland	12	10	9	12	10	10	8	0.4	0.4	0.3	0.4	0.3	0.4	0.3	0.4	0.4	0.3	0.4	0.3	0.4	0.4
C75	Endocrine glands, NOS	4	4	3	6	6	7	6	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2
C81	Hodgkin's disease	89	74	75	79	93	82	107	2.9	2.5	2.5	2.7	3.0	2.7	3.5	2.7	2.4	2.4	2.6	2.8	2.4	3.5
C82-C85	Non-Hodgkin-lymphoma	516	471	494	500	554	595	605	15.6	14.0	14.5	14.3	15.6	16.7	16.6	11.2	10.1	10.7	10.3	11.2	12.1	12.1
C88	Malignant immunoproliferative diseases	14	14	17	12	11	35	22	0.4	0.4	0.5	0.4	0.3	1.0	0.6	0.3	0.3	0.3	0.3	0.2	0.6	0.4
C90	Multiple myeloma	223	200	196	201	248	223	223	6.6	5.8	5.5	5.5	6.7	5.9	5.7	4.4	3.9	3.6	3.7	4.5	4.0	3.8
C91	Lymphoid leukaemia	271	242	250	228	240	272	245	8.2	7.2	7.6	6.8	7.3	7.7	6.9	6.3	5.2	6.1	5.5	5.9	6.0	5.5
C92	Myeloid leukaemia	170	158	192	154	172	170	182	5.0	4.6	5.7	4.4	4.9	4.6	5.2	3.6	3.3	4.4	3.3	3.7	3.2	4.0
C93	Monocytic leukaemia	9	4	9	5	7	6	8	0.3	0.1	0.3	0.1	0.2	0.2	0.2	0.3	0.1	0.2	0.1	0.2	0.1	0.2
C94-C95	Leukaemia other	34	26	22	18	16	18	12	1.0	0.7	0.6	0.5	0.4	0.5	0.4	0.8	0.6	0.4	0.3	0.3	0.3	0.3
C96	Lymphoid, haematopoietic and related tissue, NOS	14	8	11	3	4	4	1	0.6	0.3	0.4	0.1	0.2	0.1	0.1	0.8	0.3	0.5	0.1	0.2	0.2	0.1
C76	Other and ill-defined sites	23	10	17	24	16	15	13	0.7	0.3	0.5	0.8	0.5	0.4	0.4	0.7	0.3	0.4	0.6	0.4	0.3	0.4
C80	Unknown primary site	623	547	562	395	384	359	350	18.4	15.6	15.8	11.0	10.3	9.7	9.2	12.5	10.3	10.5	7.5	6.8	6.5	6.1
Total		16,474	17,747	18,467	17,814	18,991	20,101	20,243	482.3	511.0	521.5	495.1	518.5	543.2	538.0	329.9	348.9	356.1	339.0	356.0	370.7	368.6
Total excl. non-melanoma		15,976	17,066	17,729	17,055	18,120	19,159	19,182	468.0	491.6	501.2	474.6	495.6	518.5	511.5	320.9	336.9	343.5	326.3	341.7	355.6	352.3

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

Flemish Region: Males, number of invasive tumours and age-standardised incidence by primary site and incidence year, 1999-2005

Females		N							ESR							WSR						
		1999	2000	2001	2002	2003	2004	2005	1999	2000	2001	2002	2003	2004	2005	1999	2000	2001	2002	2003	2004	2005
C00	Lip	10	14	13	10	16	15	14	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.2
C01	Base of tongue	6	8	6	8	9	10	8	0.2	0.3	0.2	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2
C02	Tongue	31	33	26	29	36	32	39	0.9	0.8	0.6	0.7	0.9	0.9	1.1	0.7	0.5	0.5	0.5	0.6	0.7	0.8
C03	Gum	9	3	5	7	14	12	8	0.2	0.1	0.1	0.2	0.3	0.3	0.2	0.2	0.0	0.1	0.1	0.2	0.2	0.2
C04	Floor of mouth	11	14	15	28	15	29	29	0.3	0.4	0.4	0.8	0.4	0.8	0.8	0.2	0.3	0.3	0.6	0.3	0.6	0.6
C05	Palate	7	10	17	19	8	17	17	0.2	0.3	0.5	0.5	0.2	0.4	0.5	0.1	0.2	0.4	0.4	0.2	0.4	0.3
C06	Mouth, NOS	18	23	14	19	14	22	30	0.5	0.6	0.3	0.5	0.3	0.5	0.7	0.4	0.4	0.2	0.3	0.2	0.4	0.5
C07	Parotid gland	13	16	23	18	22	17	24	0.3	0.4	0.6	0.4	0.6	0.4	0.6	0.3	0.2	0.4	0.3	0.4	0.3	0.4
C08	Salivary glands, NOS	5	9	8	7	8	6	20	0.1	0.2	0.2	0.2	0.2	0.2	0.6	0.1	0.2	0.1	0.2	0.1	0.1	0.4
C09	Tonsil	14	26	20	16	22	24	21	0.4	0.7	0.6	0.4	0.6	0.6	0.5	0.3	0.5	0.5	0.3	0.5	0.5	0.4
C10	Oropharynx	3	10	7	2	4	13	3	0.1	0.3	0.2	0.1	0.1	0.4	0.1	0.1	0.2	0.2	0.0	0.1	0.3	0.1
C11	Nasopharynx	4	3	6	8	4	4	5	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
C12	Pyiform sinus	7	6	7	8	5	8	7	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2
C13	Hypopharynx	2	6	5	3	5	6	5	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
C14	Lip, oral cavity and pharynx, NOS	1	3	5	4	3	2	-	0.0	0.1	0.1	0.1	0.1	0.0	-	0.0	0.1	0.1	0.1	0.1	0.0	-
C15	Oesophagus	96	109	94	90	116	125	127	2.2	2.5	2.2	2.0	2.7	2.6	2.8	1.5	1.7	1.5	1.3	1.8	1.7	1.9
C16	Stomach	324	336	325	354	306	328	335	6.7	6.9	6.4	7.0	5.8	6.3	6.5	4.3	4.6	4.1	4.6	3.7	4.1	4.2
C17	Small intestine	34	47	40	42	49	44	48	0.9	1.1	0.9	1.1	1.1	1.0	1.0	0.6	0.7	0.7	0.8	0.8	0.7	0.7
C18	Colon	1,124	1,243	1,393	1,363	1,417	1,401	1,392	24.2	26.3	29.3	27.9	29.2	28.3	27.8	15.9	17.4	19.5	18.3	19.6	18.7	18.5
C19	Rectosigmoid junction	110	118	115	113	125	147	110	2.4	2.8	2.7	2.3	2.6	3.1	2.3	1.6	1.9	1.9	1.6	1.8	2.0	1.6
C20	Rectum	458	549	516	495	539	520	496	10.6	12.4	11.9	10.9	11.8	11.3	10.9	7.3	8.3	8.1	7.4	8.0	7.6	7.5
C21	Anus and anal canal	20	38	21	34	50	30	37	0.5	0.9	0.5	0.8	1.3	0.7	0.9	0.4	0.6	0.4	0.6	0.9	0.5	0.6
C22	Liver and intrahepatic bile ducts	92	100	92	78	71	76	89	1.9	2.2	2.0	1.8	1.5	1.8	2.0	1.3	1.5	1.5	1.2	1.0	1.3	1.4
C23	Gallbladder	53	39	51	43	42	46	45	1.1	0.9	1.0	0.8	0.8	0.9	0.9	0.7	0.6	0.7	0.5	0.5	0.6	0.6
C24	Biliary tract, NOS	27	36	32	45	62	70	62	0.6	0.8	0.6	0.9	1.3	1.5	1.3	0.4	0.5	0.4	0.6	0.9	1.0	0.8
C25	Pancreas	280	252	250	311	301	287	309	6.0	5.6	5.5	6.4	6.1	6.0	6.7	3.9	3.7	3.7	4.2	4.0	4.1	4.6
C26	Other ill-defined digestive organs	5	8	2	4	3	3	3	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
C30	Nasal cavity and middle ear	1	2	2	3	7	7	13	0.0	0.0	0.0	0.1	0.2	0.1	0.3	0.0	0.0	0.0	0.1	0.2	0.1	0.3
C31	Accessory sinuses	13	7	9	8	15	8	12	0.4	0.1	0.3	0.2	0.4	0.2	0.3	0.3	0.1	0.2	0.2	0.3	0.2	0.2
C32	Larynx	36	33	38	37	53	45	35	0.9	1.0	1.0	0.9	1.3	1.2	0.9	0.6	0.7	0.7	0.7	0.9	0.9	0.6
C33	Trachea	3	1	2	1	3	1	3	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0
C34	Bronchus and lung	542	561	657	685	684	833	855	13.9	14.5	16.7	17.8	17.5	20.8	20.8	9.9	10.4	11.8	12.7	12.4	14.8	14.7
C37	Thymus	6	7	9	8	6	7	5	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1
C38	Heart, mediastinum and pleura	11	21	27	4	-	3	4	0.2	0.4	0.6	0.1	-	0.1	0.1	0.2	0.3	0.5	0.1	-	0.1	0.1
C39	Respiratory system and intrathoracic organs, NOS	-	1	-	-	1	-	-	-	0.0	-	-	0.0	-	-	-	0.0	-	-	0.0	-	-
C40	Bone and articular cartilage of limbs	18	21	20	17	20	19	29	0.6	0.7	0.7	0.5	0.6	0.6	1.0	0.7	0.6	0.6	0.5	0.5	0.6	1.0
C41	Bone and articular cartilage, NOS	17	16	16	19	27	14	22	0.5	0.5	0.5	0.6	0.8	0.4	0.6	0.5	0.4	0.4	0.6	0.7	0.4	0.5
C43	Malignant melanoma of skin	383	436	443	444	477	490	553	11.2	12.5	12.6	12.3	13.4	13.7	15.3	9.1	10.2	10.2	9.6	10.8	11.1	12.4
C44	Malignant neoplasms of skin	332	443	497	505	572	667	722	6.3	8.7	9.7	9.5	10.8	12.5	13.3	3.9	5.6	6.3	6.0	6.9	7.8	8.6

C45	Mesothelioma	25	15	20	21	14	19	35	0.6	0.4	0.5	0.4	0.4	0.4	0.8	0.5	0.3	0.4	0.3	0.3	0.3	0.6
C46	Kaposi's sarcoma	1	4	1	4	7	4	2	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0
C47,C49	Soft tissues	88	96	99	103	96	125	114	2.4	2.7	2.7	2.9	2.7	3.4	3.3	1.9	2.3	2.4	2.5	2.4	2.7	2.8
C48	Retroperitoneum and peritoneum	17	26	33	24	21	26	25	0.3	0.6	0.9	0.6	0.5	0.7	0.7	0.2	0.4	0.6	0.5	0.4	0.5	0.5
C50	Breast	4,686	4,914	5,352	5,290	5,585	5,345	5,524	133.0	138.3	149.3	145.8	152.7	143.4	145.5	98.6	102.6	110.5	107.6	112.8	106.0	107.5
C51	Vulva	73	85	72	90	87	85	100	1.7	1.9	1.6	1.9	1.9	1.9	2.1	1.2	1.2	1.1	1.4	1.3	1.3	1.5
C52	Vagina	28	30	23	26	22	27	26	0.7	0.7	0.5	0.6	0.5	0.6	0.6	0.5	0.5	0.3	0.4	0.3	0.4	0.4
C53	Cervix uteri	348	412	390	366	362	372	407	10.3	12.1	11.2	10.7	10.3	10.5	11.9	8.2	9.6	8.9	8.4	8.1	8.4	9.5
C54	Corpus uteri	670	756	801	769	795	858	828	16.9	19.3	20.3	19.1	19.1	20.5	19.4	11.9	13.6	14.3	13.5	13.4	14.4	13.5
C55	Uterus	57	37	31	42	50	23	31	1.4	1.0	0.9	1.0	1.2	0.6	0.7	1.0	0.7	0.6	0.7	0.9	0.4	0.5
C56	Ovary	580	642	598	569	598	569	563	15.5	16.6	15.6	14.5	14.8	14.2	13.6	11.4	12.2	11.3	10.5	10.6	10.2	9.8
C57	Female genital organs, NOS	11	17	11	14	15	15	19	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.2	0.3	0.2	0.3	0.3	0.3	0.3
C58	Placenta	3	1	-	4	4	2	1	0.1	0.0	-	0.2	0.1	0.1	0.0	0.1	0.1	-	0.2	0.1	0.1	0.0
C64	Kidney	271	275	272	287	327	358	333	6.8	6.9	6.8	7.0	7.6	8.4	7.7	4.9	5.1	5.0	5.2	5.5	6.0	5.5
C65	Renal pelvis	22	37	28	36	37	45	43	0.5	0.8	0.5	0.7	0.7	0.9	0.8	0.3	0.6	0.3	0.5	0.4	0.6	0.6
C66	Ureter	18	19	23	25	25	17	12	0.4	0.4	0.5	0.5	0.6	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.2	0.1
C67	Bladder	221	249	247	224	215	245	268	4.7	5.1	4.7	4.4	4.2	4.6	5.1	3.1	3.3	2.9	2.8	2.7	3.0	3.3
C68	Urinary organs, NOS	1	6	3	1	3	4	5	0.0	0.2	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1
C69	Eye and adnexa	23	25	26	18	27	24	21	0.6	0.6	0.7	0.5	0.6	0.7	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5
C70	Meninges	7	11	7	10	17	13	8	0.2	0.4	0.2	0.3	0.5	0.4	0.2	0.1	0.4	0.2	0.2	0.4	0.3	0.2
C71	Brain	197	199	179	214	175	208	165	5.6	5.9	5.1	6.0	4.9	5.6	4.6	4.9	5.1	4.3	4.9	4.1	4.5	3.8
C72	Spinal cord, cranial nerves and CNS, NOS	4	6	5	5	3	11	6	0.1	0.2	0.2	0.2	0.1	0.5	0.2	0.1	0.2	0.2	0.2	0.1	0.6	0.3
C73	Thyroid gland	111	135	138	164	159	170	229	3.2	4.0	4.0	4.6	4.7	5.1	6.5	2.6	3.2	3.1	3.8	4.0	4.3	5.4
C74	Adrenal gland	14	13	13	7	6	12	8	0.5	0.4	0.5	0.2	0.3	0.5	0.3	0.5	0.3	0.5	0.1	0.3	0.6	0.4
C75	Endocrine glands, NOS	3	1	5	2	2	3	2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0
C81	Hodgkin's disease	65	59	88	70	56	77	77	2.1	1.9	2.9	2.4	1.8	2.5	2.5	1.9	1.8	2.9	2.4	1.7	2.5	2.6
C82-C85	Non-Hodgkin-lymphoma	422	443	427	423	440	501	480	10.8	10.7	10.3	10.4	10.4	11.6	10.9	7.9	7.8	7.3	7.8	7.5	8.5	7.8
C88	Malignant immunoproliferative diseases	3	6	8	8	15	14	18	0.1	0.1	0.2	0.2	0.3	0.3	0.4	0.0	0.1	0.1	0.1	0.2	0.2	0.3
C90	Multiple myeloma	197	185	197	183	169	217	190	4.4	4.2	4.4	3.9	3.8	4.7	4.1	2.9	2.8	3.0	2.6	2.6	3.2	2.7
C91	Lymphoid leukaemia	164	143	164	181	172	212	179	4.3	3.7	4.3	4.3	4.4	5.3	4.5	3.6	3.1	3.7	3.5	3.6	4.4	3.8
C92	Myeloid leukaemia	110	165	142	123	140	158	155	2.9	4.2	3.3	3.0	3.4	3.8	3.8	2.2	3.2	2.5	2.3	2.6	2.8	3.0
C93	Monocytic leukaemia	8	7	6	5	4	5	6	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.1	0.1	0.2	0.1
C94-C95	Leukaemia other	24	24	26	18	17	8	12	0.6	0.5	0.6	0.4	0.4	0.2	0.3	0.4	0.3	0.4	0.3	0.2	0.1	0.3
C96	Lymphoid, haematopoietic and related tissue, NOS	5	5	12	-	4	-	5	0.2	0.2	0.4	-	0.1	-	0.2	0.2	0.2	0.5	-	0.2	-	0.2
C76	Other and ill-defined sites	28	19	19	12	25	17	5	0.8	0.5	0.5	0.3	0.6	0.4	0.2	0.7	0.5	0.4	0.2	0.5	0.3	0.2
C80	Unknown primary site	574	525	498	313	335	292	285	13.6	11.9	11.5	6.7	7.0	6.1	5.8	9.6	8.3	8.2	4.5	4.7	4.1	3.9
Total		13,205	14,200	14,792	14,540	15,160	15,469	15,723	341.5	362.9	375.6	363.4	375.3	378.0	380.0	249.1	264.5	274.3	263.7	272.5	274.7	276.9
Total excl. non-melanoma		12,873	13,757	14,295	14,035	14,588	14,802	15,001	335.2	354.3	365.9	353.9	364.5	365.5	366.7	245.2	258.9	268.0	257.8	265.6	266.9	268.3

ESR and WSR: age-standardised incidence rate, using the European or World Standard Population (n/100,000 person years)

